

Safety Data Sheet

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia Date of Revision: None Revision: 0

Section 1 - Chemical Product and Company Identification

- 1.1 Product Name: Speed Sauce
- 1.2 Synonyms: Blend
- **1.3 Manufacture:** VP Racing Fuels, Inc., 7124 Richter Road, Elmendorf, TX 78112,
- 210.635.7744
- 1.4 Supplier: VP Racing Fuels Pty Ltd, Unit 24 85-115 Alfred Road, Chipping Norton, NSW
- 2170, Australia 02 9723 4233, **Emergency Telephone:** 0421 116 838.
- 1.5 Recommended Use: Water-Methanol Injection Fluid
- 1.6 RESTRICTIONS on USE THIS INJECTION FLUID IS NOT A FUEL
- 1.7 Emergency Response Number: CHEMTREC 800-424-9300

International Emergency Telephone Number: +1-703-527-3887

CHEMTREC Australia (Sydney) +(61) 290372994

1.8 Poison Control Centre: 13 11 26, 24 hours a day from anywhere in Australia.

Section 2 - Hazards Identification

2.1 GHS HAZARD

<u>Hazard Classes</u>	Hazard Categories
Flammable liquid	Category 3
Specific Target Organ Toxicity single exposure	Category 1
Acute Toxicity (Oral)	Category 4
Acute Toxicity (Inhalation)	Category 4

Acute Toxicity (Dermal)

2.2 Signal Word: Danger



Category 4

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

2.4 Hazard Statements

PHYSICAL HAZARDS: H226: Flammable liquid and vapor.

HEALTH HAZARDS: H302; Harmful if swallowed.

H311: Harmful contact with skin.

H331: Harmful if inhaled.

H370: Causes damage to organs.

PRECAUTIONARY STATEMENTS: P102: Keep out of reach of children.

P210: Keep away from sparks and open flames- No

smoking.

P223: Keep container tightly closed. P240: Ground or bond container and

receiving equipment.

P241: Use explosion-proof equipment. P242 Use only non-sparking tools.

P243 Take precautionary measures against

static discharge.

P261: Avoid breathing vapors and mist. P264: Wash skin and hands thoroughly after

handling.

P270: Do not eat, drink, or smoke when using

this product.

P271: Use only outdoors or in a well-ventilated

area.

P280: Wear protective gloves, clothing, eye, and

face protection.

RESPONSE STATEMENTS: P301 +P312+ P331: IF SWALLOWED: USA

Immediately call the National POISON CENTER at 800-222-1222. OUTSIDE USA Immediately call a poison center or doctor. DO NOT induce

vomiting.

P303+P361+P353: IF ON SKIN, Take off immediately all contaminated clothing. Rinse

skin with water.

P304+P331+P340: IF INHALED. Remove to fresh

air and keep comfortable for breathing

P305+P351: IF IN EYES, rinse cautiously with

water for at least 15 minutes.

P308+P313: If exposed or concerned, get

medical attention. P330: Rinse mouth.

P362+P364: IF ON CLOTHING, take off

contaminated clothing and wash it before reuse P370+ P378: In a fire, use foam, carbon dioxide,

dry chemicals to extinguish the fire.

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

STORAGE STATEMENTS: P403+P235: Store in a well-ventilated place.

Keep cool.

P405: Store locked up.

DISPOSAL STATEMENTS: P501: Dispose of content and container

following local, regional, national, or

international regulations

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: AUH066 Repeated exposure may cause skin dryness and cracking.

Section 3 - Composition / Information on Ingredients

3.1

CAS#	EC#	Chemical Names	Percent	Classifications
67-56-1	200-659-6	Methanol		Flam. Liq. H225, Acute Tox. H301, Acute Tox. 3, H311, Acute Tox. 3, H331, STOT SE1 H370
7732- 18-5	231-791-2	Water	50	Not Clasified

3.3 Trade Secret Provision and Chemical Concentration Disclosure: In accordance with GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a range and apply to the hazards identified in this Safety Data Sheet.

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can irritate. Symptoms may include discomfort or pain and redness.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Prolonged and repeated liquid contact can cause defatting and drying of the skin and lead to irritation and dermatitis.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

4.3 Ingestion: Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities can produce chemical pneumonia, pulmonary edema, and even death.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

4.4 Inhalation: Prolonged breathing of high vapor concentrations can produce headaches, dizziness, nausea, and impaired vision. Extreme overexposure can cause central nervous system depression, loss of consciousness, liver damage, and death resulting from respiratory failure.

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

- **4.5** After first aid, get appropriate paramedic or community medical support. The severity of outcome following exposure may be more related to the time between the exposure and treatment than the amount of exposure. Therefore, there is a need for rapid treatment of any exposure.
- 4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

Section 5 - Fire-Fighting Measures

- **5.1 General Fire Hazards:** Use water to cool containers exposed to fire.
- **5.2** Hazardous Combustion Products: Avoid fumes of burning products.
- **5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.
- **5.4** Fire Fighting Equipment/Instructions: Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

Section 6 - Accidental Release Measures

- **6.1 Spill /Leak Procedures:** Ventilate area highly flammable. Spillages of the liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.
- **6.2 Spills:** Avoid direct contact with the material. Stop leak if without risk. Move containers from the spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place it in a container for disposal.

Section 7 - Handling and Storage

- **7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Keep the container tightly closed. Avoid inhalation.
- 7.2 Storage Requirements: Store in a tightly closed container in a cool, dry, and well-ventilated area.

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

Section 8 - Exposure Controls / Personal Protection

8.1

Chemical Names	ACGIH- TLV	OEL	
Methanol	200 ppm TWA	200 ppm TWA	

8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. OEL = Occupational Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

- **8.3 Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.
- **8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder them before reuse. Remove this material from your shoes and clean personal protective equipment.

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows that air-purifying respirators are appropriate, use a full-face respirator with a multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton Splash contact: Viton

Registered trademark of The Chemours Company FC, LLC.

8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

8.5.4 Skin and body protection

Impervious clothing flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

8.6 Protective Clothing Pictograms









Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

Section 9 - Physical and Chemical Properties

9.1

Physical State: Liquid
Appearance: Blue
Odor: Aromatic Pungent
Vapor Pressure: Not Available
Vapor Density (Air=1): >1

Specific Gravity (H₂O=1,): Not Available

Odor Threshold: Not Available

Flammability (solid, gas): Not applicable.

Evaporation rate: Not Available

Partition coefficient octanol/water: log Pow - Not

Available

Water Solubility: Completely miscible

Flash Point: 80.6°F (27°C)

Boiling Point/ Range: Not Available Lower Explosive Limits (vol % in air): 6% Upper Explosive Limits (vol % in air): 36%

Viscosity: Kinematic Not Available

Autoignition Temperature: Not Available **Decomposition temperature:** Not Available

pH: None

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage.

10.2 Polymerization: Hazardous polymerization has not been reported.

10.3 Chemical Incompatibilities: Strong oxidizing agents.

10.4 Hazardous Decomposition Products: Combustion produces carbon monoxide and carbon dioxide.

10.5 Conditions to Avoid: Avoid heat, sparks, open flames, and other ignition sources.

Section 11- Toxicological Information

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): 588.2 mg/kg ATE (Dermal): 1449 mg/kg ATE (Inhalation): 14.4 mg/l

- 11.1.1 OECD Guideline Test results found in the European Chemical Agency Database show that this product's components are Harmful Oral Toxicity.
- 11.11.2 OECD Guideline Test results found in the European Chemical Agency Database show that this product's components are Harmful Inhalation Toxicity.
- 11.11.3 OECD Guideline Test results found in the European Chemical Agency Database show this product's components to Harmful Dermal Toxicity.
- **11.2** Route of Entry: Inhalation, Ingestion, Absorption, Skin, and Eye Contact.
- **11.3 Aspiration Hazard:** European Chemical Agency Database shows that no components of this product may be fatal if swallowed and enters airways.
- **11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency Database show no components of this product to cause genetic defects.

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

- **11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Database shows that no components of this product cause skin irritation. Repeated exposure may cause skin dryness or cracking.
- **11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Database show that no components of this product cause serious eye irritation.
- **11.7 Reproductive toxicity:** OECD Guideline Test results found in the European Chemical Agency Database show no components of this product cause damage to fertility or the unborn child.
- **11.8 Skin Sensitisation:** OECD Guideline Test results found in the European Chemical Agency Database show no components of this product cause skin sensitivity.
- **11.9 Respiratory Sensitisation:** OECD Guideline Test results found in the European Chemical Agency Database show no components of this product cause respiratory sensitivity.
- **11.10** Specific Target Organ Toxicity (Single Exposure): European Chemical Agency Database shows that components of this product may cause damage to the following organs: Eyes, Kidney, Liver, Heart, Central nervous system.
- 11.11 Specific Target Organ Toxicity (Repeated Exposure): None
- **11.12 Signs and Symptoms:** Effects of overexposure can include Methanol may be fatal or cause blindness if swallowed. Effects due to ingestion may include Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed.
- **11.13** Carcinogenicity: OECD Guideline Tests results found in the European Chemical Agency Database show no components of this product to cause cancer.

Section 12 - Ecological Information

12.1

Product Name	Results	Species	Exposure
Methanol	LC50 29.4 mg/L	Fish	96 hours
Methanol	LC50 22,200 mg/L	Daphnia	48 hours

Toxicity: OECD Guideline Test results found in the European Chemical Agency Database show no components of this product to be harmful cause long-term toxicity to aquatic life. **DO NOT** discharge into a sewer or waterway.

- **12.2 Mobility:** Floats on water.
- **12.3** Persistence/degradability: Inconclusive technical data.
- **12.4 Bioaccumulation:** Inconclusive technical data.
- 12.5 Other adverse effects: Inconclusive technical data.

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! The container should be completely emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

Section 14 - Transport Information

14.1 Australian Transport Information



ID No.: UN 1230

Shipping Name: Methanol Solution

Hazard Class: 3, (6.1) Packing Group: II Label: Flammable. Toxic Placard: Flammable. Toxic

HAZCHEM Code: 3WE (3), **HIN** 336

Special Provision 279: Requires this product to be shipped as a PG II even throw the flashpoint is above 21°C c.c "The substance is assigned to this classification or packing group based on human experience rather than the strict application; of classification criteria set out in this Code."

14.2 IMDG Transport Information



ID No.: UN 1230

Shipping Name: Methanol Solution

Hazard Class: 3, (6.1) Flash Point: 27 °C c.c. Packing Group: II Label: Flammable, Toxic Placard: Flammable, Toxic

Special Provision 279: Requires this product to be shipped as a PG II even throw the flashpoint is above 21°C c.c "The substance is assigned to this classification or packing group based on human experience rather than the strict application; of classification criteria set out in this Code."

Section 15 - Regulatory Information

15.1

Australian manufacturers and importers' obligations under the WHS Regulations: All components of this product are on the Inventory or are exempt from Inventory requirements.

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the product's suitability for their particular purpose and on the condition that they assume the risk of their use.

16.2 References: CHEMpendium database of the Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency Data Base, and MSDS and SDS of chemicals in this mixture.

16.3 SDS Preparation Date 10/05/2021 **SDS Previous issue Date:** None

Prepared by SJC Compliance Education, Inc. 1319 Varese Dr. Pearland, TX 77581 steve@sjcedu.org

END OF SAFETY DATA SHEET