


LebanonTurf

Country Club®

Blended Fertilizer



16-0-8



With **HUMIC MAX**

& **MESA**

GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
1.1% Ammoniacal Nitrogen	
1.4% Water Insoluble Nitrogen*	
11.0% Urea Nitrogen	
2.5% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	8%
Sulfur (S)	3.8%
3.8% Combined Sulfur (S)	

Derived From: Urea, methylene ureas, sulfate of ammonia, sulfate of potash.

*3.9% Slowly available Nitrogen from Methylene Ureas.

NON PLANT FOOD/OTHER INGREDIENTS

Humic acids (derived from Leonardite).....8.9%

PLANT FOOD INGREDIENTS

Plant Food Fertilizer..... 91.1% U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	16%
1.1% Ammoniacal Nitrogen	
1.4% Water Insoluble Nitrogen*	
11.0% Urea Nitrogen	
2.5% Other Water Soluble Nitrogen**	
Soluble Potash (K₂O)	8%
Sulfur (S)	3.8%
3.8% Combined Sulfur (S)	

Derived From: Urea, methylene ureas, sulfate of ammonia, sulfate of potash.

*3.9% Slowly available Nitrogen from Methylene Ureas.

NON PLANT FOOD/OTHER INGREDIENTS

Humic acids (derived from Leonardite).....8.9%

PLANT FOOD INGREDIENTS

Plant Food Fertilizer..... 91.1% CANADA

Product contains humic acids which may aid in nutrient availability.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Lbs N/1,000 Sq. Ft.	Lbs. K/1,000 Sq. Ft.	Lbs Humic Acids/1,000 Sq. Ft.	Lbs Fert/1,000 Sq. Ft.	Lbs Required for One Acre	Sq. Ft. Coverage per bag
0.9	0.9	0.5	5.6	244	8,900
0.5	0.5	0.25	3.1	135	16,100

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.6 lbs per 1,000 sq. ft. or 244 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre.

SUGGESTED SPREADER SETTINGS	
Spreader	0.9# N /1,000 sq. ft. 0.5# N /1,000 sq. ft.
Lebanon Turf	4½ 3½
Andersons AccuPro	L H
Earthway Rotary	15½ 14
Gandy	27 24
Lely	6 II 4 II
Lesco (letter/numeric)	i/19 H/15
PennMulch HVO	L J
ProScape SS	L J
Spyker	4½ 3½
Vicon	25 22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements
Causes skin irritation.
May be harmful if inhaled.
Causes eye irritation.

WARNING



Precautionary Statements

Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Take off contaminated clothing and wash before reuse.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To apply at the rate of 0.43 kg N/100 sq. meters. Equivalent to 2.7 kg of product per 100 sq. meters.
To apply at the rate of 0.24 kg N/100 sq. meters. Equivalent to 1.5 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N /100 m ² .	0.24 kg N /100 m ² .
Lebanon Turf	4½	3½
Andersons AccuPro	L	H
Earthway Rotary	15½	14
Gandy	27	24
Lely	6 II	4 II
Lesco (letter/numeric)	i/19	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	25	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

F699 **22-37129** J/20

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight