

_ _ _ _ _

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	22-003681/D004.R000
Report Date:	04/06/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/31/22 12:30

- - - -

- - - -

Customer:	CJ2, LLC (DBA Zentopia)
Product identity:	LD-PE-031922-16:44
Client/Metrc ID:	
Laboratory ID:	22-003681-0005

Summary

Analyte per 16oz.	Result	Limits	Units	Status	CBD-Total per 16oz.	50.8 mg/16oz.
CBD per 16oz.	50.8		mg/16oz.			
					THC-Total per 16oz.	<loq< td=""></loq<>
					(Reported in milligr	ams per serving)

 Www.columbialaboratories.com
 Page 1 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-003681/D004.R000
Report Date:	04/06/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/31/22 12:30

Customer:	CJ2, LLC (DBA Zentopia) 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	LD-PE-031922-16:44
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-003681-0005
Evidence of Cooling:	No
Temp:	16.3 °C
Relinquished by:	USPS
Serving Size #1:	453.592 g
Density:	1.001 g/ml

Sample Results

Potency per 16oz.	Method J AOA	C 2015 V98-6 (mod) Units mg/se Bat	ch: 2202851	Analyze: 4/1/22 7:43:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBC-A per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBC-Total per 16oz. [†]	< LOQ	mg/16oz.	0.846	
CBD per 16oz.	50.8	mg/16oz.	0.451	
CBD-A per 16oz.	< LOQ	mg/16oz.	0.451	
CBD-Total per 16oz.	50.8	mg/16oz.	0.846	
CBDV per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBDV-A per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBDV-Total per 16oz. [†]	< LOQ	mg/16oz.	0.842	
CBE per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBG per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBG-A per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBG-Total per 16oz. [†]	< LOQ	mg/16oz.	0.842	
CBL per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBL-A per 16oz. [†]	< LOQ	mg/16oz.	0.451	
CBL-Total per 16oz. [†]	< LOQ	mg/16oz.	0.846	
CBN per 16oz.	< LOQ	mg/16oz.	0.451	
CBT per 16oz. [†]	< LOQ	mg/16oz.	0.451	
$\Delta 8$ -THCV per 16oz. [†]	< LOQ	mg/16oz.	0.451	
$\Delta 8$ -THC per 16oz. [†]	< LOQ	mg/16oz.	0.451	
$\Delta 9$ -THC per 16oz.	< LOQ	mg/16oz.	0.451	
exo-THC per 16oz. [†]	< LOQ	mg/16oz.	0.451	
THC-A per 16oz.	< LOQ	mg/16oz.	0.451	
THC-Total per 16oz.	< LOQ	mg/16oz.	0.846	
THCV per 16oz. [†]	< LOQ	mg/16oz.	0.451	
THCV-A per 16oz. [†]	< LOQ	mg/16oz.	0.451	
THCV-Total per 16oz. [†]	< LOQ	mg/16oz.	0.847	
Total Cannabinoids per 16oz.	50.8	mg/16oz.		

 Www.columbialaboratories.com
 Page 2 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430



12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 22-003681/D004.R000 **Report Date:** 04/06/2022 ORELAP#: OR100028 **Purchase Order:** 03/31/22 12:30 Received:

 www.columbialaboratories.com
 Page 3 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-003681/D004.R000 **Report Date:** 04/06/2022 **ORELAP#:** OR100028 Purchase Order: Received: 03/31/22 12:30

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = gg/ml = Gram per milliliter mg/16oz. = Milligram per 16oz. % = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 10

Test results relate only to the parameters tested and to the samples as received by equirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number:	22-003681/D004.R000
Report Date:	04/06/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/31/22 12:30



Hemp / Cannabis Usable / Extract **Chain of Custody Record** Revision: 3.01 Control#: CF023 Rev 02/26/2020 Eff: 02/27/2020 ORELAP ID: OR100028

Company: CJ2, LLC			Self and	12		A	nalys	is Req	ueste	d	100			P	Number: LD	B6-3/19-3/22	
Contact: Cassia Zeller Street: 92 Centennial Loop City: Eugene State: Email Results: Cassia@Zentopi Ph: (503) 869-7259 Fx Result Billing (if different): 32682 Bush Gard	a.com s: ()		s – OR 59 compounds	esticide Multi-Residue – 379 compounds		Residual Solvents	& Water Activity		Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	etals	ins		PO Number: <u>LDB6-3/19-3/22</u> Project Number: Project Name: LDB6-3/19-3/22 Custom Reporting: Report to State - DMETRC or Dother: Turnaround time: X Standard Rush * Priority Rush Qcheck for availability Sampled by:			
.ab ID Client Sample Identification	Date	Time	Pesticides -	Pesticide	Potency	Residual	Moisture & \	Terpenes	Micro: Ye	Micro: E.	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/	Metrc ID
LD-HL-032222-14:55	3/22/22	14:55			\checkmark										16 oz		
LD-HL-032222-07:58	3/22/22	07:58			\checkmark										16oz		
LD-RA-032122-14:53	3/21/22	14:53			\checkmark				2						16oz		
LD-RA-032122-07:43	3/21/22	07:43			\checkmark										16oz		
LD-PE-031922-16:44	3/19/22	16:44			\checkmark										16oz		
LD-PE-031922-05:43	3/19/22	05:43			1										16oz		
Relinquished By:	Date	Time			Re	eceived	By:		- All	Da	te	Tir	ne				Mecari - L
John Aitchison	3/30/22	12:00	AC					1	3-3	(12:	30	A Shipped Via: USPSor Client drop Evidence of cooling: Yes ANo - Temp (°C): 16.3 Sample in good condition: Yes No - - Cash Check CC Net: - Prelog storage: - - - -				

n (V); I es (S) ; Extract/Concentrate (C) egi

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way Portland, OR 97230 P: (503) 254-1794 | Fax: (503) 254-1452 Page ____of ____ www.columbialaboratories.com info@columbialaboratories.com

Page 5 of 10

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES A Tentamus Company	12423 NE Whitaker Way Portland, OR 97230 503-254-1794		Report Number: Report Date: ORELAP#: Purchase Order: Received:	22-003681/D004.R000 04/06/2022 OR100028 03/31/22 12:30
Columbia LABORATORIES A Tentamus Company		Docu	ment ID: 3177 Revision: 2 Effective: 06/25/2021 Page 1 of 1	
Job Number:	Search Name:			
 Were custody seals on outside of the package/co If YES, how many and where? Does date match collection date on COC? Was Chain of Custody (COC) included in the pack Was COC signed when relinquished and received How was the package/cooler delivered? 	als): Date: 3.31 Time: 12.24 voler? YES NO age/cooler? YES NO ? (time, date)? YES NO ? (time, date)? YES NO ENT COURIER OTHER: ; label): 9405 S361 0899 2 YES NO	NA NA NA	0190	
6) Was temperature upon receipt 4°C+- 2°C (if appr If not, client contacted:		NA		
7) Was there evidence of cooling?	YES NO	NA		
What kind? Blue Ice Ice Cooler	Packs Dry Ice			
) Were all sample containers sealed in separate pla	astic bags? YES NO	NA		
 Did all sample containers arrive in good condition 	? YES NO	NA		
10) Were all sample container labels complete?	YES NO	NA		
11) Did all sample container labels and tags agree wi	th the COC? (YES) NO	NA		
12) Were correct sample containers used for the test	s indicated? YES NO	NA		
13) Were VOA vials checked for absence of air bubbl	es (note if found)? YES NO	NA		
14) Was a sufficient amount of sample sent in each s	ample container? (YES) NO	NA		
16) Sample location prior to login: R99 R39 R4	4 F44 Ambient Shelf Cannabis Tab	e Other: _		

Page 6 of 10
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-003681/D004.R000
Report Date:	04/06/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/31/22 12:30

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results														
J AOAC 2015 V98-	J AOAC 2015 V98-6 Batch ID: 2202851													
Laboratory Contro	Laboratory Control Sample													
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes							
CBDVA	0.000912	0.001	%	91.2	80.0 - 120	Acceptable								
CBDV	0.00116	0.001	%	116	80.0 - 120	Acceptable								
CBE	0.00102	0.001	%	102	80.0 - 120	Acceptable								
CBDA	0.000923	0.001	%	92.3	90.0 - 110	Acceptable								
CBGA	0.000920	0.001	%	92.0	80.0 - 120	Acceptable								
CBG	0.000991	0.001	%	99.1	80.0 - 120	Acceptable								
CBD	0.00100	0.001	%	100	90.0 - 110	Acceptable								
THCV	0.00105	0.001	%	105	80.0 - 120	Acceptable								
d8THCV	0.00104	0.001	%	104	80.0 - 120	Acceptable								
THCVA	0.000861	0.001	%	86.1	80.0 - 120	Acceptable								
CBN	0.00106	0.001	%	106	90.0 - 110	Acceptable								
exo-THC	0.000976	0.001	%	97.6	80.0 - 120	Acceptable								
d9THC	0.00105	0.001	%	105	90.0 - 110	Acceptable								
d8THC	0.00101	0.001	%	101	90.0 - 110	Acceptable								
CBL	0.000975	0.001	%	97.5	80.0 - 120	Acceptable								
CBC	0.00107	0.001	%	107	80.0 - 120	Acceptable								
THCA	0.000910	0.001	%	91.0	90.0 - 110	Acceptable								
CBCA	0.000845	0.001	%	84.5	80.0 - 120	Acceptable								
CBLA	0.000865	0.001	%	86.5	80.0 - 120	Acceptable								
CBT	0.000985	0.001	%	98.5	80.0 - 120	Acceptable								

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBDV	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBE	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBDA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBGA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBG	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBD	< LOQ	0.0001	%	< 0.0001	Acceptable	
THCV	< LOQ	0.0001	%	< 0.0001	Acceptable	
d8THCV	< LOQ	0.0001	%	< 0.0001	Acceptable	
THCVA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBN	< LOQ	0.0001	%	< 0.0001	Acceptable	
exo-THC	< LOQ	0.0001	%	< 0.0001	Acceptable	
d9THC	< LOQ	0.0001	%	< 0.0001	Acceptable	
d8THC	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBL	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBC	< LOQ	0.0001	%	< 0.0001	Acceptable	
THCA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBCA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBLA	< LOQ	0.0001	%	< 0.0001	Acceptable	
CBT	< LOQ	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 7 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-003681/D004.R000
Report Date:	04/06/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/31/22 12:30

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Laboi	ratory O	uality Co	ntrol Results		
J AOAC 2015 V98-6 Batch ID: 2202851								
Sample Dupl	ample Duplicate Sample ID: 22-003612-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBDV	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBDA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBD	0.00661	0.00652	0.0001	%	1.43	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
d8THCV	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
d9THC	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
d8THC	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	
CBT	< LOQ	< LOQ	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 8 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-003681/D004.R000	
Report Date:	04/06/2022	
ORELAP#:	OR100028	
Purchase Order:		
Received:	03/31/22 12:30	



Page 9 of 10 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 22-003681/D004.R000 **Report Date:** 04/06/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 03/31/22 12:30

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 10 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430