



Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 08/04/22 09:52

Customer: CJ2, LLC (DBA Zentopia) **Product identity:** S2-RAZ-080122-10:34

Client/Metrc ID:

Laboratory ID: 22-009229-0002

Summary

Potency:						
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size	52.1 mg/16fl oz
OBD per 1011 02	JZ.1		111g/ 1011 02			
					THC-Total per Serving Size	<loq< td=""></loq<>
					(Reported in milligrams	per serving)





Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 08/04/22 09:52

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: S2-RAZ-080122-10:34

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-009229-0002

Evidence of Cooling:NoTemp:23.1 °CRelinquished by:USPSServing Size #1:473.408 gDensity:1.000 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 \	/98-6 (mod) ^þ	Units mg/se Batc	h: 2206659	Analyze: 8/5/22 6:01:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
CBD per 16fl oz	52.1		mg/16fl oz	0.464	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBD-Total per 16fl oz	52.1		mg/16fl oz	0.871	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.866	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.866	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.464	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
Total Cannabinoids per 16f	fl oz 52.1		mg/16fl oz		

www.columbialaboratories.com





Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 ORELAP#: OR100028

Purchase Order:

08/04/22 09:52 Received:





Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 08/04/22 09:52

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number:

22-009229/D005.R000

Report Date:

08/08/2022

ORELAP#:

OR100028

Purchase Order:

Received:

08/04/22 09:52



Hemp / Cannabis Usable / Extract / Finished Products **Chain of Custody Record**

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021 ORELAP ID: OR100028

				Analysis Requested								PO Number: S2-Aug2022					
C	ompany: CJ2, LLC (Zentopia)	oia)								1						Section of the sectio	
	Contact: Cassia Zeller Street: 92 Centennial Loop			ds													
St				379 compounds													
Cit	y: Eugene State:	OR Zip: 9	97401		mos						ے				Papart	to State . \square MI	ETRC or Other:
№	Email Results: cassiaz@zent	opia.com		spunodwoo	1			Ιţ			Coliform						Business Day Standard Turnaround
Ph	(<u>503</u>) <u>869-7259</u>	:: ()		comp	sidue			. Activ		Mold	Fotal (Business Day Rush Turnaround*
Bill	ing (if different): 32682 BushGardenDr. H	larrisburg OR 9	7446	OR 59	esticide Multi-Residue		lvents	Moisture & Water Activity		Micro: Yeast and Mold	Micro: E. Coli and Total	sls			☐ 2 Business Day Rush Turnaround* *Check for availability		
				des -	de M	>	al So	re &	es	Yeas	E.Co.	Meta	xins		Sampled	by:	
Lab ID	Client Sample Identification	Date	Time	Pesticides	Pestici	Potency	Residual Solvents	Moistu	Terpenes	Micro:	Micro:	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/Metrc ID
	S2-RAZ-080122-11:38	8/1/22	11:38			X			in a	1					В	16oz can	
	S2-RAZ-080122-10:34	8/1/22	10:34			X									В	16oz can	
	S2-PCH-080122-12:53	8/1/22	12:53			Χ									В	16oz can	
	S2-PCH-080122-14:15	8/1/22	14:14			Χ									В	16oz can	
	S2-HB-080122-17:32	8/1/22	17:32			Χ			- 4						В	16oz can	
	S2-HB-080122-15:41	8/1/22	15:41			Χ			J						В	16oz can	
									16								
	Relinquished By:	Date	Time			Re	ceived l	Зу:			Da	te	Tin	ne			Lab Use Only:
6	amà Elelle.	8/3/22	12:56 PM			6	DS				8/4/	n	9:5	2	Shipp	ed Via: <u>USPS</u>	or □ Client drop Yes ☑ No - Temp (°C): 23. (°C
	8								T i				-		Sample i	n good conditio	n: \(\text{Yes} \ \text{\text{No}} \- \text{Imp (°C): \(\frac{2 \ 3 \ 1 \ \cdot \)}{\text{C}}
									_						☐ Cash	☐ Check ☐ C	CC
															Prelog st	orage:	_

† - Sample Type Codes: Vegetation (V); Isolates (S); Extract/Concentrate (C); Tincture/Topical (T); Edible (E); Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way Portland, OR 97230 P: (503) 254-1794 | Fax: (503) 254-1452 Page ____of_ www.columbialaboratories.com info@columbialaboratories.com





Report Number: 22-009229/D005.R000

08/08/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 08/04/22 09:52



Document ID: 3177 Revision: 3 Effective: 04/26/2022 Page 1 of 1

Deliver	y Date:	o	Sar	me as Opened By	Date	□ Unsu	re		
How w	as the pac	kage delivere	4?						
UPS	F	EDEX	USPS	DHL	OTHER:				
Trackin	g Number	9405	5361	0899	262	5 6	063	86	9
	8								
									CIRCLE ONE
1) Wa				noles/tampering?	K.			YES	NO
	Further o	ustody seal/t	ampering note	s:				<u></u>	
2) Wa	s packing	material used	?					(YES)	NO
	If YES:	□ PEANUTS	BUBBLE	□ WRAP 0	□ FOAM P	APER			
3) Wa	s a Compl	ete Chain of C	ustody (COC) r	eceived?				YES	NO
	Commen	t (PT?, Email?):						
4) San	nple temp	erature upon	arrival?					23.	°c
5) Evid	dence of c	ooling?	,					YES	(NO)
	If YES, W	hat kind?	□ ICE □ FR	EEZER PACK	DRY ICE				
	Ins	ulation?	□ PLASTIC COC	DLER	FOAM	□ OTHE	R:		
6) We	re sample	containers se	aled in separat	te plastic bags/se	condary c	ontainm	ent?	YES	NO
7) Did	sample co	ontainers arriv	e in good cond	dition?				YES	NO
	If NO:	□ LEAKED	□ BROKEN	□ OTHER:					
	If NO:	Suspect con	tamination of o	other samples?	□ YES	□NO			
8) San	nple labels	present?						YES	NO
9) Do	sample la	oels agree wit	h COC?					YES	NO
	If NO, nu	mber of samp	le containers r	eceived:			_		
Sample	pre-log l	ocation:							
R39	R44	F44	R99	CANNA SHELF	FOO	D SHELF		Other:	
Other I	Notes:								
				700		1 1			
		Rece	eived By (initia	ls):	Date: 8	14/2	Tin	ne: 9:0	52

PACKAGE RECEIVING FORM

Page 6 of 10





Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 08/04/22 09:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2206659 Result Spike Units Limits Evaluation Analyte LCS CBDVA CBDV 0.001 Acceptable Acceptable 0.0010 99.7 80.0 120 0.0011 113 80.0 0.0010 103 80.0 120 CBDA 0.0010 0.001 101 90.0 % % Acceptable CBGA CBG 0.001 Acceptable 120 Acceptable 110 Acceptable 120 Acceptable 105 107 105 0.0011 0.0011 80.0 90.0 % CBD 0.001 0.0010 80.0 Acceptable Acceptable 0.001 THCVA 0.001 0.0009 92.8 80.0 120 0.001 Acceptable Acceptable Acceptable CBN 0.0011 % 0.0010 104 80.0 120 0.0011 Acceptable Acceptable d8THC 0.001 105 97.1 107 0.0011 90.0 110 0.001 CBL 0.0010 0.0011 80.0 CBC THCA 0.001 % Acceptable 110 Acceptable 0.0009 98.2 90.0 CBCA 0.001 % Acceptable 93.2 80.0 0.0009

101

80.0

120

Acceptable

Method Blank

CBT

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

0.0010

0.001

Units of Measure:

% - Percent





Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 ORELAP#: OR100028

Purchase Order:

Received: 08/04/22 09:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6						tch ID: 2206659		
Sample Duplicate					San	nple ID: 22-009163	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBD	0.0071	0.0071	0.0001	%	0.317	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:





22-009229/D005.R000 **Report Number:**

Report Date: 08/08/2022 ORELAP#: OR100028

Purchase Order:

Received: 08/04/22 09:52







Report Number: 22-009229/D005.R000

Report Date: 08/08/2022 ORELAP#: OR100028

Purchase Order:

08/04/22 09:52 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.