



Report Number: 22-009229/D002.R000 **Report Date:** 08/08/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/04/22 09:52

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

Customer:	CJ2, LLC (DBA Zentopia)
Product identity:	S2-HB-080122-15:41
Client/Metrc ID:	
Laboratory ID:	22-009229-0006

Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 49.0 mg/16fl oz
CBD per 16fl oz	49.0		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

 Www.columbialaboratories.com
 Page 1 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





(USA)

22-009229/D002.R000
08/08/2022
OR100028
08/04/22 09:52

Customer:	CJ2, LLC (DBA Zentopia) 92 Centennial Loop Eugene Oregon 97401 United States of America (
Product identity:	S2-HB-080122-15:41
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-009229-0006
Evidence of Cooling:	No
Temp:	23.1 °C
Relinquished by:	USPS
Serving Size #1:	475.339 g
Density:	1.005 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Batc	h: 2206659	Analyze: 8/5/22 6:31:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.884	
CBD per 16fl oz	49.0		mg/16fl oz	0.471	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBD-Total per 16fl oz	49.0		mg/16fl oz	0.884	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.879	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.879	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.884	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 9$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.471	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.471	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.884	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.471	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.884	
Total Cannabinoids per 16f	il oz 49.0		mg/16fl oz		

 Www.columbialaboratories.com
 Page 2 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430



12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 22-009229/D002.R000 **Report Date:** 08/08/2022 ORELAP#: OR100028 **Purchase Order:** Received: 08/04/22 09:52

 www.columbialaboratories.com
 Page 3 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-009229/D002.R000 **Report Date:** 08/08/2022 **ORELAP#:** OR100028 Purchase Order: Received: 08/04/22 09:52

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = gg/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 10

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





08/04/22 09:52

Received:



Hemp / Cannabis Usable / Extract / Finished Products **Chain of Custody Record** Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021

ORELAP ID: OR100028

						ŀ	Analys	is Req	ueste	d					Number: S2	2-Aug2022
Company: CJ2, LLC (Zentopia) Contact: Cassia Zeller Street: 92 Centennial Loop City: EugeneState: ☑ Email Results: Cassiaz@zent Ph: (503)_869-7259 □ Fx Results Billing (if different): ³²⁶⁸² BushGardenDr. H	opia.com	37446	esticides – OR 59 compounds	² esticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Moisture & Water Activity	Terpenes	Micro: Yeast and Mold	Micro: E.Coli and Total Coliform	Heavy Metals	Mycotoxins (1997)	Other:	Proje Pro Custom Report 1 Turnarou Sampled	ct Number:	ETRC or Other: Business Day Standard Turnaround Business Day Rush Turnaround* Business Day Rush Turnaround* Check for availability
ID Client Sample Identification S2-RAZ-080122-11:38	Date 8/1/22	Time 11:38	Pe	Pe	X	Re	ž	-He	Σ	Σ	_H	ź	ð	Type † B	(Units) 16oz can	Comments/Metrc ID
S2-RAZ-080122-10:34					X						-		-	B	16oz can	
S2-PCH-080122-12:53					X									B	16oz can	
S2-PCH-080122-14:15	8/1/22	14:14			X									В	16oz can	
S2-HB-080122-17:32	8/1/22	17:32			Х			1						В	16oz can	
S2-HB-080122-15:41	8/1/22	15:41			Х									В	16oz can	
Relinquished By:	Date	Time			Re	ceived	Ву:			Da	te	Tir	ne			Lab Use Only:
l'amà Elele.	8/3/22	12:56 PM			6	DS	2	1		8/4/	n	q:9	2	Evidence Sample ii Cash	of cooling: □` n good conditio	∑or □ Client drop /es ↘, No - Temp (°C): <u>∠ 3 . (°C</u> m: ↘ Yes □ No CC □ Net:

+ - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com

Page _____of____ www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

LABORATORIES 🔄 A Tentamus Company

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 22-009229/D002.R000 **Report Date:** 08/08/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/04/22 09:52

LA	BORATORIE ATentamus Company	S					Document ID: 31 Effectiv	L77 Revision: 3 e: 04/26/2022 Page 1 of 1
			PACKAG	E RECEIVING	FORM			
De	elivery Date:	□	Sam	ne as Opened	By Date 🛛 🛛	Jnsure		
Ho	ow was the pa	ckage deliv	ered?					
U	PS	FEDEX	USPS	DHL	OTHER:			
Tr	acking Numbe	er: 940	5 5361	0890	7 2625	0638	69	

		CIRCLE ONE				
1) Was package sealed with no evidence of holes/tampering?	YES	NO				
Further custody seal/tampering notes:						
2) Was packing material used?	YES	NO				
If YES: 🗆 PEANUTS 🗆 BUBBLE 🗆 WRAP 🗆 FOAM PAPER						
3) Was a Complete Chain of Custody (COC) received?	YES	NO				
Comment (PT?, Email?):						
4) Sample temperature upon arrival?	23	°C				
5) Evidence of cooling?	YES	NO				
If YES, What kind? 🛛 ICE 🗆 FREEZER PACK 🗆 DRY ICE						
Insulation?						
6) Were sample containers sealed in separate plastic bags/secondary containment? YES NO						
7) Did sample containers arrive in good condition?	7) Did sample containers arrive in good condition? (YES) NO					
If NO: 🗆 LEAKED 🗆 BROKEN 🗆 OTHER:	\smile					
If NO: Suspect contamination of other samples? \Box YES \Box NO						
8) Sample labels present?	YES	NO				
9) Do sample labels agree with COC? (YES) NO						
If NO, number of sample containers received:						

CANNA SHELF

Sample pre-log location:

F44

R99

R39 R44

Other Notes:

Date: 8/4/22_Time: 9:52 Received By (initials):

FOOD SHELF

Other:____

Page 6 of 10

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430





Report Number:	22-009229/D002.R000
Report Date:	08/08/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 09:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results								
J AOAC 2015 V98-6 Batch ID: 2206659								
Laboratory Control S	Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	1	0.0010	0.001	%	99.7	80.0 - 120	Acceptable	
CBDV	1	0.0011	0.001	%	113	80.0 - 120	Acceptable	
CBE	1	0.0010	0.001	%	103	80.0 - 120	Acceptable	
CBDA	1	0.0010	0.001	%	101	90.0 - 110	Acceptable	
CBGA	1	0.0010	0.001	%	101	80.0 - 120	Acceptable	
CBG	1	0.0011	0.001	%	105	80.0 - 120	Acceptable	
CBD	1	0.0011	0.001	%	107	90.0 - 110	Acceptable	
THCV	1	0.0010	0.001	%	105	80.0 - 120	Acceptable	
d8THCV	1	0.0011	0.001	%	107	80.0 - 120	Acceptable	
THCVA	1	0.0009	0.001	%	92.8	80.0 - 120	Acceptable	
CBN	1	0.0011	0.001	%	107	90.0 - 110	Acceptable	
exo-THC	1	0.0010	0.001	%	104	80.0 - 120	Acceptable	
d9THC	1	0.0011	0.001	%	103	90.0 - 110	Acceptable	
d8THC	1	0.0011	0.001	%	105	90.0 - 110	Acceptable	
CBL	1	0.0010	0.001	%	97.1	80.0 - 120	Acceptable	
CBC	1	0.0011	0.001	%	107	80.0 - 120	Acceptable	
THCA	1	0.0009	0.001	%	98.2	90.0 - 110	Acceptable	
CBCA	1	0.0009	0.001	%	93.2	80.0 - 120	Acceptable	
CBLA	1	0.0010	0.001	%	101	80.0 - 120	Acceptable	
CBT	1	0.0011	0.001	%	106	80.0 - 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 7 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-009229/D002.R000
Report Date:	08/08/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 09:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lat	oratory	Quality Cor	ntrol Results		
J AOAC 2015 V98-6	Batch ID: 2206659 Sample ID: 22-009163-0001							
Sample Duplicate								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBD	0.0071	0.0071	0.0001	%	0.317	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

 Www.columbialaboratories.com
 Page 8 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-009229/D002.R000 **Report Date:** 08/08/2022 **ORELAP#:** OR100028 Purchase Order: **Received:** 08/04/22 09:52



 Www.columbialaboratories.com
 Page 9 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-009229/D002.R000 **Report Date:** 08/08/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/04/22 09:52

Explanation of QC Flag Comments:

Code	Explanation					
Q	Matrix interferences affecting spike or surrogate recoveries.					
Q1	Quality control result biased high. Only non-detect samples reported.					
Q2	Quality control outside QC limits. Data considered estimate.					
Q3	Sample concentration greater than four times the amount spiked.					
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.					
Q5	Spike results above calibration curve.					
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.					
R	Relative percent difference (RPD) outside control limit.					
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.					
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.					
LOQ1	Quantitation level raised due to low sample volume and/or dilution.					
LOQ2	Quantitaion level raised due to matrix interference.					
В	Analyte detected in method blank, but not in associated samples.					
B1	The sample concentration is greater than 5 times the blank concentration.					
B2	The sample concentration is less than 5 times the blank concentration.					

 www.columbialaboratories.com
 Page 10 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430