

CJ2, LLC (DBA Zentopia)

LDB9-WM-092822-15:09.

22-012098-0003

- - - -

Customer:

Product identity:

Client/Metrc ID:

Laboratory ID:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 22-012098/D007.R000 **Report Date:** 10/13/2022 **ORELAP#:** OR100028 Purchase Order: 9.22.LD89 10/06/22 14:59 **Received:**



Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 53.1 mg/16fl oz
CBD per 16fl oz	53.1		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

Page 1 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-012098/D007.R000
•	
Report Date:	10/13/2022
ORELAP#:	OR100028
Purchase Order:	9.22.LD89
Received:	10/06/22 14:59

Customer:	CJ2, LLC (DBA Zentopia) 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	LDB9-PA-092822-15:09
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-012098-0003
Evidence of Cooling:	No
Temp:	21.4
Relinquished by:	usps
Serving Size #1:	473.754 g
Density:	1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Batc	h: 2208529	Analyze: 10/10/22 1:22:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.859	
CBD per 16fl oz	53.1		mg/16fl oz	0.458	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBD-Total per 16fl oz	53.1		mg/16fl oz	0.859	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.854	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.854	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.859	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 10$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
∆9-THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.859	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.458	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.859	
Total Cannabinoids per 16	ofl oz 53.3		mg/16fl oz		

Page 2 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-012098/D007.R000
Report Date:	10/13/2022
ORELAP#:	OR100028
Purchase Order:	9.22.LD89
Received:	10/06/22 14:59

- - -

Page 3 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 22-012098/D007.R000 Report Date: 10/13/2022 **ORELAP#:** OR100028 Purchase Order: 9.22.LD89 Received: 10/06/22 14:59

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = gg/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 9

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made

E Columbia LABORATORIES & A Tentamus Company Hemp & Hemp &			12423 NE Whitaker Way Portland, OR 97230 503-254-1794				Report Da ORELAP# Purchase Received 22-012098			AP#	ate: 10/13/2022 t: OR100028 Order: 9.22.LD89		
Company: CJ2, LLC	<u>.</u>			1	Analy	ysis Red	CJ2, LI	_C (DBA Ze	ntopia)			: 9.22.LDB9	
Company: C2, LLC Contact: Cassia Zeller	<u>.</u>								1	1		9.22.LDB9	
Address: 92 Centennial Loop											Batch II		
City: Eugene State:OR Zip	Code: 974	401								Sa Custom I	mpled b Reportin		
Cassiaz@zentopia.com													
Billing Contact (if different) Name: Cassia Zeller Email: Cassiaz@zento Address: 32682 Bush Garden Dr. City: Harrisburg State: OR Ph: (503) - 869-7259		446	,							Report	□ - 0 Turr	ther: around time (] - 5BD □ -	DDA □ - USDA TAT - Business Days): 3BD* □ - 2BD* or availability
.ab ID Client Sample Identification	<u> </u>	Sample date	Potency							Material Type †	Weight (Units)		Comments/Metrc ID
LDB9-PA-092822-11:29		09/28/22									16 oz		
LDB9-PA-092822-9:46		09/28/22	1								16 oz		
LDB9-WM-092622-15:09		09/26/22	1								16 oz		
LDB9-WM-092622-13:15		09/26/22	1								16 oz		
LDB9-LM-092722-13:00		09/27/22	1								16 oz		
LDB9-LM-092722-14:04		09/27/22	1								16 oz		
LDB9-MG-092822-17:11 09/28/22			1								16 oz		
LDB9-MG-092822-18:04		09/28/22	1								16 oz		
	l												
Signature - Relinquished By: Date	e	Time	Sig	gnature - Re	eceived By:		Date	Time					lse Only:
John Acthison 10/05,	/22 11	1:05 Am		De	5	10	-16pz	14:59	3	Eviden Sample Paymer	ce of coc in good	ling: Yes 1 condition: h Check	<u>م</u> or □ Client drop off ℚ No - Temp (ºC): <u>२ , </u>

+ - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms B NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Page ______Of

12423 NE Whitaker Way Portland, OR 97230

info@columbialaboratories.com

Page _____of _____ www.columbialaboratories.com

Page 5 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-012098/D007.R000
Report Date:	10/13/2022
ORELAP#:	OR100028
Purchase Order:	9.22.LD89
Received:	10/06/22 14:59

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-	-6			,	Quality Co	atch ID: 2			
Laboratory Contro					J	atch 10. 2	200323		
Analyte	LCS	Result	Spike	Units	% Rec	Li	imits	Evaluation	Notes
CBDVA	2	0.0010	0.001	%	98.1	80.0	- 120	Acceptable	
BDV	2	0.0011	0.001	%	99.6	80.0	- 120	Acceptable	
BE	2	0.0010	0.001	%	97.4	80.0	- 120	Acceptable	
CBDA	1	0.0010	0.001	%	102	90.0	- 110	Acceptable	
BGA	1	0.0010	0.001	%	102	80.0	- 120	Acceptable	
CBG	1	0.0011	0.001	%	103	80.0	- 120	Acceptable	
CBD	1	0.0010	0.001	%	102	90.0	- 110	Acceptable	
HCV	2	0.0011	0.001	%	101	80.0	- 120	Acceptable	
18THCV	2	0.0011	0.001	%	99.4	80.0	- 120	Acceptable	
HCVA	2	0.0010	0.001	%	99.8	80.0	- 120	Acceptable	
BN	1	0.0010	0.001	%	103	90.0	- 110	Acceptable	
xo-THC	2	0.0010	0.001	%	100	80.0	- 120	Acceptable	
I9THC	1	0.0011	0.001	%	104	90.0	- 110	Acceptable	
18THC	1	0.0011	0.001	%	105	90.0	- 110	Acceptable	
CBL	2	0.0010	0.001	%	99.0	80.0	- 120	Acceptable	
110THC	1	0.0010	0.001	%	104	80.0	- 120	Acceptable	
CBC	2	0.0011	0.001	%	101	80.0	- 120	Acceptable	
HCA	1	0.0010	0.001	%	105	90.0	- 110	Acceptable	
BCA	2	0.0010	0.001	%	99.0	80.0	- 120	Acceptable	
CBLA	2	0.0006	0.001	%	98.7	80.0	- 120	Acceptable	
CBT	2	0.0011	0.001	%	98.9	80.0	- 120	Acceptable	
Method Blank									
Inalyte		esult	LOQ		Units		imits	Evaluation	Notes
BDVA		LOQ	0.0001		%		.0001	Acceptable	
CBDV		LOQ	0.0001		%		.0001	Acceptable	
CBE		LOQ	0.0001		%		.0001	Acceptable	
CBDA		LOQ	0.0001		%		.0001	Acceptable	
BGA		LOQ	0.0001		%		.0001	Acceptable	
BG		_0Q	0.0001	1	%		.0001	Acceptable	
CBD		_0Q	0.0001		%		.0001	Acceptable	
HCV		LOQ	0.0001	1	%	< 0.0001		Acceptable	
ISTHCV		_0Q	0.0001		%	< 0.0001		Acceptable	
HCVA		_0Q	0.0001		%	< 0.0001 < 0.0001		Acceptable	
CBN		LOQ	0.0001		%			Acceptable	
xo-THC 9THC		_0Q	0.0001		%		.0001	Acceptable	
		_0Q	0.0001		%		.0001	Acceptable	
		100	0.0001		%		.0001	Acceptable Acceptable	
8THC			0.0001	1	%		.0001		
ISTHC CBL	<		0.0001	%		< 0	10001	Acceptable	
ISTHC CBL HIOTHC	<	.0Q	0.0001			2.0	0001		
INTHC CBL I10THC CBC	4 4 4	LOQ LOQ	0.0001		%		.0001	Acceptable	
IBTHC CBL I1OTHC CBC FHCA	ं दा दा दा दा		0.0001 0.0001		% %	< 0	.0001	Acceptable	
IBTHC CBL J10THC CBC THCA CBCA	े 	LOQ LOQ LOQ	0.0001 0.0001 0.0001		% %	< 0	.0001 .0001	Acceptable Acceptable	
IBTHC CBL I10THC CBC THCA	े द द द द द		0.0001 0.0001		% %	< 0 < 0 < 0	.0001	Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430

Units of Measure: % - Percent





Report Number:	22-012098/D007.R000
Report Date:	10/13/2022
ORELAP#:	OR100028
Purchase Order:	9.22.LD89
Received:	10/06/22 14:59

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6					Bat	ch ID: 2208529								
Sample Duplicate	Sample ID: 22-011923-0001													
Analyte	Result	Org. Result	LOQ	Units RPD Limits			Evaluation	Notes						
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBG	0.0002	0.0002	0.0001	%	0.0252	< 20	Acceptable							
CBD	0.0078	0.0078	0.0001	%	0.243	< 20	Acceptable							
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBC	0.0003	0.0003	0.0001	%	1.99	< 20	Acceptable							
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 22-012098/D007.R000 **Report Date:** 10/13/2022 ORELAP#: OR100028 Purchase Order: 9.22.LD89 **Received:** 10/06/22 14:59



Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 22-012098/D007.R000 **Report Date:** 10/13/2022 **ORELAP#:** OR100028 Purchase Order: 9.22.LD89 **Received:** 10/06/22 14:59

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430