



**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 ORELAP#: OR100028

Purchase Order: SCH3-10.26.22 Received: 11/08/22 14:03

**Customer:** CJ2, LLC (DBA Zentopia) **Product identity:** SCH3-HB-102622-16:50

**Project Number:** SCH3-10.26.22

Client/Metrc ID:

Laboratory ID: 22-013735-0001

# Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 56.4 mg/16fl oz
CBD per 16fl oz	56.4		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 **ORELAP#:** OR100028

**Purchase Order:** SCH3-10.26.22 **Received:** 11/08/22 14:03

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH3-HB-102622-16:50

Project Number: SCH3-10.26.22

Client/Metrc ID: .

Sample Date:

**Laboratory ID:** 22-013735-0001

Evidence of Cooling: No
Temp: 17.6 °C
Relinquished by: USPS
Serving Size #1: 473.754 g
Density: 1.001 g/ml

## Sample Results

Potency per 16fl oz	Method: J AOAC 2015 VS	98-6 (mod) <sup>þ</sup>	Units mg/se Batcl	h: 2209678	<b>Analyze:</b> 11/9/22 8:12:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.886	
CBD per 16fl oz	56.4		mg/16fl oz	0.472	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBD-Total per 16fl oz	56.4		mg/16fl oz	0.886	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.882	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.882	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.886	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.472	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.472	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.472	
$\Delta 10$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.472	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.472	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.472	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.472	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.886	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.472	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.472	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.887	
					D0-40

www.columbialaboratories.com

Page 2 of 9





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 **ORELAP#:** OR100028

**Purchase Order:** SCH3-10.26.22 **Received:** 11/08/22 14:03

Potency per 16fl oz Method: J AOAC 2015 V98-6 (mod)<sup>þ</sup> Units mg/se Batch: 2209678 Analyze: 11/9/22 8:12:00 PM
Analyte Result Limits Units LOQ Notes

Total Cannabinoids per 16fl oz 56.5 mg/16fl oz

\_\_\_\_\_





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 **ORELAP#:** OR100028

**Purchase Order:** SCH3-10.26.22 **Received:** 11/08/22 14:03

These test results are representative of the individual sample selected and submitted by the client.

### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$ 

Approved Signatory

Derrick Tanner General Manager





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022

ORELAP#:

OR100028

Purchase Order:

SCH3-10.26.22

Received:

22-013735

11/08/22 14:03



### Hemp & Cannabis: Usable / Extract / F GJ2

Chain of Custody Recor

CJ2

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

			1					)	
Company: CJ2, LLC		Analysis	Reque CJ2	LLC (DBA Zent		/	CH3-10.26.22 CH3-10.26.22		
Contact: Cassia Zeller	0 0 0 0 0 0 0 0 0 0 0 0					Batch ID:			
Address: 92 Centennial Loop					Sa				
City: Eugene State:					Custom	Reporting:			
☑ Email Results: Cassiaz@zentopia.com									
□ Ph: ( 503 ) - 869-7259	0 0 0 0 0 0						- Ind. Hemp product   □ - Rec. Cannabis - Compliance   □ - R&D		
Billing Contact (if diff	erent)		8 8 9 1 1 1						RC
Name: Cassia Zeller Email: Cas		om						🗆 - Othe	er:
Address: 32682 Bush Garden Dr.							-		
City: Harrisburg S	tate: OR 7in:	97446							ound time (TAT - Business Days): 5BD   □ - 3BD*   □ - 2BD*
Ph: (503) - 869-7259	tate zip.							□-:	*Check for availability
PH: (303) - 303 7233		Sample	Potency				Material	Weight	
ab ID Client Sample Identific	ation	date	Pot					(Units)	Comments/Metrc ID
SCH3-HB-102622-16:50			✓					16 oz	
SCH3-HB-102622-18:18			1					16 oz	
SCH3-MG-102622-13:16	SCH3-MG-102622-13:16		1					16 oz	
SCH3-MG-102622-15:51			1					16 oz	
Signature - Relinquished By:	Date	Time	Signatu	re - Received By:	Date	Time	Time		Lab Use Only:
John Atchison 11/07/22 10:10 Am		JSF		11/8 14:0	14:03	4: 03 ØShipped Via: USPS or □ Clien			
Jan Alexander						., .,	Evidence of cooling: ☐ Yes  -전 No - Temp (°C): ☐ 7. 6 Sample in good condition: ☑ Yes   ☐ No Payment: ☐ Cash   ☐ Check   ☐ CC   ☐ Net: Prelog storage:		
*				<u> </u>					

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way

P: {503} 254-1794 | Fox: {503} 254-1452

Portland, OR 97230

Info@columbialaboratories.com

www.columbialaboratories.com

www.columbialaboratories.com





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 ORELAP#: OR100028

Purchase Order: SCH3-10.26.22 Received: 11/08/22 14:03

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6	Batch ID: 2209678							
Laboratory Control S	Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0011	0.001	%	108	80.0 - 120	Acceptable	
CBDV	2	0.0012	0.001	%	111	80.0 - 120	Acceptable	
CBE	2	0.0012	0.001	%	112	80.0 - 120	Acceptable	
CBDA	1	0.0009	0.001	%	98.3	90.0 - 110	Acceptable	
CBGA	1	0.0009	0.001	%	98.9	80.0 - 120	Acceptable	
CBG	1	0.0010	0.001	%	101	80.0 - 120	Acceptable	
CBD	1	0.0010	0.001	%	100	90.0 - 110	Acceptable	
THCV	2	0.0012	0.001	%	111	80.0 - 120	Acceptable	
d8THCV	2	0.0012	0.001	%	110	80.0 - 120	Acceptable	
THCVA	2	0.0011	0.001	%	107	80.0 - 120	Acceptable	
CBN	1	0.0011	0.001	%	103	90.0 - 110	Acceptable	
exo-THC	2	0.0011	0.001	%	110	80.0 - 120	Acceptable	
d9THC	1	0.0011	0.001	%	103	90.0 - 110	Acceptable	
d8THC	1	0.0011	0.001	%	102	90.0 - 110	Acceptable	
CBL	2	0.0011	0.001	%	116	80.0 - 120	Acceptable	
d10THC	1	0.0009	0.001	%	101	80.0 - 120	Acceptable	
CBC	2	0.0012	0.001	%	111	80.0 - 120	Acceptable	
THCA	1	0.0009	0.001	%	97.6	90.0 - 110	Acceptable	
CBCA	2	0.0011	0.001	%	106	80.0 - 120	Acceptable	
CBLA	2	0.0011	0.001	%	107	80.0 - 120	Acceptable	
CBT	2	0.0012	0.001	%	112	80.0 - 120	Acceptable	

001	- 0.0012	0.001	, IIZ	80.0 - 120	/ teecptable	
Method Blank	•					
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 ORELAP#: OR100028

Purchase Order: SCH3-10.26.22 Received: 11/08/22 14:03

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6	Batch ID: 2209678									
Sample Duplicate	Sample ID: 22-013490-0001-01									
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBDA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBGA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBG	0.00137	0.00136	0.00256	%	1.04	< 20	Acceptable			
CBD	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBN	0.000273	0.000269	0.00256	%	1.60	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
d9THC	0.0306	0.0302	0.00256	%	1.17	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
d10THC	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBC	0.000596	0.000590	0.00256	%	0.964	< 20	Acceptable			
THCA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00256</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00256	%	NA	< 20	Acceptable			
CBT	0.000338	0.000331	0.00256	%	2.15	< 20	Acceptable			

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:





**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 ORELAP#: OR100028

Purchase Order: SCH3-10.26.22 Received: 11/08/22 14:03







**Report Number:** 22-013735/D004.R000

**Report Date:** 11/15/2022 ORELAP#: OR100028

SCH3-10.26.22 Purchase Order: 11/08/22 14:03 Received:

### Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.