

- - - - -

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	22-015162/D003.R000
Report Date:	12/19/2022
ORELAP#:	OR100028
Purchase Order:	LDB10-12.01.22
Received:	12/12/22 15:32

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

#### **Customer:** CJ2, LLC (DBA Zentopia) **Product identity:** LDB10-WM-113022-13:04 Client/Metrc ID: . Laboratory ID: 22-015162-0003

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

# Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 51.2 mg/16fl oz
CBD per 16fl oz	51.2		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

 www.columbialaboratories.com
 Page 1 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-015162/D003.R000
Report Date:	12/19/2022
ORELAP#:	OR100028
Purchase Order:	LDB10-12.01.22
Received:	12/12/22 15:32

Customer:	CJ2, LLC (DBA Zentopia) 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	LDB10-WM-113022-13:04
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-015162-0003
Evidence of Cooling:	No
Temp:	18.3 °C
Relinquished by:	USPS
Serving Size #1:	473.754 g
Density:	1.001 g/ml

# **Sample Results**

Potency per 16fl oz	Method: J AOAC 2015	√98-6 (mod) <sup>⊳</sup>	Units mg/se Batc	<b>h:</b> 2210595	Analyze: 12/13/22 10:13:00 P
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.878	
CBD per 16fl oz	51.2		mg/16fl oz	0.468	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBD-Total per 16fl oz	51.2		mg/16fl oz	0.878	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.873	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.873	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.878	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.468	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.468	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.468	
$\Delta 10$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.468	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.468	
$\Delta 9$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.468	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.468	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.878	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.468	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.468	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.878	
Total Cannabinoids per 16	ofl oz 51.3		mg/16fl oz		

Page 2 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-015162/D003.R000
Report Date:	12/19/2022
ORELAP#:	OR100028
Purchase Order:	LDB10-12.01.22
Received:	12/12/22 15:32

\_ \_ \_ \_

- - - -

Page 3 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





**Report Number:** 22-015162/D003.R000 Report Date: 12/19/2022 **ORELAP#:** OR100028 LDB10-12.01.22 Purchase Order: Received: 12/12/22 15:32

These test results are representative of the individual sample selected and submitted by the client.

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = gg/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt =  $\mu$ g/g divided by 10,000

Approved Signatory

**Derrick Tanner** General Manager

www.columbialaboratories.com

Page 4 of 9

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made

Columbia LABORATORIES		Por	tland	Whitak I, OR 9 254-179	723	•		Repo ORE Purc	ort Da LAP#	: Order:	22-015162/D003.F 12/19/2022 OR100028 LDB10-12.01.22 12/12/22 15:32	
Columbia LABORATORIES A Tentamus Canpany	emp &	C	hai	n of C	e / Exti Sustody BANAB ISO :	Rec	<b>D</b> :		22-01	5162	Document	Control ID: 2832 Revision: 5 Effective: 01/04/2022
Company: CJ2, LLC					Anal	ysis Re	<b>q</b>	C (DBA Zentop	ia)		:LDB10-12.0	
Contact: Cassia Zeller											D: LDB10-12.0	1.22
Address: 92 Centennial Loop										Batch I Sampled b		
City: Eugene State: OR Zig	p Code: 974	101								n Reportin		
Z Email Results:cassiaz@zentopia.com												
□ Ph: (_503 ) - 869-7259												np product   🗆 - Rec. Cannabis
Billing Contact (if different)												nce   🗆 - R&D DDA   🗆 - USDA
Name: Cassia Zeller Email: Cassiaz@zent	topia.com								nepo.		)ther:	
Address: 32682 Bush Garden Dr.												
City: Harrisburg State: OR	3 <b>Zin:</b> 974	146										TAT - Business Days):
Ph: ( 503 ) - 869-7259	zip									L		BD*   □ - 2BD* ar availability
.ab ID Client Sample Identification		Sample date	Potency						Materia Type †	Weight (Units)		Comments/Metrc ID
LDB10-PA-112922-15:48		11/29/22	1							16 oz		
LDB10-PA-113022-8:33		11/30/22	1							16 oz		
LDB10-WM-113022-13:04		11/30/22	1							16 oz		
LDB10-WM-120122-8:26		12/01/22	1							16 oz		
										1		
Signature - Relinquished By: Dat	to	Time		Signature	Received By:		Date	Time	-		shii	iso Oply:
									ix shi	pped Via:	1101-1	lse Only: or 🗆 Client drop of
John Actchison 12/08	3/22 1:	:00 PM		[[]]/	elf		15/15	16:32				∑ No - Temp (°C):8.3
A												
									Samp	le in good	condition:	Yes  □ No

+ - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)

Page \_\_\_\_\_of\_\_\_\_ www.columbialaboratories.com

Page 5 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-015162/D003.R000
Report Date:	12/19/2022
ORELAP#:	OR100028
Purchase Order:	LDB10-12.01.22
Received:	12/12/22 15:32

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-	-6			_	В	atch ID: 2	22105	95		
Laboratory Contro	ol Sample									
Analyte	LCS	Result	Spike	Units	% Rec	l	Limits		Evaluation	Notes
CBDVA	2	0.00091	0.001	%	89.8	80.0	-	120	Acceptable	
CBDV	2	0.0010	0.001	%	95.0	80.0	-	120	Acceptable	
CBE	2	0.0010	0.001	%	93.7	80.0	-	120	Acceptable	
CBDA	1	0.00091	0.001	%	94.8	90.0	-	110	Acceptable	
CBGA	1	0.00092	0.001	%	95.2	80.0	-	120	Acceptable	
CBG	1	0.00094	0.001	%	98.1	80.0	-	120	Acceptable	
CBD	1	0.00094	0.001	%	97.8	90.0	-	110	Acceptable	
THCV	2	0.0010	0.001	%	96.3	80.0	-	120	Acceptable	
d8THCV	2	0.0010	0.001	%	93.5	80.0	-	120	Acceptable	
THCVA	2	0.00088	0.001	%	89.6	80.0	-	120	Acceptable	
CBN	1	0.0010	0.001	%	98.1	80.0	-	120	Acceptable	
exo-THC	2	0.0010	0.001	%	93.3	80.0	-	120	Acceptable	
d9THC	1	0.0010	0.001	%	101	90.0	-	110	Acceptable	
d8THC	1	0.0010	0.001	%	98.7	90.0	-	110	Acceptable	
CBL	2	0.0010	0.001	%	96.1	80.0	-	120	Acceptable	
d10THC	1	0.0009	0.001	%	98.2	80.0	-	120	Acceptable	
CBC	2	0.0010	0.001	%	94.4	80.0	-	120	Acceptable	
THCA	1	0.00089	0.001	%	93.4	90.0	-	110	Acceptable	
CBCA	2	0.00091	0.001	%	88.4	80.0	-	120	Acceptable	
CBLA	2	0.00095	0.001	%	90.4	80.0	-	120	Acceptable	
CBT	2	0.0010	0.001	%	92.5	80.0	-	120	Acceptable	
Method Blank										
Analyte		Result	LOQ		Units		Limits		Evaluation	Notes
CBDVA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBDV		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBE		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBDA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBGA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBG		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBD		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
THCV		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
d8THCV		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td colspan="2">&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%		< 0.0001		Acceptable	
THCVA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBN		<loq< td=""><td>0.0001</td><td>L</td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	L	%		0.0001		Acceptable	
exo-THC		<loq< td=""><td>0.0001</td><td>L</td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	L	%		0.0001		Acceptable	
d9THC		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
d8THC		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBL		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
d10THC		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBC		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td>-</td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001	-	Acceptable	
THCA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBCA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
		<loq< td=""><td>0.0001</td><td></td><td>%</td><td>1 &lt; (</td><td>0.0001</td><td>1 7</td><td>Acceptable</td><td></td></loq<>	0.0001		%	1 < (	0.0001	1 7	Acceptable	
CBLA CBT		<100	0.0001		%		0.0001		Acceptable	

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-015162/D003.R000
Report Date:	12/19/2022
ORELAP#:	OR100028
Purchase Order:	LDB10-12.01.22
Received:	12/12/22 15:32

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results								
J AOAC 2015 V98-6	Batch ID: 2210595													
Sample Duplicate		Sample ID: 22-015043-0007												
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes						
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBG	0.000627	0.000640	0.0001	%	2.09	< 20	Acceptable							
CBD	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
THCV	0.000135	0.000139	0.0001	%	3.10	< 20	Acceptable							
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBN	0.000421	0.000431	0.0001	%	2.15	< 20	Acceptable							
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d9THC	0.0288	0.0292	0.0001	%	1.33	< 20	Acceptable							
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBC	0.000271	0.000277	0.0001	%	2.38	< 20	Acceptable							
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBT	0.000470	0.000479	0.0001	%	1.95	< 20	Acceptable							

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





**Report Number:** 22-015162/D003.R000 **Report Date:** 12/19/2022 ORELAP#: OR100028 Purchase Order: LDB10-12.01.22 **Received:** 12/12/22 15:32



Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





**Report Number:** 22-015162/D003.R000 **Report Date:** 12/19/2022 **ORELAP#:** OR100028 LDB10-12.01.22 Purchase Order: 12/12/22 15:32 **Received:** 

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430