



Report Number: 23-000509/D002.R000

 Report Date:
 01/19/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH5-1.09.23

 Received:
 01/12/23 15:47

Customer: CJ2, LLC (DBA Zentopia) **Product identity:** SCH5-PE-010923-14:02

Client/Metrc ID:

Laboratory ID: 23-000509-0002

Summary

Potency:					
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size 56.4 mg/16fl oz
CDD per 10il 02	30.4		1119/1011 02		THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)





Report Number: 23-000509/D002.R000

 Report Date:
 01/19/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH5-1.09.23

 Received:
 01/12/23 15:47

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH5-PE-010923-14:02

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-000509-0002

Evidence of Cooling: No
Temp: 17.4
Relinquished by: usps
Serving Size #1: 473.754 g
Density: 1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V9	8-6 (mod) ^þ	Units mg/se Batc	h: 2300508	Analyze: 1/16/23 7:53:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
CBD per 16fl oz	56.4		mg/16fl oz	0.464	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBD-Total per 16fl oz	56.4		mg/16fl oz	0.871	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.866	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.866	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.464	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.871	
Total Cannabinoids per 16f	l oz 56.5		mg/16fl oz		

www.columbialaboratories.com

Page 2 of 9





23-000509/D002.R000 **Report Number:**

Report Date: 01/19/2023 ORELAP#: OR100028

SCH5-1.09.23 Purchase Order: Received: 01/12/23 15:47





Report Number: 23-000509/D002.R000

 Report Date:
 01/19/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH5-1.09.23

 Received:
 01/12/23 15:47

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-000509/D002.R000

Effective: 01/04/2022

Report Date: 01/19/2023

ORELAP#: OR100028

16 oz

Prelog storage:

Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47



Company: CJ2, LLC

City: Eugene

Contact: Cassia Zeller

Address: 92 Centennial Loop

□ **Ph**: (<u>503</u>) - <u>869-7259</u>

Name: Cassia Zeller Address: 32682 Bush Garden Dr.

City: Harrisburg

Ph: (503) - 869-7259

SCH5-PE-010923-11:53

SCH5-PE-010923-14:02

☑ Email Results: Cassiaz@Zentopia.com

Client Sample Identification

Hemp & Cannabis: Usable / E1 CJ2 23-000509 Document Control ID. 2832 Revision: 5 Chain of Custor ORELAP ID: OR100028 ANAB IS PO Number: SCH5-1.09.23 CJ2, LLC (DBA Zentopia) Project ID: SCH5-1.09.23 Batch ID: Sampled by **Custom Reporting** State: OR Zip Code: 97401 Source Material: □ - Ind. Hemp product | □ - Rec. Cannabis Reporting Type: ☐ - Compliance | ☐ - R&D Report to: ☐ - METRC | ☐ - ODA | ☐ - USDA | Billing Contact (if different) ☐ - Other: Email: Cassiaz@Zentopia.com Turnaround time (TAT - Business Days): □ - 5BD | □ - 3BD* | □ - 2BD* State: OR Zip: 97746 *Check for availability Material Weight Sample Comments/Metrc ID Type † (Units) date 16 oz 01/09/23 🗸

<i>U</i>							Sample in good condition Payment: □ Cash □ Cl	on: X Yes 🗆 No
John Aitchison	01/11/23	1:10 PM	6	85	01/12/23	1547	Shipped Via: Evidence of cooling: □	or ☐ Client drop off Yes I → No - Temp (°C): 17. 4
Signature - Relinquished By:	Date	Time	Sign	nature - Received By:	Date	Time		Lab Use Only:
SCH5-MG-010923-9:20		01/09/23	✓				16 oz	
SCH5-MG-010923-6:51		01/09/23	1				16 oz	
SCH5-HB-010923-17:02		01/09/23	✓				16 oz	
SCH5-HB-010923-14:56		01/09/23	✓				16 oz	
SCHOOL OLOSES THOSE		0-700/						

01/09/23 🗸

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current torms of services associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Page ____of_ www.columbialaboratories.com Portland, OR 97230 info@columbialaboratories.com





Report Number: 23-000509/D002.R000

Report Date: 01/19/2023 ORELAP#: OR100028

Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Loborotori	(Chality	Chatral	El courto	
Laboratory	/ Quality	CONTROL	Resuls	

JAOAC2015 V986	Batch ID: 2300508								
Laboratory Control	Sample								
Analyte	LCS	Result	Spike	Units	%Rec	Li	imits	Evaluation	Notes
CBDVA	2	0.0010	0.0010	%	94.8	80.0	- 120	Acceptable	
CBDV	2	0.0011	0.0011	%	99.8	80.0	- 120	Acceptable	
CEE	2	0.0010	0.0010	%	96.2	80.0	- 120	Acceptable	
CBDA	1	0.0010	0.0010	%	99.6	90.0	- 110	Acceptable	
CBGA	1	0.0010	0.0010	%	101	80.0	- 120	Acceptable	
CBG	1	0.0010	0.0010	%	105	80.0	- 120	Acceptable	
CBD	1	0.0010	0.0010	%	104	90.0	- 110	Acceptable	
THCV	2	0.0011	0.0011	%	101	80.0	- 120	Acceptable	
d8THCV	2	0.0011	0.0010	%	102	80.0	- 120	Acceptable	
THCVA	2	0.0009	0.0010	%	94.5	80.0	- 120	Acceptable	
CBN	1	0.0011	0.0010	%	106	80.0	- 120	Acceptable	
exo-THC	2	0.0010	0.0010	%	101	80.0	- 120	Acceptable	
d9THC	1	0.0011	0.0010	%	104	90.0	- 110	Acceptable	
d8THC	1	0.0010	0.0010	%	97.3	90.0	- 110	Acceptable	
CB.	2	0.0010	0.0010	%	101	80.0	- 120	Acceptable	
d10THC	1	0.0005	0.0005	%	106	80.0	- 120	Acceptable	
CBC	2	0.0010	0.0010	%	100	80.0	- 120	Acceptable	
THCA	1	0.0009	0.0009	%	98.7	90.0	- 110	Acceptable	
CBCA	2	0.0009	0.0010	%	90.9	80.0	- 120	Acceptable	
CB.A	2	0.0010	0.0010	%	96.1	80.0	- 120	Acceptable	
CBI	2	0.0011	0.0011	%	102	80.0	- 120	Acceptable	
Method Bank							•		
Analyte		esult	LOQ		Units		imits	Evaluation	Notes
CBDVA	<	LOQ	0.0001		%	< 0.	.0001	Acceptable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CEE	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBI	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ- Limit of Quartitation

Units of Measure: %- Percent





Report Number: 23-000509/D002.R000

Report Date: 01/19/2023 ORELAP#: OR100028

Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986	Batch ID: 2300508							
Sample Duplicate		Sample ID: 23-0005530001						
Analyte	Result	Org. Reult	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
CEE	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
CBD	0.00530	0.00516	0.0001	%	2.62	< 20	Acceptable	
THCV	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CB.	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CB.A	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBI	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ- Limit of Quartitation

Units of Measure:





23-000509/D002.R000 **Report Number:**

Report Date: 01/19/2023 ORELAP#: OR100028 Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47







23-000509/D002.R000 **Report Number:**

Report Date: 01/19/2023 ORELAP#: OR100028

SCH5-1.09.23 Purchase Order: 01/12/23 15:47 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.