



Report Number:	23-000509/D005.R000
Report Date:	01/18/2023
ORELAP#:	OR100028
Purchase Order:	SCH5-1.09.23
Received:	01/12/23 15:47

Customer:	CJ2, LLC (DBA Zentopia)
Product identity:	SCH5-HB-010923-17:02
Client/Metrc ID:	
Laboratory ID:	23-000509-0004

## Summary

Status CBD-Total per Serving Size 54.0 mg/16fl oz
THC-Total per Serving Size <loq< td=""></loq<>
(Reported in milligrams per serving)

Page 1 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-000509/D005.R000
Report Date:	01/18/2023
ORELAP#:	OR100028
Purchase Order:	SCH5-1.09.23
Received:	01/12/23 15:47

Customer:	CJ2, LLC (DBA Zentopia) 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	SCH5-HB-010923-17:02
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-000509-0004
Evidence of Cooling:	No
Temp:	17.4
Relinquished by:	usps
Serving Size #1:	473.754 g
Density:	1.001 g/ml

## **Sample Results**

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) <sup>þ</sup>	Units mg/se Batc	<b>h:</b> 2300508	Analyze: 1/16/23 8:08:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.860	
CBD per 16fl oz	54.0		mg/16fl oz	0.458	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBD-Total per 16fl oz	54.0		mg/16fl oz	0.860	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.855	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.855	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.860	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.458	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
$\Delta 9$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.458	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.860	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.458	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.458	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.860	
Total Cannabinoids per 16	fl oz 54.2		mg/16fl oz		

Page 2 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-000509/D005.R000
Report Date:	01/18/2023
ORELAP#:	OR100028
Purchase Order:	SCH5-1.09.23
Received:	01/12/23 15:47

- - -

Page 3 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





**Report Number:** 23-000509/D005.R000 **Report Date:** 01/18/2023 **ORELAP#:** OR100028 Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47

These test results are representative of the individual sample selected and submitted by the client.

## Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

## Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt =  $\mu$ g/g divided by 10,000

Approved Signatory

**Derrick Tanner** General Manager

www.columbialaboratories.com

Page 4 of 9

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made

A Tentamus Company Hemp & Cannak LABORATORIES LABORATORIES LABORATORIES CATURIAMUS COMPANY				Poi	rtlanc 503-2 Usab n of C	NE Whitaker Way land, OR 97230 03-254-1794 sable / EJ CJ2 23-000 of Custor 100028 ANAB I:					Report Number:         23-000509/D0           Report Date:         01/18/2023           ORELAP#:         OR100028           Purchase Order:         SCH5-1.09.23           Received:         01/12/23 15:4'		
Comp	pany: CJ2, LLC					A					PO Numb	er: SCH5-1.09.2	3
	act: Cassia Zeller						- CJ2,	LLC (DBA Zen	lopia)			ID: SCH5-1.09.2	3
	ess: 92 Centennial Loop										Batch   Sampled B		
		OR Zip Code:	97401								n Reportin		
	nail Results: Cassiaz@Zentopia.com		·										p product   🗌 - Rec. Cannabis
Addre	Billing Contact (f diff e: Cassia Zeller Email: Cas ess: 32682 Bush Garden Dr. Harrisburg S 503 ) - 869-7259			ch							- 0 Tur	Other: 	DDA   □ - USDA   TAT - Business Days): 3BD*   □ - 2BD* r availability
Lab ID	Client Sample Identific	ation	Sample date	Potency						Materia Type †	Weight (Units)	c	Comments/Metrc ID
	SCH5-PE-010923-11:53		01/09/23								16 oz		
	SCH5-PE-010923-14:02		01/09/23	1							16 oz		
	SCH5-HB-010923-14:56		01/09/23	1							16 oz		
	SCH5-HB-010923-17:02		01/09/23	1							16 oz		
	SCH5-MG-010923-6:51		01/09/23	1							16 oz		
	SCH5-MG-010923-9:20		01/09/23	1							16 oz		
	Signature - Relinquished By:	Date	Time		Signature	e - Receive	d By:	Date	Time	100			se Only:
	John Actchison	01/11/23	1:10 PM		2RE	>		01/12/23	1547	🛛 Shi	pped Via:	USPS	or □ Client drop off ⊉No - Temp (°C): <u>17.4</u>

A Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC: By signing "Relinquished by" you are agreeing to these terms

3 NE Whitaker Way

and, OR 97230

 F(503) 254-1794 | Fax: (S03) 254-1452

 Info@columbialaboratories.com

 www.columbialaboratories.com

12423 NE Whitaker Way Portland, OR 97230

×

Page \_\_\_\_\_of\_\_\_\_ www.columbialaboratories.com

Page 5 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-000509/D005.R000
Report Date:	01/18/2023
ORELAP#:	OR100028
Purchase Order:	SCH5-1.09.23
Received:	01/12/23 15:47

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98	-6				В	atch ID:	23005	08		
Laboratory Contr	ol Sample									
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0010	0.0010	%	94.8	80.0	-	120	Acceptable	
CBDV	2	0.0011	0.0011	%	99.8	80.0	-	120	Acceptable	
CBE	2	0.0010	0.0010	%	96.2	80.0	-	120	Acceptable	
CBDA	1	0.0010	0.0010	%	99.6	90.0	-	110	Acceptable	
CBGA	1	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
CBG	1	0.0010	0.0010	%	105	80.0	-	120	Acceptable	
CBD	1	0.0010	0.0010	%	104	90.0	-	110	Acceptable	
THCV	2	0.0011	0.0011	%	101	80.0	-	120	Acceptable	
d8THCV	2	0.0011	0.0010	%	102	80.0	-	120	Acceptable	
THCVA	2	0.0009	0.0010	%	94.5	80.0	-	120	Acceptable	
CBN	1	0.0011	0.0010	%	106	80.0	-	120	Acceptable	
exo-THC	2	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
d9THC	1	0.0011	0.0010	%	104	90.0	-	110	Acceptable	
d8THC	1	0.0010	0.0010	%	97.3	90.0	-	110	Acceptable	
CBL	2	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
d10THC	1	0.0005	0.0005	%	106	80.0	-	120	Acceptable	
CBC	2	0.0010	0.0010	%	100	80.0	-	120	Acceptable	
THCA	1	0.0009	0.0009	%	98.7	90.0	-	110	Acceptable	
CBCA	2	0.0009	0.0010	%	90.9	80.0	-	120	Acceptable	
CBLA	2	0.0010	0.0010	%	96.1	80.0	-	120	Acceptable	
СВТ	2	0.0011	0.0011	%	102	80.0	-	120	Acceptable	
Method Blank	_									
Analyte		lesult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBDV		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBE		LOQ	0.0001		%		0.0001		Acceptable	
CBDA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBGA		LOQ	0.0001		%		0.0001		Acceptable	
CBG		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
CBD THCV		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
d8THCV		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.0001		Acceptable	
THCVA CBN		<loq< td=""><td></td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<>			%		0.0001		Acceptable	
END-THC		<loq &lt;1.00</loq 	0.0001		%		0.0001		Acceptable Acceptable	
d9THC		4						-		
		<loq &lt;1.00</loq 	0.0001		%		0.0001		Acceptable Acceptable	
CBL		(LOQ)	0.0001		%		0.0001	-		
LBL 110THC		(LOQ)	0.0001		%		0.0001		Acceptable Acceptable	
		(LOQ)	0.0001				0.0001			
					%			-	Acceptable	
THCA CBCA		<loq <loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.0001</td><td></td><td>Acceptable</td><td></td></loq<></loq 	0.0001		%		0.0001		Acceptable	
CBLA		(LOQ)	0.0001		%		0.0001		Acceptable Acceptable	
	- I - S		0.0001		%				Acceptable	
CBT		<loq< td=""><td></td><td></td><td></td><td></td><td>0.0001</td><td></td><td></td><td></td></loq<>					0.0001			

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	23-000509/D005.R000
Report Date:	01/18/2023
ORELAP#:	OR100028
Purchase Order:	SCH5-1.09.23
Received:	01/12/23 15:47

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results								
J AOAC 2015 V98-6					Ba	tch ID: 2300508								
Sample Duplicate	Sample ID: 23-000553-0001													
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes						
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBD	0.00530	0.00516	0.0001	%	2.62	< 20	Acceptable							
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable							

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





23-000509/D005.R000 **Report Number: Report Date:** 01/18/2023 ORELAP#: OR100028 Purchase Order: SCH5-1.09.23 **Received:** 01/12/23 15:47



Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





**Report Number:** 23-000509/D005.R000 **Report Date:** 01/18/2023 ORELAP#: OR100028 Purchase Order: SCH5-1.09.23 **Received:** 01/12/23 15:47

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430