



**Report Number:** 23-000509/D003.R000

 Report Date:
 01/18/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH5-1.09.23

 Received:
 01/12/23 15:47

Customer: CJ2, LLC (DBA Zentopia)
Product identity: SCH5-MG-010923-9:20

Client/Metrc ID:

**Laboratory ID:** 23-000509-0006

**Summary** 

Potency:						
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size 52.6 mg/16fl oz	_
CDD per foil oz	32.0		111g/ 1011 02			_
					THC-Total per Serving Size <loq< td=""><td></td></loq<>	
					(Reported in milligrams per serving)	





**Report Number:** 23-000509/D003.R000

 Report Date:
 01/18/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH5-1.09.23

 Received:
 01/12/23 15:47

**Customer:** CJ2, LLC (DBA Zentopia)

92 Centennial Loop

Eugene Oregon 97401

United States of America (USA)

Product identity: SCH5-MG-010923-9:20

Client/Metrc ID:

Sample Date:

**Laboratory ID:** 23-000509-0006

Evidence of Cooling: No
Temp: 17.4
Relinquished by: usps
Serving Size #1: 473.754 g
Density: 1.001 g/ml

# Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V9	98-6 (mod) <sup>þ</sup>	Units mg/se Batc	<b>h:</b> 2300508	<b>Analyze:</b> 1/16/23 8:39:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.870	
CBD per 16fl oz	52.6		mg/16fl oz	0.463	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBD-Total per 16fl oz	52.6		mg/16fl oz	0.870	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.865	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.865	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.870	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.463	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.463	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.463	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.463	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.463	
$\Delta 9$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.463	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.463	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.870	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.463	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.463	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.870	
Total Cannabinoids per 16f	l oz 52.7		mg/16fl oz		

www.columbialaboratories.com

Page 2 of 9





23-000509/D003.R000 **Report Number:** 

**Report Date:** 01/18/2023 ORELAP#: OR100028

SCH5-1.09.23 Purchase Order: 01/12/23 15:47 Received:





**Report Number:** 23-000509/D003.R000

 Report Date:
 01/18/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH5-1.09.23

 Received:
 01/12/23 15:47

These test results are representative of the individual sample selected and submitted by the client.

### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$ 

Approved Signatory

Derrick Tanner General Manager





**Report Number:** 23-000509/D003.R000

**Report Date:** 01/18/2023

ORELAP#: OR100028

Purchase Order: SCH5-1.09.23 01/12/23 15:47 Received:



Hemp & Cannabis: Usable / E1 CJ2



Document Control ID. 2832 Revision: 5 Effective: 01/04/2022

Company: CJ2, LLC		Ar	CJ2, LLC (DBA Zentopia)			PO Number: SCH5-1.09.23			
Contact: Cassia Zeller						_ J	Project IC Batch IC	o: SCH5-1.09.23	
Address: 92 Centennial Loop						Sa	ampled by		
City: Eugene State: OR						Reporting			
☑ Email Results: Cassiaz@Zentopia.com						_			
□ Ph: (_503)869-7259						200000000000000000000000000000000000000		: □ - Ind. Hemp product   □ - Rec. Cannabis □ - Compliance   □ - R&D	
Billing Contact (if different)									ETRC   - ODA   - USDA
Name: Cassia Zeller Email: Cassiaz@	Zentopia.com							- 0	ther:
Address: 32682 Bush Garden Dr.									
City: Harrisburg State:	OR Zip: 977	46					Turnaround time (TAT - Business Days):  ☐ - SBD ┃ ☐ - 3BD* ┃ ☐ - 2BD*		
Ph: (503) - 869-7259			>						*Check for availability
Lab ID Client Sample Identification		Sample date	Potency				Material Type †		Comments/Metrc ID
SCH5-PE-010923-11:53		01/09/23						16 oz	
SCH5-PE-010923-14:02		01/09/23	1					16 oz	
SCH5-HB-010923-14:56		01/09/23	✓					16 oz	
SCH5-HB-010923-17:02		01/09/23	✓					16 oz	
SCH5-MG-010923-6:51		01/09/23	1					16 oz	
SCH5-MG-010923-9:20		01/09/23	1					16 oz	
Signature - Relinquished By:	Date	Time	Signature	- Received By:	Date	Time	HYE		Lab Use Only:
John Aitchison 01/11/23 1:10 PM		10 PM	PB5		01/12/23	1547	☑ Shipped Via:		
0							Sample in good condition: X Yes    No		
				- 64				nt: 🗆 Cas storage:	h
							1 Freiog	storage.	

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the Latront terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Page \_\_\_\_of\_ www.columbialaboratories.com Portland, OR 97230 info@columbialaboratories.com





**Report Number:** 23-000509/D003.R000

**Report Date:** 01/18/2023 ORELAP#: OR100028

Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6					B	atch ID: 2300508		
Laboratory Control Sa	mple							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0010	0.0010	%	94.8	80.0 - 120	Acceptable	
CBDV	2	0.0011	0.0011	%	99.8	80.0 - 120	Acceptable	
CBE	2	0.0010	0.0010	%	96.2	80.0 - 120	Acceptable	
CBDA	1	0.0010	0.0010	%	99.6	90.0 - 110	Acceptable	
CBGA	1	0.0010	0.0010	%	101	80.0 - 120	Acceptable	
CBG	1	0.0010	0.0010	%	105	80.0 - 120	Acceptable	
CBD	1	0.0010	0.0010	%	104	90.0 - 110	Acceptable	
THCV	2	0.0011	0.0011	%	101	80.0 - 120	Acceptable	
d8THCV	2	0.0011	0.0010	%	102	80.0 - 120	Acceptable	
THCVA	2	0.0009	0.0010	%	94.5	80.0 - 120	Acceptable	
CBN	1	0.0011	0.0010	%	106	80.0 - 120	Acceptable	
exo-THC	2	0.0010	0.0010	%	101	80.0 - 120	Acceptable	
d9THC	1	0.0011	0.0010	%	104	90.0 - 110	Acceptable	
d8THC	1	0.0010	0.0010	%	97.3	90.0 - 110	Acceptable	
CBL	2	0.0010	0.0010	%	101	80.0 - 120	Acceptable	
d10THC	1	0.0005	0.0005	%	106	80.0 - 120	Acceptable	
CBC	2	0.0010	0.0010	%	100	80.0 - 120	Acceptable	
THCA	1	0.0009	0.0009	%	98.7	90.0 - 110	Acceptable	
CBCA	2	0.0009	0.0010	%	90.9	80.0 - 120	Acceptable	
CBLA	2	0.0010	0.0010	%	96.1	80.0 - 120	Acceptable	
CBT	2	0.0011	0.0011	%	102	80.0 - 120	Acceptable	

Method Blank	•					
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





**Report Number:** 23-000509/D003.R000

**Report Date:** 01/18/2023 ORELAP#: OR100028

Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6					Ba	tch ID: 2300508		
Sample Duplicate					San	nple ID: <b>23-000553</b>	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBD	0.00530	0.00516	0.0001	%	2.62	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:





23-000509/D003.R000 **Report Number:** 

**Report Date:** 01/18/2023 ORELAP#: OR100028 SCH5-1.09.23 Purchase Order: Received: 01/12/23 15:47







**Report Number:** 23-000509/D003.R000

**Report Date:** 01/18/2023 ORELAP#: OR100028

Purchase Order: SCH5-1.09.23 Received: 01/12/23 15:47

## Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.