

_ _ _ _

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-003078/D005.R000
Report Date:	04/06/2023
ORELAP#:	OR100028
Purchase Order:	SCH6-3.06.23
Received:	03/13/23 16:52

_ _ _ _ _ _ _ _ _ _ _ _

Customer:	CJ2, LLC (DBA Zentopia)
Product identity:	SCH6-PE-030123-9:22
Project Number:	SCH6-3.06.23
Client/Metrc ID:	
Laboratory ID:	23-003078-0001

_ _

Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 50.7 mg/16fl oz
CBD per 16fl oz	50.7		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

 Www.columbialaboratories.com
 Page 1 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-003078/D005.R000
Report Date:	04/06/2023
ORELAP#:	OR100028
Purchase Order:	SCH6-3.06.23
Received:	03/13/23 16:52

Customer:	CJ2, LLC (DBA Zentopia) 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	SCH6-PE-030123-9:22
Project Number:	SCH6-3.06.23
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-003078-0001
Evidence of Cooling:	No
Temp:	18.8
Relinquished by:	usps
Serving Size #1:	473.65 g
Density:	1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Batc	h: 2305465	Analyze: 3/15/23 7:06:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.885	
CBD per 16fl oz	50.7		mg/16fl oz	0.471	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBD-Total per 16fl oz	50.7		mg/16fl oz	0.885	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.880	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.880	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.885	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.471	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 10\text{-THC-Total per 16fl oz}$	< LOQ		mg/16fl oz	0.943	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.471	
$\Delta 9$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.471	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.471	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.885	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.471	

 Www.columbialaboratories.com
 Page 2 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-003078/D005.R000
Report Date:	04/06/2023
ORELAP#:	OR100028
Purchase Order:	SCH6-3.06.23
Received:	03/13/23 16:52

Potency per 16fl oz	Method: J AOAC 2015 \	/98-6 (mod) ^þ	Units mg/se Bate	h: 2305465	Analyze: 3/15/23 7:06:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.471	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.885	
Total Cannabinoids per 16f	fl oz 50.8		mg/16fl oz		

 Www.columbialaboratories.com
 Page 3 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 23-003078/D005.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 10

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-003078/D005.R000
Report Date:	04/06/2023
ORELAP#:	OR100028
Purchase Order:	SCH6-3.06.23
Received:	03/13/23 16:52

CA	Columbia
	LABORATORIES
	A Tentamus Company

Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record ORELAPID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

Company: CJ2, LLC			Analysis	Requested		Р	O Numbe	r: SCH6-3.06.23
Contact: Cassia Zeller Address: 92 Centennial Loop City: Eugene State: OR Zip Code: 97401								D: SCH6-3.06.23
		3					Batch II	
		extended				Sampled by: Custom Reporting:		
Email Results: Cassiaz@Zentopia.com		X				Source	Matorial	Ind Home product Bas Connehia
□ Ph: (<u>503</u>) - <u>869-7259</u>		c + 6				Source Material: - Ind. Hemp product - Rec. Cannabis Reporting Type: - Compliance - R&D Report to: - METRC - ODA - USDA		
Billing Contact (if different)					Report			
Name: Cassia Zeller Email: Cassiaz@Zentopia.c	om	0.51					🗆 - Other:	
Address: 32682 Bush garden Dr.		Ba					Turn	around time (TAT - Business Days):
City: Harrisburg State: OR Zip	97746						\Box - 5BD \Box - 3BD* \Box - 2BD*	
Ph: (<u>503</u>) - <u>869-7259</u>		5						*Check for availability
Lab ID Client Sample Identification	Sample date	Potency				Material Type †	Weight (Units)	Comments/Metrc ID
O SCH6-PE-030123-9:22	03/01/23	✓					16 oz	
02 SCH6-PE-030123-10:58	03/01/23	✓					16 oz	
03 SCH6-LM-030123-14:08	03/01/23	1					16 oz	
04 SCH6-LM-030123-16:18	03/01/23	1					16 oz	
05 SCH6-HB-030123-11:54	03/01/23	1					16 oz	
OG SCH6-HB-030123-13:26	03/01/23	✓					16 oz	
						-		
Signature - Relinquished By: Date	Time	Signature	- Received By:	Date	Time	12.20	1	Lab Use Only:
John Aitchison 03/06/23	1:35 PM	C	VTW	3/13	16:52	Evider		ling: Yes O O o - Temp (°C): 18.8
			Ŷ			Paymer		condition: Wres □ No n □ Check □ CC □ Net:

+ - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordence with the <u>turrent terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way Portland, OR 97230 P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com Page _____of _____ www.columbialaboratories.com

www.columbialaboratories.com

Page 5 of 10


Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: Report Date: ORELAP#: Purchase Order: Received:

23-003078/D005.R000 04/06/2023 OR100028 SCH6-3.06.23 03/13/23 16:52



www.columbialaboratories.com

Page 6 of 10

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430





Report Number:	23-003078/D005.R000
Report Date:	04/06/2023
ORELAP#:	OR100028
Purchase Order:	SCH6-3.06.23
Received:	03/13/23 16:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results J AOAC 2015 V98-6 Batch ID: 2305465										
Laboratory Contro	l Sample									
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0009	0.001	%	91.9	80.0	-	120	Acceptable	
CBDV	2	0.0010	0.001	%	99.8	80.0	-	120	Acceptable	
CBE	2	0.0010	0.001	%	100	80.0	-	120	Acceptable	
CBDA	1	0.0012	0.001	%	104	90.0	-	110	Acceptable	
CBGA	1	0.0012	0.001	%	103	80.0	-	120	Acceptable	
CBG	1	0.0013	0.001	%	106	80.0	-	120	Acceptable	
CBD	1	0.0012	0.001	%	105	90.0	-	110	Acceptable	
THCV	2	0.0010	0.001	%	101	80.0	-	120	Acceptable	
18THCV	2	0.0010	0.001	%	100	80.0	-	120	Acceptable	
THCVA	2	0.0009	0.001	%	91.0	80.0	-	120	Acceptable	
CBN	1	0.0013	0.001	%	104	80.0	-	120	Acceptable	
exo-THC	2	0.0010	0.001	%	100	80.0	-	120	Acceptable	
d9THC	1	0.0013	0.001	%	104	90.0	-	110	Acceptable	
d8THC	1	0.0012	0.001	%	103	90.0	-	110	Acceptable	
9S-d10THC	1	0.0013	0.001	%	102	80.0	-	120	Acceptable	
CBL	2	0.0010	0.001	%	101	80.0	-	120	Acceptable	
9R-d10THC	1	0.0013	0.001	%	109	80.0	-	120	Acceptable	
CBC	2	0.0011	0.001	%	101	80.0	-	120	Acceptable	
THCA	1	0.0011	0.001	%	95.8	90.0	-	110	Acceptable	
CBCA	2	0.0009	0.001	%	87.7	80.0	-	120	Acceptable	
CBLA	2	0.0010	0.001	%	91.9	80.0	-	120	Acceptable	
CBT	2	0.0010	0.001	%	96.7	80.0	-	120	Acceptable	
Method Blank										
Analyte		lesult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		<loq< td=""><td>0.0001</td><td colspan="2"></td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001			< 0.0001		Acceptable		
CBDV		<loq< td=""><td>0.0001</td><td></td><td colspan="2">%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%		< 0.0001		Acceptable	
CBE		<loq< td=""><td>0.0001</td><td></td><td>%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%	< 0.0001		Acceptable		
CBDA		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%		< 0.0001		Acceptable		
CBGA		<loq< td=""><td>0.0001</td><td></td><td colspan="2">%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%		< 0.0001		Acceptable	
CBG		<loq< td=""><td>0.0001</td><td></td><td colspan="2">%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%		< 0.0001		Acceptable	
CBD		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%		< 0.0001		Acceptable		
THCV		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
d8THCV		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
THCVA		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
CBN		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
exo-THC		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
d9THC		<loq< td=""><td>0.0001</td><td></td><td colspan="2">%</td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.000		Acceptable	
d8THC		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.000		Acceptable	
9S-d10THC		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
CBL		<loq< td=""><td>0.0001</td><td colspan="2">%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001	%			0.000		Acceptable	
9R-d10THC		<loq< td=""><td>0.0001</td><td></td><td colspan="2">%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%		< 0.0001		Acceptable	
CBC		<loq< td=""><td>0.0001</td><td></td><td>%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%	< 0.0001		Acceptable		
ГНСА		<loq< td=""><td>0.0001</td><td></td><td>%</td><td colspan="2">< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001		%	< 0.0001		Acceptable		
CBCA		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.000		Acceptable	
CBLA CBT		<loq< td=""><td>0.0001</td><td></td><td>%</td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001		%		0.000		Acceptable	
		<loq< td=""><td>0.0001</td><td></td><td></td><td></td><td>0.000</td><td></td><td>Acceptable</td><td></td></loq<>	0.0001				0.000		Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 7 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-003078/D005.R000
Report Date:	04/06/2023
ORELAP#:	OR100028
Purchase Order:	SCH6-3.06.23
Received:	03/13/23 16:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6					Ba	tch ID: 2305465			
Sample Duplicate	Sample ID: 99-000402-0001								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBG	0.0002	0.0002	0.0001	%	2.27	< 20	Acceptable		
CBD	0.0056	0.0056	0.0001	%	0.428	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBN	0.0013	0.0013	0.0001	%	0.690	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		

bbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 8 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





23-003078/D005.R000 **Report Number: Report Date:** 04/06/2023 **ORELAP#:** OR100028 Purchase Order: SCH6-3.06.23 **Received:** 03/13/23 16:52



 Www.columbialaboratories.com
 Page 9 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 23-003078/D005.R000 **Report Date:** 04/06/2023 ORELAP#: OR100028 Purchase Order: SCH6-3.06.23 03/13/23 16:52 **Received:**

Explanation of QC Flag Comments:

Code	Explanation						
Q	Matrix interferences affecting spike or surrogate recoveries.						
Q1	Quality control result biased high. Only non-detect samples reported.						
Q2	Quality control outside QC limits. Data considered estimate.						
Q3	Sample concentration greater than four times the amount spiked.						
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.						
Q5	Spike results above calibration curve.						
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.						
R	Relative percent difference (RPD) outside control limit.						
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.						
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.						
LOQ1	Quantitation level raised due to low sample volume and/or dilution.						
LOQ2	Quantitaion level raised due to matrix interference.						
В	Analyte detected in method blank, but not in associated samples.						
B1	The sample concentration is greater than 5 times the blank concentration.						
B2	The sample concentration is less than 5 times the blank concentration.						

 www.columbialaboratories.com
 Page 10 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430