



**Report Number:** 23-003078/D002.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52

**Customer:** CJ2, LLC (DBA Zentopia) **Product identity:** SCH6-LM030123-16:18

Project Number: SCH6-3.06.23

Client/Metrc ID:

**Laboratory ID:** 23-003078-0004

# **Summary**

Potency:						
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size 47.4 mg/1	 6fl oz
055 pc. 1611 02	71.7		1119/1011 02		THC-Total per Serving Size <loq< td=""><td></td></loq<>	
					(Reported in milligrams per serving)	





**Report Number:** 23-003078/D002.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52

**Customer:** CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH6-LM030123-16:18

Project Number: SCH6-3.06.23

Client/Metrc ID:

Sample Date:

**Laboratory ID:** 23-003078-0004

Evidence of Cooling: No
Temp: 18.8
Relinquished by: usps
Serving Size #1: 473.65 g
Density: 1.001 g/ml

# Sample Results

Potency per 16fl oz	Method: J AOAC 2015 VS	98-6 (mod) <sup>þ</sup>	Units mg/se Batc	<b>h:</b> 2305465	<b>Analyze:</b> 3/15/23 7:29:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.872	
CBD per 16fl oz	47.4		mg/16fl oz	0.464	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBD-Total per 16fl oz	47.4		mg/16fl oz	0.872	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.872	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.464	
∆8-THCV per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.464	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.929	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.872	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.464	

www.columbialaboratories.com

Page 2 of 10





23-003078/D002.R000 **Report Number:** 

**Report Date:** 04/06/2023 ORELAP#: OR100028

SCH6-3.06.23 Purchase Order: Received: 03/13/23 16:52

Potency per 16fl oz	Method: J AOAC 2015 VS	98-6 (mod) <sup>þ</sup>	Units mg/se Batc	h: 2305465	<b>Analyze:</b> 3/15/23 7:29:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.872	
Total Cannabinoids per 16f	fl oz 47.4		mg/16fl oz		





Report Number: 23-003078/D002.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

**Received:** 03/13/23 16:52

## **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

## Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$ 

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-003078/D002.R000

**Report Date:** 04/06/2023

ORELAP#: OR100028

**Purchase Order:** SCH6-3.06.23 **Received:** 03/13/23 16:52





## Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record

ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

Company: CJ2, LLC  Contact: Cassia Zeller  Address: 92 Centennial Loop  City: Eugene State: OR Zip Code: 97401			Analysis Requested					PO Number: SCH6-3.06.23		
			extended			Project ID: SCH6-3.06.23  Batch ID:				
										Sampled by:Custom Reporting:
						☑ Email Results: Cassiaz@Zentopia.com  □ Ph: (503) - 869-7259  Billing Contact (if different)	+ 6×4			
Name: Cassia Zeller Email: Cassiaz@Zentopia.c	om	asi c					□ - 0			
Address: 32682 Bush garden Dr.		Ba					Turn	around time (TAT - Business Days):		
City:         Harrisburg         State:         OR Zip           Ph:         (503) - 869-7259	97746	Λc						- SBD   □ - 3BD*   □ - 2BD* *Check for availability		
ab ID Client Sample Identification	Sample date	Potency				Material Type †	Weight (Units)	Comments/Metrc ID		
SCH6-PE-030123-9:22	03/01/23	✓					16 oz			
32 SCH6-PE-030123-10:58	03/01/23	✓					16 oz			
O3 SCH6-LM-030123-14:08	03/01/23	✓					16 oz			
04 SCH6-LM-030123-16:18	03/01/23	<b>✓</b>					16 oz			
05 SCH6-HB-030123-11:54	03/01/23	1					16 oz			
OG SCH6-HB-030123-13:26	03/01/23	✓					16 oz			
Signature - Relinquished By: Date	Time	Signatu	re - Received By:	Date	Time			Lab Use Only:		
John Aitchison 03/06/23 1:35 PM		WW		3/13	16:52	□ Shipped Via: □SPS or □ Client drop  Evidence of cooling: □ Yes □ □No - Temp (°C): □S S				
						Sample Payme	e in good o	condition: Oyes   □ No		

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordence with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way

P: (503) 254-1794 | Fax: (503) 254-1452

Portland, OR 97230

Page of www.columbialaboratories.com

www.columbialaboratories.com






**Report Number:** 23-003078/D002.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52







**Report Number:** 23-003078/D002.R000

Report Date: 04/06/2023 ORELAP#: OR100028

SCH6-3.06.23 Purchase Order: Received: 03/13/23 16:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results** Batch ID: 230546 Result Spike Units Limits Evaluation Analyte LCS CBDVA CBDV 0.001 0.001 Acceptable Acceptable 0.0009 91.9 80.0 120 0.0010 99.8 80.0 0.0010 100 80.0 120 CBDA 0.0012 0.001 104 103 90.0 % % Acceptable CBGA CBG 0.001 Acceptable 120 110 120 80.0 90.0 Acceptable 0.0013 106 CBD 0.001 % Acceptable 0.0012 105 101 Acceptable 0.0010 80.0 Acceptable Acceptable 0.001 THCVA 0.001 0.0009 91.0 80.0 120 0.001 CBN 0.0013 % Acceptable 120 Acceptable 110 Acceptable 0.0010 100 80.0 0.0013 Acceptable Acceptable 0.001 0.0012 103 90.0 110 9S-d10TH0 0.001 0.0013 80.0 0.001 % Acceptable 9R-d10THC 120 Acceptable 0.0013 109 80.0 0.001 % Acceptable 0.0011 101 80.0 110 Acceptable 0.0011 95.8 90.0 % 87.7 91.9 CBCA 0.0009 0.001 Acceptable 0.0010 80.0 CBT 0.001 120 Acceptable

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure: % - Percent





**Report Number:** 23-003078/D002.R000

**Report Date:** 04/06/2023 ORELAP#: OR100028

Purchase Order: SCH6-3.06.23 Received: 03/13/23 16:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

### **Laboratory Quality Control Results**

J AOAC 2015 V98-6	Batch ID: 2305465							
Sample Duplicate					San	nple ID: <b>99-000402</b>	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	0.0002	0.0002	0.0001	%	2.27	< 20	Acceptable	
CBD	0.0056	0.0056	0.0001	%	0.428	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	0.0013	0.0013	0.0001	%	0.690	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

#### Units of Measure:

% - Percent





23-003078/D002.R000 **Report Number:** 

**Report Date:** 04/06/2023 ORELAP#: OR100028 Purchase Order: SCH6-3.06.23 Received: 03/13/23 16:52







**Report Number:** 23-003078/D002.R000

**Report Date:** 04/06/2023 ORELAP#: OR100028

**Purchase Order:** SCH6-3.06.23 03/13/23 16:52 Received:

## Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.