



Report Number: 23-003078/D001.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52

Customer: CJ2, LLC (DBA Zentopia) **Product identity:** SCH6-HB-030123-13:26

Project Number: SCH6-3.06.23

Client/Metrc ID:

Laboratory ID: 23-003078-0006

Summary

Potency:						
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size	55.4 mg/16fl oz
OBB per remez	00.4		1119/1011 02			
					THC-Total per Serving Size	<loq< td=""></loq<>
					(Reported in milligrams	per serving)





Report Number: 23-003078/D001.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH6-HB-030123-13:26

Project Number: SCH6-3.06.23

Client/Metrc ID: .

Sample Date:

Laboratory ID: 23-003078-0006

Evidence of Cooling: No
Temp: 18.8
Relinquished by: usps
Serving Size #1: 473.65 g
Density: 1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V9	8-6 (mod) ^þ	Units mg/se Batcl	h: 2305465	Analyze: 3/15/23 7:45:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
CBD per 16fl oz	55.4		mg/16fl oz	0.462	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBD-Total per 16fl oz	55.4		mg/16fl oz	0.867	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.862	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.862	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.462	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.462	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.462	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.462	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.462	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.923	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.462	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.462	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.462	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.462	
					D 0 (10

www.columbialaboratories.com

Page 2 of 10





23-003078/D001.R000 **Report Number:**

03/13/23 16:52

Report Date: 04/06/2023 ORELAP#: OR100028 SCH6-3.06.23 Purchase Order:

Received:

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Bato	h: 2305465	Analyze: 3/15/23 7:45:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.462	
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
Total Cannabinoids per 16f	fl oz 55.4		mg/16fl oz		





Report Number: 23-003078/D001.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-003078/D001.R000

Report Date: 04/06/2023

ORELAP#: OR100028

Purchase Order: SCH6-3.06.23 **Received:** 03/13/23 16:52





Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record

ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

Company: CJ2, LLC				Analys	s Requested		Р	O Numbe	er: SCH6-3.06.23	
Contact: Cassia Zeller								Project ID: SCH6-3.06.23		
Address: 92 Centennial Loop			9					Batch II		
City: Eugene State: OR Zip Code: 97401			DU					ampled b Reportin		
☑ Email Results: Cassiaz@Zentopia.com			extended							
□ Ph : (503) - 869-7259	□ Ph : (_503_)869-7259								: □ - Ind. Hemp product □ - Rec. Cannabis □ - Compliance □ - R&D	
Billing Contact (if diffe	Billing Contact (if different)						Report		METRC - ODA - USDA	
Name: Cassia Zeller Email: Cass	siaz@Zentopia.co	om	asi c					□-0	ther:	
Address: 32682 Bush garden Dr.			Bo					Turn	paround time (TAT - Business Days):	
City: Harrisburg St Ph: (503) - 869-7259	ate: <u>OR</u> Zip:	97746	>	Application and application of the state of] - 5BD □ - 3BD* □ - 2BD* *Check for availability	
Lab ID Client Sample Identifica	ition	Sample date	Potency				Material Type †		Comments/Metrc ID	
O \ SCH6-PE-030123-9:22		03/01/23	✓					16 oz	λ-	
G2 SCH6-PE-030123-10:58		03/01/23	✓					16 oz		
03 SCH6-LM-030123-14:08		03/01/23	✓					16 oz		
04 SCH6-LM-030123-16:18		03/01/23	✓					16 oz		
05 SCH6-HB-030123-11:54		03/01/23	1					16 oz		
OG SCH6-HB-030123-13:26		03/01/23	✓					16 oz		
Signature - Relinquished By:	Date	Time	Signa	ture - Received By:	Date	Time	12.02		Lab Use Only:	
John Aitchison	03/06/23	1:35 PM		WW	3/13	16:52	Evider Sample	e in good	ling: ☐ Yes ☐(No - Temp (°C):	
,								nt: 🗆 Casl storage:	h 🗆 Check 🗆 CC 🗆 Net:	

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordence with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way

P: (503) 254-1794 | Fax: (503) 254-1452

Portland, OR 97230

Page of www.columbialaboratories.com

www.columbialaboratories.com






Report Number: 23-003078/D001.R000

 Report Date:
 04/06/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH6-3.06.23

 Received:
 03/13/23 16:52







Report Number: 23-003078/D001.R000

Report Date: 04/06/2023 ORELAP#: OR100028

Purchase Order: SCH6-3.06.23 Received: 03/13/23 16:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	OAC 2015 V98-6 Batch ID: 2305465								
Laboratory Control	Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0009	0.001	%	91.9	80.0 -	120	Acceptable	
CBDV	2	0.0010	0.001	%	99.8	80.0 -	120	Acceptable	
CBE	2	0.0010	0.001	%	100	80.0 -	120	Acceptable	
CBDA	1	0.0012	0.001	%	104	90.0 -	110	Acceptable	
CBGA	1	0.0012	0.001	%	103	80.0 -	120	Acceptable	
CBG	1	0.0013	0.001	%	106	80.0 -	120	Acceptable	
CBD	1	0.0012	0.001	%	105	90.0 -	110	Acceptable	
THCV	2	0.0010	0.001	%	101	80.0 -	120	Acceptable	
d8THCV	2	0.0010	0.001	%	100	80.0 -	120	Acceptable	
THCVA	2	0.0009	0.001	%	91.0	80.0 -	120	Acceptable	
CBN	1	0.0013	0.001	%	104	80.0 -	120	Acceptable	
exo-THC	2	0.0010	0.001	%	100	80.0 -	120	Acceptable	
d9THC	1	0.0013	0.001	%	104	90.0 -	110	Acceptable	
d8THC	1	0.0012	0.001	%	103	90.0 -	110	Acceptable	
9S-d10THC	1	0.0013	0.001	%	102	80.0 -	120	Acceptable	
CBL	2	0.0010	0.001	%	101	80.0 -	120	Acceptable	
9R-d10THC	1	0.0013	0.001	%	109	80.0 -	120	Acceptable	
CBC	2	0.0011	0.001	%	101	80.0 -	120	Acceptable	
THCA	1	0.0011	0.001	%	95.8	90.0 -	110	Acceptable	
CBCA	2	0.0009	0.001	%	87.7	80.0 -	120	Acceptable	
CBLA	2	0.0010	0.001	%	91.9	80.0 -	120	Acceptable	
CBT	2	0.0010	0.001	%	96.7	80.0 -	120	Acceptable	
Method Blank	•	•							

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure: % - Percent





Report Number: 23-003078/D001.R000

Report Date: 04/06/2023 ORELAP#: OR100028

Purchase Order: SCH6-3.06.23 Received: 03/13/23 16:52

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2305465									
Sample Duplicate			Sample ID: 99-000402-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBG	0.0002	0.0002	0.0001	%	2.27	< 20	Acceptable			
CBD	0.0056	0.0056	0.0001	%	0.428	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBN	0.0013	0.0013	0.0001	%	0.690	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			

Abbreviation

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-003078/D001.R000 **Report Number:**

Report Date: 04/06/2023 ORELAP#: OR100028 Purchase Order: SCH6-3.06.23 Received: 03/13/23 16:52







23-003078/D001.R000 **Report Number:**

Report Date: 04/06/2023 ORELAP#: OR100028

SCH6-3.06.23 **Purchase Order:** 03/13/23 16:52 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.