



Report Number: 23-004322/D004.R000

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Customer: CJ2, LLC (DBA Zentopia) Product identity: SCH7-YB-033023-14:24

Client/Metrc ID:

Laboratory ID: 23-004322-0002

Summary

Potency:						
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size 53.1 mg/16fl c	- OZ
000 per 1011 02	00.1		1119/1011 02			
					THC-Total per Serving Size <loq< td=""><td></td></loq<>	
					(Reported in milligrams per serving)	





Report Number: 23-004322/D004.R000

 Report Date:
 04/17/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH7-4.06.23

 Received:
 04/10/23 00:00

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH7-YB-033023-14:24

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-004322-0002

Evidence of Cooling: No
Temp: 20.4 °C
Relinquished by: Client
Serving Size #1: 473.754 g
Density: 1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Batc	h: 2306180	Analyze: 4/11/23 5:36:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.880	
CBD per 16fl oz	53.1		mg/16fl oz	0.469	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBD-Total per 16fl oz	53.1		mg/16fl oz	0.880	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.875	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.875	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.880	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.469	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.469	
Δ8-THCV per 16fl oz	< LOQ		mg/16fl oz	0.469	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.469	
Δ10-THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.469	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.937	
∆8-THC per 16fl oz	< LOQ		mg/16fl oz	0.469	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.469	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.469	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.880	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.469	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.469	
					Page 2 of 0

www.columbialaboratories.com

Page 2 of 9





Report Number: 23-004322/D004.R000

 Report Date:
 04/17/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH7-4.06.23

Received: 04/10/23 00:00

Potency per 16fl oz Method: J AOAC 2015 V98-6 (mod)^b Units mg/se Batch: 2306180 Analyze: 4/11/23 5:36:00 PM Analyte Limits Result Units LOQ **Notes** 0.880 THCV-Total per 16fl oz < LOQ mg/16fl oz Total Cannabinoids per 16fl oz mg/16fl oz 53.1





Report Number: 23-004322/D004.R000

 Report Date:
 04/17/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH7-4.06.23

 Received:
 04/10/23 00:00

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-004322/D004.R000

Report Date: 04/17/2023

ORELAP#: OR100028

SCH7-4.06.23

Received:

Purchase Order:

04/10/23 00:00



Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record

ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

Company: CJ2, LLC	Analysis Requested						PO Number: SCH7-4.06.23		
Contact: Cassia Zeller									SCH7-4.06.23
Address: 92 Centennial loop									D:
City: Eugene State: OR Zip Code: 5	97401							ampled b	
☑ Email Results: Cassiaz@zentopia.com								3	
□ Ph: (503) - 869-7259			1					: 🗆 - Ind. Hemp product 🗀 - Rec. Cannabis	
Billing Contact (if different)			-					□ - Compliance □ - R&D METRC □ - ODA □ - USDA	
Name: Cassia Zeller Email: cassiaz@zentopia.com						переге	□-0		
Address: 32682 Bush garden Drive									
City: Harrisburg State: OR Zip: S	97746								around time (TAT - Business Days):] - 5BD □ - 3BD* □ - 2BD*
Ph: (503) - 869-7259		_							*Check for availability
Lab ID Client Sample Identification	Sample date	Potency					Material Type †		Comments/Metrc ID
SCH7-YB-033023-10:39	03/30/23			1				16 oz	
SCH7-YB-033023-14:24	03/30/23	1		Hel				16 oz	
SCH7-MG-033123-12:40 03/31/2		1						16 oz	
SCH7-MG-033123-13:11 03/31/23		✓		14				16 oz	
SCH7-WM-033123:10:09 03/31/23		✓						16 oz	
SCH7-WM-033123-11:56	03/31/23	1						16 oz	
									÷
1 1 2 2 2									
					1				
Signature - Relinquished By: Date	Time	9	Signature - Re	ceived By:	Date	Time			Lab Use Only:
John Aitchison 04/06/23 1:40 PM		RBS		1)	04/10/23	1335	Shipped Via: or □ Client drop off		
John Muchison			Evidence of cooling:		oling: Yes 20 No - Temp (°C): 26 Y condition: Yes No				
-				N N	55				th
				8			Prelog	storage:	

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitoker Way
Pct [503] 254-1794 | Fax: (503) 254-1452
info@college.com
www.columbialaboratories.com
www.columbialaboratories.com





Report Number: 23-004322/D004.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

2 2 2 2 1	Result 0.0009 0.0010 0.0010 0.0009	Spike 0.001 0.001 0.001	Units %	% Rec 95.0	Limits	120	Evaluation	Notes
2 2 2 1	0.0009 0.0010 0.0010	0.001 0.001	%			120		Notes
2 2 1	0.0010 0.0010	0.001		95.0	80.0 -	120		
2 1 1	0.0010		%			120	Acceptable	İ
1		0.001		98.0	80.0 -	120	Acceptable	
1	0.0009	0.001	%	104	80.0 -	120	Acceptable	
		0.001	%	92.6	90.0 -	110	Acceptable	
4	0.0007	0.001	%	95.1	80.0 -	120	Acceptable	
1	0.0009	0.001	%	97.4	80.0 -	120	Acceptable	
1	0.0008	0.001	%	95.8	90.0 -	110	Acceptable	
2	0.0010	0.001	%	99.6	80.0 -	120	Acceptable	
2	0.0010	0.001	%	102	80.0 -	120	Acceptable	
2	0.0009	0.001	%	87.0	80.0 -	120	Acceptable	
1	0.0008	0.001	%	99.2	80.0 -	120	Acceptable	
2	0.0009	0.001	%	94.9	80.0 -	120	Acceptable	
1	0.0009	0.001	%	97.3	90.0 -	110	Acceptable	
1	0.0009	0.001	%	101	90.0 -	110	Acceptable	
1	0.0009	0.001	%	97.6	80.0 -	120	Acceptable	
2	0.0010	0.001	%	104	80.0 -	120	Acceptable	
1	0.0009	0.001	%	94.0	80.0 -	120	Acceptable	
2	0.0010	0.001	%	102	80.0 -	120	Acceptable	
1	0.0010	0.001	%	94.5	90.0 -	110	Acceptable	
2	0.0010	0.001	%	95.8	80.0 -	120	Acceptable	
2	0.0010	0.001	%	98.5	80.0 -	120	Acceptable	
	0.0010	0.001						
	2 1 1 1 2 1 2 1 2	2 0.0009 1 0.0009 1 0.0009 1 0.0009 2 0.0010 1 0.0009 2 0.0010 2 0.0010 2 0.0010 2 0.0010 2 0.0010	2 0.0009 0.001 1 0.0009 0.001 1 0.0009 0.001 1 0.0009 0.001 1 0.0009 0.001 1 0.0009 0.001 1 0.0009 0.001 1 0.0010 0.001 1 0.0009 0.001 2 0.0010 0.001 2 0.0010 0.001 2 0.0010 0.001	2 0.0009 0.001 % 1 0.0009 0.001 % 1 0.0009 0.001 % 1 0.0009 0.001 % 1 0.0009 0.001 % 2 0.0010 0.001 % 2 0.0010 0.001 % 2 0.0010 0.001 % 1 0.0009 0.001 % 2 0.0010 0.001 % 2 0.0010 0.001 %	2 0.0009 0.001 % 94.9 1 0.0009 0.001 % 97.3 1 0.0009 0.001 % 97.3 1 0.0009 0.001 % 101 1 0.0009 0.001 % 97.6 2 0.0010 0.001 % 104 1 0.0009 0.001 % 94.0 2 0.0010 0.001 % 102 1 0.0000 0.001 % 94.0 2 0.0010 0.001 % 94.5 2 0.0010 0.001 % 95.8	2 0.0009 0.001 % 94.9 80.0 - 1 0.0009 0.001 % 97.3 90.0 - 1 0.0009 0.001 % 97.6 80.0 - 1 0.0009 0.001 % 97.6 80.0 - 2 0.0010 0.001 % 104 80.0 - 1 0.0009 0.001 % 104 80.0 - 2 0.0010 0.001 % 94.0 80.0 - 2 0.0010 0.001 % 102 80.0 - 1 0.0009 0.001 % 94.0 80.0 - 2 0.0010 0.001 % 94.5 90.0 - 2 0.0010 0.001 % 94.5 90.0 - 2 0.0010 0.001 % 95.8 80.0 -	2 0.0009 0.001 % 94.9 80.0 120 1 0.0009 0.001 % 97.3 90.0 110 1 0.0009 0.001 % 101 99.0 110 1 0.0009 0.001 % 101 90.0 110 1 0.0009 0.001 % 97.6 80.0 - 120 2 0.0010 0.001 % 104 80.0 - 120 2 0.0010 0.001 % 94.0 80.0 - 120 2 0.0010 0.001 % 102 80.0 - 120 1 0.0010 0.001 % 94.5 90.0 - 110 2 0.0010 0.001 % 94.5 90.0 - 120 2 0.0010 0.001 % 94.5 90.0 - 120	2 0.0009 0.001 % 94.9 80.0 - 120 Acceptable 1 0.0009 0.001 % 97.3 90.0 - 110 Acceptable 1 0.0009 0.001 % 101 90.0 - 110 Acceptable 1 0.0009 0.001 % 97.6 80.0 - 120 Acceptable 2 0.0010 0.001 % 104 80.0 - 120 Acceptable 1 0.0009 0.001 % 94.0 80.0 - 120 Acceptable 2 0.0010 0.001 % 102 80.0 - 120 Acceptable 1 0.0010 0.001 % 102 80.0 - 120 Acceptable 2 0.0010 0.001 % 94.5 90.0 - 110 Acceptable 2 0.0010 0.001 % 95.8 80.0 - 120 Acceptable

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure: % - Percent





Report Number: 23-004322/D004.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6						tch ID: 2306180		
Sample Duplicate					Sam	ple ID: 23-002890	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBD	0.0066	0.0067	0.0001	%	0.404	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	0.0032	0.0032	0.0001	%	0.449	< 20	Acceptable	
d8THC	0.0008	0.0007	0.0001	%	2.25	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-004322/D004.R000 **Report Number:**

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00







Report Number: 23-004322/D004.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 04/10/23 00:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.