



Report Number: 23-004322/D007.R000

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Customer: CJ2, LLC (DBA Zentopia) Product identity: SCH7-MG-033123-13:11

Client/Metrc ID:

Laboratory ID: 23-004322-0004

Summary

Result	Limits	Units	Status	CBD-Total per Serving Size	47.2 mg/16fl oz
77.2		1119/1011 02		THC-Total per Serving Size	<loq< td=""></loq<>
				(Reported in milligrams	per serving)
	Result 47.2				47.2 mg/16fl oz CBD-Total per Serving Size THC-Total per Serving Size





Report Number: 23-004322/D007.R000

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Customer: CJ2, LLC (DBA Zentopia)

> 92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH7-MG-033123-13:11

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-004322-0004

Evidence of Cooling: No 20.4 °C Temp: Relinquished by: Client Serving Size #1: 473.754 g Density: 1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Batc	h: 2306180	Analyze: 4/11/23 5:51:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.862	
CBD per 16fl oz	47.2		mg/16fl oz	0.459	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBD-Total per 16fl oz	47.2		mg/16fl oz	0.862	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.857	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.857	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.862	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.459	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.459	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.459	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.459	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.459	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.918	
∆8-THC per 16fl oz	< LOQ		mg/16fl oz	0.459	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.459	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.459	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.862	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.459	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.459	
					Page 2 of 0

www.columbialaboratories.com

Page 2 of 9





Report Number: 23-004322/D007.R000

Report Date: 04/17/2023 ORELAP#: OR100028 SCH7-4.06.23 Purchase Order:

04/10/23 00:00 Received:

Potency per 16fl oz	Method: J AOAC 2015 VS	Units mg/se Batc	h: 2306180	Analyze: 4/11/23 5:51:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.862	
Total Cannabinoids per 16	ifl oz 47.2		mg/16fl oz		





Report Number: 23-004322/D007.R000

04/10/23 00:00

 Report Date:
 04/17/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH7-4.06.23

Received:

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-004322/D007.R000

04/17/2023

Report Date:

OR100028

Purchase Order:

SCH7-4.06.23

Received:

ORELAP#:

04/10/23 00:00



Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record

ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

						Anal -	- Dominato -1		1		CCUT 4.0C 22
Com	pany: CJ2, LLC	Analysis Requested						PO Number: SCH7-4.06.23 Project ID: SCH7-4.06.23			
Cont	Contact: Cassia Zeller Address: 92 Centennial loop): SCH7-4.06.23
Addr									Sa		у:
City:	Eugene State:	OR Zip Code:	97401						Custom	Reportin	g:
☑ En	nail Results: Cassiaz@zentopia.com										□ Lad Harramadash I □ Dee Connekie
☐ Pl	n: (_503_)869-7259										: □ - Ind. Hemp product □ - Rec. Cannabís □ - Compliance □ - R&D
	Billing Contact (if differe	ent)								to: 🗆 - N	METRC □ - ODA □ - USDA
Nam	e: Cassia Zeller Email: cassia	az@zentopia.com	1							□-0	ther:
Addr	ess: 32682 Bush garden Drive									T	TAT Business Days
City:	Harrisburg Sta	ite: OR Zip: S	97746								around time (TAT - Business Days):] - 5BD □ - 3BD* □ - 2BD*
	503) - 869-7259			>							*Check for availability
Lab ID	26	ion	Sample date	Potency					Material Type †		Comments/Metrc ID
410	SCH7-YB-033023-10:39	16	03/30/23			1				16 oz	
	SCH7-YB-033023-14:24		03/30/23	1		130				16 oz	
	SCH7-MG-033123-12:40		03/31/23	✓						16 oz	
	SCH7-MG-033123-13:11		03/31/23	✓						16 oz	
	SCH7-WM-033123:10:09		03/31/23	✓						16 oz	
	SCH7-WM-033123-11:56		03/31/23	1						16 oz	
	na company and a second of the										
LIPSOFF											
							9				
	Signature - Relinquished By:	Date	Time		Signature - Re	eceived By:	Date	Time		-	Lab Use Only:
	John Aitchison	04/06/23	1:40 PM		RBS	1)	04/10/23	1335	Ş Ship	ped Via:	or □ Client drop off
	John Muchison	-			11000		04/101	(3)	Evider	nce of coo	oling: ☐ Yes ☑ No - Temp (°C):
		1				_ \					condition: Serves
ľ.	<u> </u>					8	4			storage:	

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>unreal terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 MF Whitoker Way

P: [503] 254-1754 | Fox: [503] 254-1754 | F





Report Number: 23-004322/D007.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-					В	atch ID: 2306	180		
Laboratory Contro	l Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Limit	S	Evaluation	Notes
CBDVA	2	0.0009	0.001	%	95.0	80.0 -	120	Acceptable	
CBDV	2	0.0010	0.001	%	98.0	80.0 -	120	Acceptable	
CBE	2	0.0010	0.001	%	104	80.0 -	120	Acceptable	
CBDA	1	0.0009	0.001	%	92.6	90.0 -	110	Acceptable	
CBGA	1	0.0007	0.001	%	95.1	80.0 -	120	Acceptable	
CBG	1	0.0009	0.001	%	97.4	80.0 -	120	Acceptable	
CBD	1	0.0008	0.001	%	95.8	90.0 -	110	Acceptable	
THCV	2	0.0010	0.001	%	99.6	80.0 -	120	Acceptable	
d8THCV	2	0.0010	0.001	%	102	80.0 -	120	Acceptable	
THCVA	2	0.0009	0.001	%	87.0	80.0 -	120	Acceptable	
CBN	1	0.0008	0.001	%	99.2	80.0 -	120	Acceptable	
exo-THC	2	0.0009	0.001	%	94.9	80.0 -	120	Acceptable	
d9THC	1	0.0009	0.001	%	97.3	90.0 -	110	Acceptable	
d8THC	1	0.0009	0.001	%	101	90.0 -	110	Acceptable	
9S-d10THC	1	0.0009	0.001	%	97.6	80.0 -	120	Acceptable	
CBL	2	0.0010	0.001	%	104	80.0 -	120	Acceptable	
9R-d10THC	1	0.0009	0.001	%	94.0	80.0 -	120	Acceptable	
CBC	2	0.0010	0.001	%	102	80.0 -	120	Acceptable	
THCA	1	0.0010	0.001	%	94.5	90.0 -	110	Acceptable	
CBCA	2	0.0010	0.001	%	95.8	80.0 -	120	Acceptable	
CBLA	2	0.0010	0.001	%	98.5	80.0 -	120	Acceptable	
CBT	2	0.0010	0.001	%	97.2	80.0 -	120	Acceptable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure: % - Percent





Report Number: 23-004322/D007.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6					Ba	tch ID: 2306180		
Sample Duplicate					Sam	nple ID: 23-002890	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBD	0.0066	0.0067	0.0001	%	0.404	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
d9THC	0.0032	0.0032	0.0001	%	0.449	< 20	Acceptable	
d8THC	0.0008	0.0007	0.0001	%	2.25	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq.< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq.<></td></loq<>	<loq.< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq.<>	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-004322/D007.R000 **Report Number:**

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00







Report Number: 23-004322/D007.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 04/10/23 00:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.