



Report Number: 23-004322/D006.R000

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Customer: CJ2, LLC (DBA Zentopia) Product identity: SCH7-WM-033123-11:56

Client/Metrc ID:

Laboratory ID: 23-004322-0006

Summary

Potency:						
Analyte per 16fl oz CBD per 16fl oz	Result 46.5	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size	46.5 mg/16fl oz
					THC-Total per Serving Size	<loq< td=""></loq<>
					(Reported in milligrams	per serving)





Report Number: 23-004322/D006.R000

 Report Date:
 04/17/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH7-4.06.23

 Received:
 04/10/23 00:00

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop

Eugene Oregon 97401

United States of America (USA)

Product identity: SCH7-WM-033123-11:56

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-004322-0006

Evidence of Cooling: No
Temp: 20.4 °C
Relinquished by: Client
Serving Size #1: 473.754 g
Density: 1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Batc	h: 2306180	Analyze: 4/11/23 6:06:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.847	
CBD per 16fl oz	46.5		mg/16fl oz	0.451	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBD-Total per 16fl oz	46.5		mg/16fl oz	0.847	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.842	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.842	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.847	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.451	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.451	
Δ8-THCV per 16fl oz	< LOQ		mg/16fl oz	0.451	
Δ10-THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.451	
Δ10-THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.451	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.902	
∆8-THC per 16fl oz	< LOQ		mg/16fl oz	0.451	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.451	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.451	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.847	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.451	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.451	
					Page 2 of 0

www.columbialaboratories.com

Page 2 of 9





Report Number: 23-004322/D006.R000

Report Date: 04/17/2023 ORELAP#: OR100028 SCH7-4.06.23 Purchase Order:

Received: 04/10/23 00:00

Potency per 16fl oz	Method: J AOAC 2015 \	/98-6 (mod) ^þ	Units mg/se Batc	h: 2306180	Analyze: 4/11/23 6:06:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.847	
Total Cannabinoids per 16	fl oz 46.6		mg/16fl oz		





Report Number: 23-004322/D006.R000

04/10/23 00:00

 Report Date:
 04/17/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH7-4.06.23

Received:

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-004322/D006.R000

Report Date: 04/17/2023

ORELAP#:

OR100028

Purchase Order: Received:

SCH7-4.06.23 04/10/23 00:00



Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record

ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

Company: CJ2, LLC Contact: Cassia Zeller Address: 92 Centennial loop City: Eugene State: OR Zip Code: 97401 DE Email Results: Cassiaz@zentopia.com Ph: (503) - 869-7259 Billing Contact (if different)		Analysis Requested		Proje Bate Sample Custom Repo Source Mate Reporting Ty	mber: SCH7-4.06.23 ct ID: SCH7-4.06.23 ch ID:
Name: Cassia Zeller Email: cassiaz@zentopia.com Address: 32682 Bush garden Drive City: Harrisburg State: OR Zip: 97746 Ph: (503) - 869-7259					- Other:
Lab ID Client Sample Identification	Po date date	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Material Weig	
SCH7-YB-033023-10:39 0:	3/30/23 ✓	J		16	oz
SCH7-YB-033023-14:24 0:	3/30/23 ✓	Pic I		16	oz
SCH7-MG-033123-12:40 0:	3/31/23 🗸			16	oz
SCH7-MG-033123-13:11 0:	3/31/23 ✓			16	OZ
	3/31/23 ✓			16	oz
	3/31/23 ✓			16	OZ
		1			
Signature - Relinquished By: Date Tin	ne Signatur	re - Received By: Date	Time		Lab Use Only:
John Attchison 04/06/23 1:40	PM KZ	S o4/10/22	0335	Evidence of Sample in g	fia:

† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>unreal terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 MF Whitoker Way

P: [503] 254-1754 | Fox: [503] 254-1754 | F





Report Number: 23-004322/D006.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 230618 Result Spike Units Limits Evaluation Analyte LCS CBDVA CBDV 0.001 0.001 Acceptable Acceptable 0.0009 95.0 80.0 120 0.0010 98.0 80.0 0.0010 104 80.0 120 CBDA 0.0009 0.001 92.6 95.1 90.0 % % Acceptable CBGA CBG 0.001 Acceptable 97.4 95.8 99.6 120 110 120 0.0009 0.0008 80.0 90.0 Acceptable % CBD 0.001 Acceptable Acceptable 0.0010 80.0 Acceptable Acceptable 0.001 THCVA 0.001 0.0009 87.0 80.0 120 0.001 CBN 0.0008 99.2 Acceptable 120 Acceptable 110 Acceptable 0.0009 94.9 80.0 97.3 0.0009 Acceptable Acceptable 0.001 101 97.6 104 0.0009 90.0 110 9S-d10TH0 0.001 0.0009 80.0 0.001 % Acceptable 9R-d10THC 120 Acceptable 0.0009 94.0 80.0 0.001 % Acceptable 0.0010 102 80.0 110 Acceptable 0.0010 94.5 90.0 % 95.8 98.5 CBCA 0.001 Acceptable 0.0010 80.0 CBT 0.001 120 Acceptable

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure: % - Percent





Report Number: 23-004322/D006.R000

Report Date: 04/17/2023 ORELAP#: OR100028

Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2306180									
Sample Duplicate				Sample ID: 23-002890-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBD	0.0066	0.0067	0.0001	%	0.404	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
d9THC	0.0032	0.0032	0.0001	%	0.449	< 20	Acceptable			
d8THC	0.0008	0.0007	0.0001	%	2.25	< 20	Acceptable			
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable			

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-004322/D006.R000 **Report Number:**

Report Date: 04/17/2023 ORELAP#: OR100028 Purchase Order: SCH7-4.06.23 Received: 04/10/23 00:00







23-004322/D006.R000 **Report Number:**

Report Date: 04/17/2023 ORELAP#: OR100028

SCH7-4.06.23 Purchase Order: 04/10/23 00:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.