



Report Number: 23-005651/D004.R000

Report Date: 05/16/2023 ORELAP#: OR100028 Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Customer: CJ2, LLC (DBA Zentopia) Product identity: SCH8-HB-050523-9:58

Client/Metrc ID:

Laboratory ID: 23-005651-0001

Summary

Result	Limits	Units	Status	CBD-Total per Serving Size	50.7 mg/16fl oz
00		9/10/102		THC-Total per Serving Size	<loq< td=""></loq<>
				(Reported in milligrams	per serving)
	Result 50.7				50.7 mg/16fl oz CBD-Total per Serving Size THC-Total per Serving Size THC-Total per Serving Size





Report Number: 23-005651/D004.R000

 Report Date:
 05/16/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH8-5.05.23

 Received:
 05/10/23 13:39

Customer: CJ2, LLC (DBA Zentopia)

92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SCH8-HB-050523-9:58

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-005651-0001

Evidence of Cooling: No
Temp: 21.6
Relinquished by: usps
Serving Size #1: 473.754 g
Density: 1.001 g/ml

Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V9	8-6 (mod) ^þ	Units mg/se Batc	h: 2307304	Analyze: 5/12/23 6:24:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBC-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBC-Total per 16fl oz	< LOQ		mg/16fl oz	0.849	
CBD per 16fl oz	50.7		mg/16fl oz	0.452	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBD-Total per 16fl oz	50.7		mg/16fl oz	0.849	
CBDV per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBDV-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBDV-Total per 16fl oz	< LOQ		mg/16fl oz	0.844	
CBE per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.844	
CBL per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBL-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBL-Total per 16fl oz	< LOQ		mg/16fl oz	0.849	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.452	
CBT per 16fl oz	< LOQ		mg/16fl oz	0.452	
$\Delta 8$ -THCV per 16fl oz	< LOQ		mg/16fl oz	0.452	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.452	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.452	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.905	
$\Delta 8$ -THC per 16fl oz	< LOQ		mg/16fl oz	0.452	
Δ9-THC per 16fl oz	< LOQ		mg/16fl oz	0.452	
exo-THC per 16fl oz	< LOQ		mg/16fl oz	0.452	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.849	
THCV per 16fl oz	< LOQ		mg/16fl oz	0.452	
THCV-A per 16fl oz	< LOQ		mg/16fl oz	0.452	
					Page 2 of 0

www.columbialaboratories.com

Page 2 of 9





Report Number: 23-005651/D004.R000

Report Date: 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Potency per 16fl oz	Method: J AOAC 2015 V9	Units mg/se Batc	h: 2307304	Analyze: 5/12/23 6:24:00 PM	
Analyte	Result	Limits	Units	LOQ	Notes
THCV-Total per 16fl oz	< LOQ		mg/16fl oz	0.850	
Total Cannabinoids per 16	ifl oz 50.7		mg/16fl oz		





Report Number: 23-005651/D004.R000

 Report Date:
 05/16/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH8-5.05.23

Received: 05/10/23 13:39

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-005651/D004.R000


Report Date: 05/16/2023

ORELAP#: OR100028

Purchase Order:

SCH8-5.05.23

Received: 05/10/23 13:39



† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Page www.columbialaboratories.com Portland, OR 97230 info@columbialaboratories.com





Report Number: 23-005651/D004.R000

Report Date: 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-					В	atch ID: 23073	04		
Laboratory Contro	ol Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0008	0.0009	%	84.2	80.0 -	120	Acceptable	
CBDV	2	0.0008	0.0009	%	95.1	80.0 -	120	Acceptable	
CBE	2	0.0010	0.00102	%	97.1	80.0 -	120	Acceptable	
CBDA	1	0.0009	0.0009	%	93.0	90.0 -	110	Acceptable	
CBGA	1	0.0009	0.0009	%	93.9	80.0 -	120	Acceptable	
CBG	1	0.0009	0.0010	%	97.0	80.0 -	120	Acceptable	
CBD	1	0.0009	0.0010	%	95.4	90.0 -	110	Acceptable	
THCV	2	0.0006	0.0007	%	90.1	80.0 -	120	Acceptable	
d8THCV	2	0.0007	0.0008	%	93.7	80.0 -	120	Acceptable	
THCVA	2	0.0008	0.0009	%	84.7	80.0 -	120	Acceptable	
CBN	1	0.0010	0.0010	%	97.3	80.0 -	120	Acceptable	
exo-THC	2	0.0008	0.0009	%	91.0	80.0 -	120	Acceptable	
d9THC	1	0.00105	0.00102	%	103	90.0 -	110	Acceptable	
d8THC	1	0.00119	0.00126	%	94.4	90.0 -	110	Acceptable	
9S-d10THC	1	0.0007	0.0007	%	97.8	80.0 -	120	Acceptable	
CBL	2	0.0010	0.0010	%	98.7	80.0 -	120	Acceptable	
9R-d10THC	1	0.0009	0.0009	%	95.9	80.0 -	120	Acceptable	
CBC	2	0.0009	0.0009	%	97.9	80.0 -	120	Acceptable	
THCA	1	0.0009	0.0009	%	91.9	90.0 -	110	Acceptable	
CBCA	2	0.0008	0.0010	%	86.1	80.0 -	120	Acceptable	
CBLA	2	0.0009	0.0010	%	91.2	80.0 -	120	Acceptable	
d9THCP	2	0.0009	0.0009	%	98.2	80.0 -	120	Acceptable	
CBT	2	0.0009	0.0010	%	93.5	80.0 -	120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THCP	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 23-005651/D004.R000

Report Date: 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

				Ba	tch ID: 2307304			
Sample ID: 23-005608-0001								
Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
0.0002	0.0002	0.0001	%	0.463	< 20	Acceptable		
0.00682	0.00683	0.0001	%	0.187	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
	 <loq< li=""> <loq< li=""> <loq< li=""> <loq< li=""> <loq< li=""> O.0002 O.00682 <loq< li=""> </loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	<100	CO	CLOQ CLOQ C.0001 %	Sam Result	Result	Sample ID: 23-005608-0001	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-005651/D004.R000 **Report Number:**

Report Date: 05/16/2023 ORELAP#: OR100028 Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39







Report Number: 23-005651/D004.R000

Report Date: 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.