



**Report Number:** 23-005651/D003.R000

**Report Date:** 05/16/2023 ORELAP#: OR100028 Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

**Customer:** CJ2, LLC (DBA Zentopia) Product identity: SCH8-YM-050523-12:15

Client/Metrc ID:

Laboratory ID: 23-005651-0003

# **Summary**

| Potency:                            |        |        |                            |        |                            |                     |
|-------------------------------------|--------|--------|----------------------------|--------|----------------------------|---------------------|
| Analyte per 16fl oz CBD per 16fl oz | Result | Limits | <b>Units</b><br>mg/16fl oz | Status | CBD-Total per Serving Size | 52.1 mg/16fl oz     |
| CBD per Toll 02                     |        |        | 9 . 5 52                   |        | THC-Total per Serving Size | <loq< td=""></loq<> |
|                                     |        |        |                            |        | (Reported in milligrams p  | oer serving)        |





**Report Number:** 23-005651/D003.R000

 Report Date:
 05/16/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH8-5.05.23

 Received:
 05/10/23 13:39

**Customer:** CJ2, LLC (DBA Zentopia)

92 Centennial Loop

Eugene Oregon 97401

United States of America (USA)

Product identity: SCH8-YM-050523-12:15

Client/Metrc ID:

Sample Date:

**Laboratory ID:** 23-005651-0003

Evidence of Cooling: No
Temp: 21.6
Relinquished by: usps
Serving Size #1: 473.754 g
Density: 1.001 g/ml

## Sample Results

| Potency per 16fl oz                | Method: J AOAC 2015 V9 | 8-6 (mod) <sup>þ</sup> | Units mg/se Batc | <b>h:</b> 2307304 | <b>Analyze:</b> 5/12/23 6:39:00 PM |
|------------------------------------|------------------------|------------------------|------------------|-------------------|------------------------------------|
| Analyte                            | Result                 | Limits                 | Units            | LOQ               | Notes                              |
| CBC per 16fl oz                    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBC-A per 16fl oz                  | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBC-Total per 16fl oz              | < LOQ                  |                        | mg/16fl oz       | 0.870             |                                    |
| CBD per 16fl oz                    | 52.1                   |                        | mg/16fl oz       | 0.463             |                                    |
| CBD-A per 16fl oz                  | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBD-Total per 16fl oz              | 52.1                   |                        | mg/16fl oz       | 0.870             |                                    |
| CBDV per 16fl oz                   | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBDV-A per 16fl oz                 | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBDV-Total per 16fl oz             | < LOQ                  |                        | mg/16fl oz       | 0.865             |                                    |
| CBE per 16fl oz                    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBG per 16fl oz                    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBG-A per 16fl oz                  | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBG-Total per 16fl oz              | < LOQ                  |                        | mg/16fl oz       | 0.865             |                                    |
| CBL per 16fl oz                    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBL-A per 16fl oz                  | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBL-Total per 16fl oz              | < LOQ                  |                        | mg/16fl oz       | 0.870             |                                    |
| CBN per 16fl oz                    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| CBT per 16fl oz                    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| $\Delta 8$ -THCV per 16fl oz       | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| $\Delta 10$ -THC-9R per 16fl oz    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| $\Delta 10$ -THC-9S per 16fl oz    | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| $\Delta 10$ -THC-Total per 16fl oz | < LOQ                  |                        | mg/16fl oz       | 0.927             |                                    |
| $\Delta 8$ -THC per 16fl oz        | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| Δ9-THC per 16fl oz                 | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| exo-THC per 16fl oz                | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| THC-A per 16fl oz                  | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| THC-Total per 16fl oz              | < LOQ                  |                        | mg/16fl oz       | 0.870             |                                    |
| THCV per 16fl oz                   | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
| THCV-A per 16fl oz                 | < LOQ                  |                        | mg/16fl oz       | 0.463             |                                    |
|                                    |                        |                        |                  |                   | Page 2 of 0                        |

www.columbialaboratories.com

Page 2 of 9





**Report Number:** 23-005651/D003.R000

**Report Date:** 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

| Potency per 16fl oz       | Method: J AOAC 2015 | √98-6 (mod) <sup>þ</sup> | Units mg/se Batc | <b>h:</b> 2307304 | <b>Analyze:</b> 5/12/23 6:39:00 PM |
|---------------------------|---------------------|--------------------------|------------------|-------------------|------------------------------------|
| Analyte                   | Result              | Limits                   | Units            | LOQ               | Notes                              |
| THCV-Total per 16fl oz    | < LOQ               |                          | mg/16fl oz       | 0.870             |                                    |
| Total Cannabinoids per 16 | ofl oz 52.1         |                          | mg/16fl oz       |                   |                                    |
|                           |                     |                          |                  |                   |                                    |





**Report Number:** 23-005651/D003.R000

 Report Date:
 05/16/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SCH8-5.05.23

**Received:** 05/10/23 13:39

#### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$ 

Approved Signatory

Derrick Tanner General Manager





**Report Number:** 23-005651/D003.R000

**Report Date:** 05/16/2023

ORELAP#: OR100028

SCH8-5.05.23


Purchase Order:

Received:

Prelog storage:

05/10/23 13:39

| Columbia           | Hemp & Can |
|--------------------|------------|
| A Tentamus Company | OF         |



† - Material Type Codes: Plant Material (P); Isolate (I); Concentrate/Extract (C); Tincture/Topical (T); Edible (E); Beverage (B); Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms 12423 NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Page www.columbialaboratories.com Portland, OR 97230 info@columbialaboratories.com





**Report Number:** 23-005651/D003.R000

**Report Date:** 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

### **Laboratory Quality Control Results**

| LCS<br>2<br>2<br>2<br>1 | 0.0008<br>0.0008   | <b>Spike</b><br>0.0009<br>0.0009   | Units   | % Rec   | Limits   | Evaluation  | Notes   |
|-------------------------|--|--|---|---|--|---|---|
| 2 2 2                   | 0.0008   | 0.0009   |   | % Rec   | Limits   | Evaluation  | Notes   |
| 2                       | 0.0008   |  | %   |   |  |   | 140163  |
| 2                       |  | 0.0000   | ,,,   | 84.2  | 80.0 - 120   | Acceptable  |   |
|                         |  | 0.0009   | %   | 95.1  | 80.0 - 120   | Acceptable  |   |
| 1                       | 0.0010   | 0.00102  | %   | 97.1  | 80.0 - 120   | Acceptable  |   |
| -                       | 0.0009   | 0.0009   | %   | 93.0  | 90.0 - 110   | Acceptable  |   |
| 1                       | 0.0009   | 0.0009   | %   | 93.9  | 80.0 - 120   | Acceptable  |   |
| 1                       | 0.0009   | 0.0010   | %   | 97.0  | 80.0 - 120   | Acceptable  |   |
| 1                       | 0.0009   | 0.0010   | %   | 95.4  | 90.0 - 110   | Acceptable  |   |
| 2                       | 0.0006   | 0.0007   | %   | 90.1  | 80.0 - 120   | Acceptable  |   |
| 2                       | 0.0007   | 0.0008   | %   | 93.7  | 80.0 - 120   |   |   |
| 2                       | 0.0008   |  |   | 84.7  | 80.0 - 120   |   |   |
| 1                       | 0.0010   | 0.0010   | %   | 97.3  | 80.0 - 120   | Acceptable  |   |
| 2                       | 0.0008   | 0.0009   | %   | 91.0  | 80.0 - 120   |   |   |
| 1                       | 0.00105  | 0.00102  | %   | 103   | 90.0 - 110   |   |   |
| 1                       | 0.00119  | 0.00126  | %   | 94.4  | 90.0 - 110   |   |   |
| 1                       | 0.0007   | 0.0007   | %   | 97.8  | 80.0 - 120   | Acceptable  |   |
| 2                       | 0.0010   | 0.0010   | %   | 98.7  | 80.0 - 120   |   |   |
| 1                       | 0.0009   | 0.0009   | %   | 95.9  | 80.0 - 120   |   |   |
| 2                       | 0.0009   | 0.0009   | %   | 97.9  | 80.0 - 120   | Acceptable  |   |
| 1                       | 0.0009   | 0.0009   | %   | 91.9  | 90.0 - 110   | Acceptable  |   |
| 2                       | 0.0008   | 0.0010   | %   | 86.1  | 80.0 - 120   | Acceptable  |   |
| 2                       | 0.0009   | 0.0010   | %   | 91.2  | 80.0 - 120   |   |   |
| 2                       | 0.0009   | 0.0009   |   | 98.2  | 80.0 - 120   | Acceptable  |   |
| 2                       | 0.0009   | 0.0010   | %   | 93.5  | 80.0 - 120   | Acceptable  |   |
|                         | 1<br>1<br>2<br>2<br>2<br>2<br>1<br>1<br>1<br>1<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2<br>1<br>2 | 1 0.0009 1 0.0009 2 0.0006 2 0.0006 2 0.0006 1 0.0019 1 0.0019 1 0.0019 1 0.0019 1 0.0009 2 0.0009 2 0.0009 2 0.0009 2 0.0009 2 0.0009 2 0.0009 2 0.0009 | 1 0.0009 0.0010 1 0.0009 0.0010 2 0.0007 0.0008 2 0.0006 0.0007 2 0.0008 0.0009 1 0.0010 0.0010 2 0.0008 0.0009 1 0.0010 0.0015 1 0.0010 0.0012 1 0.0010 0.0012 1 0.0010 0.0010 1 0.0010 0.0007 2 0.0007 0.0007 2 0.0009 0.0009 2 0.0009 0.0009 2 0.0009 0.0009 2 0.0008 0.0010 2 0.0008 0.0010 2 0.0009 0.0009 | 1 0.0009 0.0010 % 1 0.0009 0.0010 % 2 0.0006 0.0007 % 2 0.0006 0.0007 % 2 0.0008 0.0008 % 2 0.0008 0.0009 % 1 0.0010 0.0010 % 2 0.0008 0.0009 % 1 0.0010 0.0010 % 2 0.0008 0.0009 % 1 0.00105 0.00106 % 1 0.00105 0.00106 % 1 0.0010 0.0010 % 1 0.0007 0.0007 % 2 0.0010 0.0009 % 1 0.0009 0.0009 % 2 0.0009 0.0009 % 2 0.0009 0.0009 % 2 0.0009 0.0009 % 2 0.0009 0.0009 % 2 0.0009 0.0009 % | 1 0.0009 0.0010 % 97.0 1 0.0009 0.0010 % 97.0 1 0.0009 0.0010 % 95.4 2 0.0006 0.0007 % 90.1 2 0.0006 0.0007 % 90.1 2 0.0008 0.0009 % 93.7 1 0.0010 0.0010 % 97.3 2 0.0008 0.0009 % 91.0 1 0.0010 0.0010 % 91.0 1 0.0010 0.0010 % 91.0 1 0.0010 0.0010 % 98.4 1 0.0019 0.00126 % 94.4 1 0.0007 0.0007 % 97.8 2 0.0010 0.0010 % 98.7 1 0.0009 0.0009 % 95.9 2 0.0000 0.0009 % 95.9 2 0.0000 0.0009 % 97.9 1 0.0009 0.0009 % 97.9 1 0.0009 0.0009 % 97.9 2 0.0000 0.0009 % 97.9 2 0.0000 0.0009 % 97.9 2 0.0000 0.0009 % 97.9 | 1 0.0009 0.0010 % 97.0 80.0 120 1 0.0009 0.0010 % 95.4 90.0 110 2 0.0006 0.0007 % 90.1 80.0 120 2 0.0006 0.0007 % 90.1 80.0 120 2 0.0006 0.0007 % 90.1 80.0 120 2 0.0008 0.0009 % 93.7 80.0 120 2 0.0008 0.0009 % 84.7 80.0 120 2 0.0008 0.0009 % 91.0 80.0 120 1 0.0010 0.0010 % 97.3 80.0 120 1 0.0015 0.00102 % 103 90.0 110 1 0.0015 0.00102 % 103 90.0 110 1 0.0010 0.0010 % 94.4 90.0 110 1 0.0007 0.0007 % 97.8 80.0 120 2 0.0010 0.0010 % 98.7 80.0 120 2 0.0010 0.0010 % 98.7 80.0 120 1 0.0009 0.0009 % 95.9 80.0 120 2 0.0009 0.0009 % 95.9 80.0 120 2 0.0009 0.0009 % 91.9 90.0 110 2 0.0009 0.0009 % 91.9 90.0 110 2 0.0009 0.0009 % 91.9 90.0 110 2 0.0009 0.0009 % 91.9 90.0 110 2 0.0009 0.0009 % 91.9 90.0 110 2 0.0009 0.0009 % 91.9 90.0 120 2 0.0009 0.0009 % 91.9 80.0 120 2 0.0009 0.0009 % 91.9 80.0 120 2 0.0009 0.0009 % 91.2 80.0 120 | 1         0.0009         0.0010         %         97.0         80.0         120         Acceptable           1         0.0009         0.0010         %         95.4         90.0         - 110         Acceptable           2         0.0006         0.0007         %         90.1         80.0         - 120         Acceptable           2         0.0007         0.0008         %         93.7         80.0         - 120         Acceptable           2         0.0008         0.0009         %         84.7         80.0         - 120         Acceptable           1         0.0010         0.0010         %         97.3         80.0         - 120         Acceptable           2         0.0008         0.0009         %         91.0         80.0         - 120         Acceptable           1         0.0015         %         10.3         90.0         - 110         Acceptable           1         0.0019         %         94.4         90.0         - 110         Acceptable           1         0.0019         0.0007         %         97.8         80.0         - 120         Acceptable           2         0.0010         0.0010         % |

| Method Blank |  |        |       |          |            |       |
|--------------|--|--------|-------|----------|------------|-------|
| Analyte      | Result   | LOQ    | Units | Limits   | Evaluation | Notes |
| CBDVA        | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBDV         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBE          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBDA         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBGA         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBG          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBD          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| THCV         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| d8THCV       | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| THCVA        | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBN          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| exo-THC      | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| d9THC        | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| d8THC        | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| 9S-d10THC    | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBL          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| 9R-d10THC    | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBC          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| THCA         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBCA         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBLA         | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| d9THCP       | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |
| CBT          | <loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | < 0.0001 | Acceptable |       |

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





**Report Number:** 23-005651/D003.R000

**Report Date:** 05/16/2023 ORELAP#: OR100028

Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

| J AOAC 2015 V98-6 |   |   |        |       | Ba    | tch ID: 2307304   |            |       |
|-------------------|---|---|--------|-------|-------|-------------------|------------|-------|
| Sample Duplicate  |   |   |        |       | Sam   | ple ID: 23-005608 | -0001      |       |
| Analyte           | Result  | Org. Result   | LOQ    | Units | RPD   | Limits            | Evaluation | Notes |
| CBDVA             | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBDV              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBE               | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBDA              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBGA              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBG               | 0.0002  | 0.0002  | 0.0001 | %     | 0.463 | < 20              | Acceptable |       |
| CBD               | 0.00682   | 0.00683   | 0.0001 | %     | 0.187 | < 20              | Acceptable |       |
| THCV              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| d8THCV            | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| THCVA             | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBN               | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| exo-THC           | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| d9THC             | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| d8THC             | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| 9S-d10THC         | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBL               | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| 9R-d10THC         | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBC               | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| THCA              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBCA              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBLA              | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| d9THCP            | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |
| CBT               | <loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<> | 0.0001 | %     | NA    | < 20              | Acceptable |       |

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-005651/D003.R000 **Report Number:** 

**Report Date:** 05/16/2023 ORELAP#: OR100028 Purchase Order: SCH8-5.05.23 Received: 05/10/23 13:39







**Report Number:** 23-005651/D003.R000

**Report Date:** 05/16/2023 ORELAP#: OR100028

**Purchase Order:** SCH8-5.05.23 Received: 05/10/23 13:39

## Explanation of QC Flag Comments:

| Code | Explanation   |
|------|---|
| Q    | Matrix interferences affecting spike or surrogate recoveries.                               |
| Q1   | Quality control result biased high. Only non-detect samples reported.                       |
| Q2   | Quality control outside QC limits. Data considered estimate.                                |
| Q3   | Sample concentration greater than four times the amount spiked.                             |
| Q4   | Non-homogenous sample matrix, affecting RPD result and/or % recoveries.                     |
| Q5   | Spike results above calibration curve.  |
| Q6   | Quality control outside QC limits. Data acceptable based on remaining QC.                   |
| R    | Relative percent difference (RPD) outside control limit.                                    |
| R1   | RPD non-calculable, as sample or duplicate results are less than five times the LOQ.        |
| R2   | Sample replicates RPD non-calculable, as only one replicate is within the analytical range. |
| LOQ1 | Quantitation level raised due to low sample volume and/or dilution.                         |
| LOQ2 | Quantitaion level raised due to matrix interference.  |
| В    | Analyte detected in method blank, but not in associated samples.                            |
| B1   | The sample concentration is greater than 5 times the blank concentration.                   |
| B2   | The sample concentration is less than 5 times the blank concentration.                      |