

----

-

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



**Report Number:** 23-014898/D002.R000 **Report Date:** 12/28/2023 ORELAP#: OR100028 Purchase Order: SC13 **Received:** 12/21/23 10:14

Customer:	CJ2, LLC (DBA Zentopia)
Product identity:	SC13BB061425-ZHL14:14SC1 (Huckleberry Lemonade)
Client/Metrc ID:	
Laboratory ID:	23-014898-0004

-

- - - - -

\_

## Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 62.0 mg/16fl oz
CBD per 16fl oz	62.0		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-014898/D002.R000
Report Date:	12/28/2023
ORELAP#:	OR100028
Purchase Order:	SC13
Received:	12/21/23 10:14

Customer:	CJ2, LLC (DBA Zentopia) 541-801-3097 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	SC13BB061425-ZHL14:14SC1 (Huckleberry Lemonade)
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-014898-0004
Evidence of Cooling:	No
Temp:	18.3
Relinquished by:	client
Serving Size #1:	473.65 g
Density:	1.001 g/ml

# **Sample Results**

Potency per 16fl oz	Method: J AOAC 2015	√98-6 (mod)⊧	Units mg/se Bate	<b>:h:</b> 2313838	Analyze: 12/27/23 2:13:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 16fl oz	62.0		mg/16fl oz	0.464	
CBD-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBD-Total per 16fl oz	62.0		mg/16fl oz	0.872	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.867	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.464	
10-THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.464	
10-THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.464	
10-THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.929	
18-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
∆9-THC per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-A per 16fl oz	< LOQ		mg/16fl oz	0.464	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.872	

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 23-014898/D002.R000

 Report Date:
 12/28/2023

 ORELAP#:
 OR100028

 Purchase Order:
 SC13

 Received:
 12/21/23 10:14

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-014898/D002.R000
Report Date:	12/28/2023
ORELAP#:	OR100028
Purchase Order:	SC13
Received:	12/21/23 10:14

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

	Laboratory Quality Control Results									
J AOAC 2015 V98-6 Batch ID: 2313838										
Laboratory Contro										
Analyte	LCS	Result	Spike	Units	% Rec	L	imits.		Evaluation	Notes
CBDVA	2	0.0009	0.0010	%	92.2	80.0	-	120	Acceptable	
CBDV	2	0.0010	0.0010	%	100	80.0	-	120	Acceptable	
CBE	2	0.00106	0.00105	%	101	80.0	-	120	Acceptable	
CBDA	1	0.0009	0.0009	%	97.0	90.0	-	110	Acceptable	
CBGA	1	0.0009	0.0009	%	98.0	80.0	-	120	Acceptable	
CBG	1	0.0009	0.0009	%	99.4	80.0	-	120	Acceptable	
CBD	1	0.00102	0.0010	%	103	90.0	-	110	Acceptable	
THCV	2	0.00106	0.00106	%	100	80.0	-	120	Acceptable	
d8THCV	2	0.0009	0.0009	%	101	80.0	-	120	Acceptable	
THCVA	2	0.0009	0.0010	%	91.1	80.0	-	120	Acceptable	
CBN	1	0.00102	0.0010	%	103	80.0	-	120	Acceptable	
exo-THC	2	0.0009	0.0009	%	99.9	80.0	-	120	Acceptable	
d9THC	1	0.00105	0.00101	%	104	90.0	-	110	Acceptable	
d8THC	1	0.00106	0.00101	%	105	90.0	-	110	Acceptable	
9S-d10THC	1	0.0010	0.0010	%	102	80.0	-	120	Acceptable	
CBL	2	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
9R-d10THC	1	0.0010	0.0010	%	102	80.0	-	120	Acceptable	
CBC	2	0.0010	0.0010	%	99.3	80.0	-	120	Acceptable	
THCA	1	0.0009	0.0010	%	96.2	90.0	-	110	Acceptable	
CBCA	2	0.0009	0.00100	%	87.4	80.0	-	120	Acceptable	
CBLA	2	0.0009	0.00103	%	91.6	80.0	-	120	Acceptable	
d9THCP	2	0.0010	0.0010	%	101	80.0	-	120	Acceptable	
CBT	2	0.00102	0.00102	%	99.9	80.0	-	120	Acceptable	
Method Blank						1				•
Analyte	Result		LOQ	Q Units		L	Limits		Evaluation	Notes
CBDVA	<	LOQ	0.0001	1	%	< (	0.0001		Acceptable	
CBDV	<	LOQ	0.0001		%	< (	< 0.0001		Acceptable	
CBE	<	LOQ	0.0001		%	< (	< 0.0001		Acceptable	
CBDA	<	LOQ	0.0001		%	< (	< 0.0001		Acceptable	
CBGA	<	LOQ	0.0001		%	< (	< 0.0001		Acceptable	
CBG	<	LOQ	0.0001		%	< (	< 0.0001		Acceptable	
CBD	<	LOQ	0.0001		%	< (	< 0.0001		Acceptable	
THCV	<	LOQ	0.0001	1	%		0.0001		Acceptable	
d8THCV	<	LOQ	0.0001	1	%	< (	0.0001		Acceptable	
THCVA	<	LOQ	0.0001		%	< (	0.0001		Acceptable	
CBN	<	LOQ	0.0001		%	< (	0.0001		Acceptable	
exo-THC	<	LOQ	0.0001		%	< (	0.0001		Acceptable	
d9THC		LOQ	0.0001	1	%		0.0001		Acceptable	
d8THC	<	LOQ	0.0001	1	%		0.0001		Acceptable	
9S-d10THC	<	LOQ	0.0001	1	%	< (	0.0001		Acceptable	1
CBL		LOQ	0.0001		%		0.0001		Acceptable	
9R-d10THC		LOQ	0.0001	1	%		0.0001		Acceptable	
CBC		LOQ	0.0001	1	%		0.0001		Acceptable	
THCA		100	0.0001		%		0.0001		Acceptable	1
CBCA		100	0.0001	1	%		0.0001		Acceptable	1
CBLA		100	0.0001		%		0.0001		Acceptable	1
19THCP		LOQ	0.0001	1	%		0.0001		Acceptable	1
CBT		LOQ	0.0001		%		0.0001		Acceptable	
			0.0001	1	/0	1			, icceptable	L

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 4 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-014898/D002.R000
Report Date:	12/28/2023
ORELAP#:	OR100028
Purchase Order:	SC13
Received:	12/21/23 10:14

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Cor	trol Results			
J AOAC 2015 V98-6	Batch ID: 2313838								
Sample Duplicate			Sample ID: <b>23-014878-0001</b>						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBG	0.0002	0.0002	0.0001	%	4.27	< 20	Acceptable		
CBD	0.00711	0.00694	0.0001	%	2.45	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

#### Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





**Report Number:** 23-014898/D002.R000 **Report Date:** 12/28/2023 ORELAP#: OR100028 Purchase Order: SC13 Received: 12/21/23 10:14



 Www.columbialaboratories.com
 Page 6 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





23-014898/D002.R000 **Report Number: Report Date:** 12/28/2023 ORELAP#: OR100028 Purchase Order: SC13 12/21/23 10:14 **Received:** 

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430