



**Report Number:** 24-002804/D002.R000

**Report Date:** 03/19/2024 **ORELAP#:** OR100028

Purchase Order: SC15-BOD:030524/B

**Received:** 03/13/24 09:53

Customer: CJ2, LLC (DBA Zentopia)

Product identity: SC15-BB090525-ZMS10:00SC1

Client/Metrc ID: 16 fluid oz
Laboratory ID: 24-002804-0002

# Summary

Potency:					
Analyte per 16fl oz CBD per 16fl oz	Result	Limits	Units mg/16fl oz	Status	CBD-Total per Serving Size 56.8 mg/16fl oz
055 por 1011 02	00.0		g, 1011 02		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)





**Report Number:** 24-002804/D002.R000

**Report Date:** 03/19/2024 **ORELAP#:** OR100028

**Purchase Order:** SC15-BOD:030524/B **Received:** 03/13/24 09:53

Customer: CJ2, LLC (DBA Zentopia)

541-801-3097 92 Centennial Loop Eugene Oregon 97401

United States of America (USA)

Product identity: SC15-BB090525-ZMS10:00SC1

Client/Metrc ID: 16 fluid oz

Sample Date:

**Laboratory ID:** 24-002804-0002

Evidence of Cooling: No
Temp: 16.4 °C
Relinquished by: shipping
Serving Size #1: 473.65 g
Density: 1.001 g/ml

# Sample Results

Potency per 16fl oz	Method: J AOAC 2015 V98-6 (mod)		Units mg/se Batc	<b>h:</b> 2402027	<b>Analyze:</b> 3/15/24 1:00:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 16fl oz	56.8		mg/16fl oz	0.473	
CBD-A per 16fl oz <sup>⊥</sup>	< LOQ		mg/16fl oz	0.473	
CBD-Total per 16fl oz <sup>⊥</sup>	56.8		mg/16fl oz	0.887	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.473	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.473	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.882	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.473	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.473	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.473	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.945	
$\Delta 8$ -THC per 16fl oz $^{\perp}$	< LOQ		mg/16fl oz	0.473	
Δ9-THC per 16fl oz <sup>⊥</sup>	< LOQ		mg/16fl oz	0.473	
THC-A per 16fl oz <sup>⊥</sup>	< LOQ		mg/16fl oz	0.473	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.887	
Total Cannabinoids per 16f	fl oz 56.8		mg/16fl oz		





**Report Number:** 24-002804/D002.R000

**Report Date:** 03/19/2024 **ORELAP#:** OR100028

Purchase Order: SC15-BOD:030524/B

**Received:** 03/13/24 09:53

### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

\* = TNI accredited analyte.

## Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample $% wt = \mu g/g divided by 10,000$ 

Approved Signatory

Derrick Tanner General Manager





**Report Number:** 24-002804/D002.R000

**Report Date:** 03/19/2024 ORELAP#: OR100028

Purchase Order: SC15-BOD:030524/B

Received: 03/13/24 09:53

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

### **Laboratory Quality Control Results**

J AOAC 2015 V98-6								
Laboratory Control S	aboratory Control Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0009	0.0010	%	91.5	80.0 - 120	Acceptable	
CBDV	2	0.00105	0.00106	%	99.0	80.0 - 120	Acceptable	
CBE	2	0.00105	0.00108	%	97.8	80.0 - 120	Acceptable	
CBDA	1	0.0009	0.0010	%	91.6	90.0 - 110	Acceptable	
CBGA	1	0.0009	0.0009	%	93.3	80.0 - 120	Acceptable	
CBG	1	0.00106	0.00110	%	96.7	80.0 - 120	Acceptable	
CBD	1	0.00103	0.00107	%	97.0	90.0 - 110	Acceptable	
THCV	2	0.00103	0.00103	%	99.3	80.0 - 120	Acceptable	
d8THCV	2	0.0009	0.0009	%	99.2	80.0 - 120	Acceptable	
THCVA	2	0.0009	0.0010	%	90.6	80.0 - 120	Acceptable	
CBN	1	0.0010	0.00100	%	99.3	80.0 - 120	Acceptable	
exo-THC	2	0.00100	0.00101	%	98.9	80.0 - 120	Acceptable	
d9THC	1	0.00109	0.00106	%	102	90.0 - 110	Acceptable	
d8THC	1	0.0010	0.00102	%	97.5	90.0 - 110	Acceptable	
9S-d10THC	1	0.0010	0.0010	%	99.1	80.0 - 120	Acceptable	
CBL	2	0.00101	0.00102	%	99.3	80.0 - 120	Acceptable	
9R-d10THC	1	0.0010	0.0010	%	98.3	80.0 - 120	Acceptable	
CBC	2	0.00104	0.00106	%	98.4	80.0 - 120	Acceptable	
THCA	1	0.0009	0.0010	%	91.0	90.0 - 110	Acceptable	
CBCA	2	0.0009	0.00104	%	87.0	80.0 - 120	Acceptable	
CBLA	2	0.0009	0.00103	%	91.3	80.0 - 120	Acceptable	
d9THCP	2	0.00100	0.00101	%	99.6	80.0 - 120	Acceptable	
CBT	2	0.00102	0.00104	%	97.9	80.0 - 120	Acceptable	

Method Blank		•	* *		•	
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBE	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBDA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBGA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBG	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBD	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THCV	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCVA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBN	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d8THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBL	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBC	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
THCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBCA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
d9THCP	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	
CBT	<loq< td=""><td>0.0001</td><td>%</td><td>&lt; 0.0001</td><td>Acceptable</td><td></td></loq<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





**Report Number:** 24-002804/D002.R000

**Report Date:** 03/19/2024 ORELAP#: OR100028

Purchase Order: SC15-BOD:030524/B

Received: 03/13/24 09:53

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6	AOAC 2015 V98-6 Batch ID: 2402027								
Sample Duplicate		Sample ID: <b>24-002756-0001</b>							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBD	0.00711	0.00710	0.0001	%	0.0719	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBT	0.0001	0.0001	0.0001	%	3.22	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

## Units of Measure:

% - Percent





24-002804/D002.R000 **Report Number:** 

**Report Date:** 03/19/2024 ORELAP#: OR100028

Purchase Order: SC15-BOD:030524/B

Received: 03/13/24 09:53







**Report Number:** 24-002804/D002.R000

**Report Date:** 03/19/2024 ORELAP#: OR100028

SC15-BOD:030524/B Purchase Order:

03/13/24 09:53 Received:

## Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.