

\_ \_

-

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	24-002804/D003.R000
Report Date:	03/19/2024
ORELAP#:	OR100028
Purchase Order:	SC15-BOD:030524/B
Received:	03/13/24 09:53

Customer:	CJ2, LLC (DBA Zentopia)
Product identity:	SC15-BB090525-ZLS10:56SC1
Client/Metrc ID:	16 fluid oz
Laboratory ID:	24-002804-0003

Summary

Analyte per 16fl oz	Result	Limits	Units	Status	CBD-Total per Serving Size 52.6 mg/16fl oz
CBD per 16fl oz	52.6		mg/16fl oz		
					THC-Total per Serving Size <loq< td=""></loq<>
					(Reported in milligrams per serving)

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-002804/D003.R000
Report Date:	03/19/2024
ORELAP#:	OR100028
Purchase Order:	SC15-BOD:030524/B
Received:	03/13/24 09:53

Customer:	CJ2, LLC (DBA Zentopia) 541-801-3097 92 Centennial Loop Eugene Oregon 97401 United States of America (USA)
Product identity:	SC15-BB090525-ZLS10:56SC1
Client/Metrc ID:	16 fluid oz
Sample Date:	
Laboratory ID:	24-002804-0003
Evidence of Cooling:	No
Temp:	16.4 °C
Relinquished by:	shipping
Serving Size #1:	473.65 g
Density:	1.001 g/ml

## **Sample Results**

CBD-A per 16fl oz⊥	<b>Result</b> 52.6 < LOQ 52.6	Limits	Units mg/16fl oz	<b>LOQ</b> 0.473	Notes
CBD per 16fl oz CBD-A per 16fl oz⊥ CBD-Total per 16fl oz⊥	< LOQ		0	0.473	
CBD-Total per 16fl oz⊥	52.6		mg/16fl oz	0.473	
	52.0		mg/16fl oz	0.888	
CBG per 16fl oz	< LOQ		mg/16fl oz	0.473	
CBG-A per 16fl oz	< LOQ		mg/16fl oz	0.473	
CBG-Total per 16fl oz	< LOQ		mg/16fl oz	0.883	
CBN per 16fl oz	< LOQ		mg/16fl oz	0.473	
$\Delta 10$ -THC-9R per 16fl oz	< LOQ		mg/16fl oz	0.473	
$\Delta 10$ -THC-9S per 16fl oz	< LOQ		mg/16fl oz	0.473	
$\Delta 10$ -THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.946	
∆8-THC per 16fl oz $^{\perp}$	< LOQ		mg/16fl oz	0.473	
Δ9-THC per 16fl oz⊥	< LOQ		mg/16fl oz	0.473	
THC-A per 16fl oz⊥	< LOQ		mg/16fl oz	0.473	
THC-Total per 16fl oz	< LOQ		mg/16fl oz	0.888	
Total Cannabinoids per 16fl oz	52.6		mg/16fl oz		

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 24-002804/D003.R000

 Report Date:
 03/19/2024

 ORELAP#:
 OR100028

 Purchase Order:
 SC15-BOD:030524/B

 Received:
 03/13/24
 09:53

## Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

= ISO/IEC 17025:2017 accredited method.
 \* = TNI accredited analyte.

## Units of Measure

g = g g/ml = Gram per milliliter mg/16fl oz = Milligram per 16fl oz % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	24-002804/D003.R000
Report Date:	03/19/2024
ORELAP#:	OR100028
Purchase Order:	SC15-BOD:030524/B
Received:	03/13/24 09:53

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-	c		Lat	orator	y Quality Co	atch ID:		27		
Laboratory Contro					В	atch ID: .	24020	27		
Analyte	LCS	Result	Spike	Units	0/ <b>D</b>		Limits		Evaluation	Notes
CBDVA	2	0.0009	0.0010	%	% Rec 91.5	80.0	-	120	Acceptable	Notes
CBDV	2	0.00105	0.00106	%	99.0	80.0	-	120	Acceptable	
CBE	2	0.00105	0.00100	%	99.0	80.0	-	120	Acceptable	
CBDA	1	0.00103	0.00100	%	97.8	90.0	-	110	Acceptable	
CBGA	1	0.0009	0.0009	%	93.3	80.0	-	120	Acceptable	
CBG	1	0.00106	0.00110	%	96.7	80.0	-	120	Acceptable	
CBD	1	0.00108	0.00110	%	97.0	90.0	-	110	Acceptable	
THCV	2	0.00103	0.00103	%	99.3	80.0	-	120	Acceptable	
d8THCV	2	0.00103	0.00009	%	99.3	80.0	<u>.</u>	120	Acceptable	
THCVA	2	0.0009	0.0003	%	99.2	80.0	-	120	Acceptable	
CBN	1	0.0009	0.0010	%	90.6	80.0	-	120	Acceptable	
exo-THC	2		0.00100	%			-		Acceptable	
d9THC	1	0.00100	0.00101	70 %	98.9	80.0		120	Acceptable	
d8THC	1	0.00109	0.00106	%	102	90.0	-	110	Acceptable	
9S-d10THC	1	0.0010	0.00102	%	97.5	90.0	-	110	Acceptable	
CBL	2	0.0010	0.0010	%	99.1	80.0	-	120	Acceptable	
9R-d10THC	1	0.00101	0.00102	70 %	99.3	80.0	-	120		
CBC	2	0.0010			98.3	80.0	-	120	Acceptable	
THCA		0.00104	0.00106	%	98.4	80.0	-	120	Acceptable	
CBCA	1	0.0009	0.0010	%	91.0	90.0	-	110	Acceptable	
	2	0.0009	0.00104		87.0	80.0	-	120	Acceptable	
CBLA	2	0.0009	0.00103	%	91.3	80.0	-	120	Acceptable	
d9THCP	2	0.00100	0.00101	%	99.6	80.0	-	120	Acceptable	
CBT Method Blank	2	0.00102	0.00104	%	97.9	80.0	-	120	Acceptable	
	-	esult			Units		Limits			Notes
Analyte CBDVA		LOQ	LOQ 0.0001	%			0.000		Evaluation	Notes
					%				Acceptable	
CBDV CBF		LOQ	0.0001		%		0.0001		Acceptable	
		LOQ	0.0001				0.0001		Acceptable	
CBDA		LOQ	0.0001		%		0.000:		Acceptable	
CBGA		LOQ	0.0001		%		0.0001		Acceptable	
CBG		LOQ	0.0001		%		0.0001		Acceptable	
CBD		LOQ	0.0001		%		0.000:		Acceptable	
THCV		LOQ	0.0001		%		0.0001		Acceptable	
d8THCV		LOQ	0.0001		%		0.0001		Acceptable	
THCVA		LOQ	0.0001		%		0.0001		Acceptable	
CBN		LOQ	0.0001		%		< 0.0001		Acceptable	
exo-THC		LOQ	0.0001		%		0.000:		Acceptable	
d9THC		LOQ	0.0001		%		0.000:		Acceptable	
d8THC		LOQ	0.0001		%		0.0001		Acceptable	
9S-d10THC		loq	0.0001		%		0.0001		Acceptable	
CBL		LOQ	0.0001		%		0.000:		Acceptable	
9R-d10THC		LOQ	0.0001		%		0.000:		Acceptable	
CBC		LOQ	0.0001		%		0.000:		Acceptable	
THCA		LOQ	0.0001		%		0.0001		Acceptable	
CBCA		LOQ	0.0001		%		0.0001		Acceptable	
CBLA		LOQ	0.0001		%		0.0001		Acceptable	
d9THCP	<	LOQ	0.0001		%	<	0.000:	1	Acceptable	
СВТ	-	LOQ	0.0001	1	%	1 2	0.000	1	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 4 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-002804/D003.R000
Report Date:	03/19/2024
ORELAP#:	OR100028
Purchase Order:	SC15-BOD:030524/B
Received:	03/13/24 09:53

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Cor	trol Results			
J AOAC 2015 V98-6		Batch ID: 2402027							
Sample Duplicate					Sam	ple ID: 24-002756	-0001		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBD	0.00711	0.00710	0.0001	%	0.0719	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBT	0.0001	0.0001	0.0001	%	3.22	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

## Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





24-002804/D003.R000 **Report Number: Report Date:** 03/19/2024 **ORELAP#:** OR100028 Purchase Order: SC15-BOD:030524/B **Received:** 03/13/24 09:53



 Www.columbialaboratories.com
 Page 6 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





**Report Number:** 24-002804/D003.R000 **Report Date:** 03/19/2024 ORELAP#: OR100028 Purchase Order: SC15-BOD:030524/B **Received:** 03/13/24 09:53

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430