



2024 Product Catalog



— DISCOVER THE DIFFERENCE



TABLE OF CONTENTS

| | | | |
|-------------------------------|----|--------------------------------------|----|
| NEW PRODUCTS | 3 | APEX XP ED | 32 |
| INTRODUCTION & WARRANTY | 4 | APEX | 33 |
| — THERMAL IMAGE | | SHASTA RIDGE | 34 |
| THERMAL MONOCULARS | 6 | CHISOS ED | 36 |
| THERMAL RIFLESCOPES | 8 | WINGS | 38 |
| — LASER RANGEFINDERS | | KODIAK | 39 |
| CRESTONE 7x24 | 10 | MAGNAVIEW | 40 |
| 10x42 LRF ED BINOCULARS | 12 | MAGNAVIEW PORRO | 41 |
| — RIFLESCOPES | | — SPOTTING SCOPES | |
| APEX XP RIFLESCOPES | 20 | APEX & APEX XP SPOTTING SCOPES | 44 |
| APEX RIFLESCOPES | 22 | SHASTA RIDGE SPOTTING SCOPES | 45 |
| KODIAK RIFLESCOPES | 24 | KODIAK SPOTTING SCOPES | 45 |
| — BINOCULARS | | WINGS SPOTTING SCOPES | 45 |
| RAINIER EDHD | 28 | — ACCESSORIES | |
| TETON ED | 29 | SHASTA RIDGE 4K ACTION CAM | 46 |
| BLACK TUSK ED | 30 | RECHARGEABLE LED LIGHT | 47 |
| | | TREKKING POLES | 47 |

2024 NEW PRODUCTS



NEW THERMAL MONOCULARS



ATM25 - pg.6



ATM35 - pg.6



ATM54 - pg.6

NEW THERMAL RIFLESOPES



ATRS640 - pg.8



ATRS384 - pg.8

NEW LASER RANGEFINDERS



890LR - pg.11



673LR - pg.12

NEW BINOCULARS



Black Tusk ED
- pg.30



Chisos ED
- pg.36



— SEE THE WORLD WITH NEW EYES



Experience nature up close, never miss a detail and never cease to be amazed - hunters and outdoor enthusiasts have been making the right choice with products from ALPEN OPTICS for many years, because as an experienced provider in the high-end sector, the optics specialist makes no compromises in the manufacture of its award-winning binoculars, excellent riflescopes and outstanding spotting scopes. With the innovative techniques and appealing designs, looking through the high-performance optics becomes an absolute pleasure - and at an attractive price. Because whether professional or amateur adventurer, everyone should have the opportunity to get a razor-sharp picture of the beauty of our nature.

— DISCOVER THE DIFFERENCE

— ALPEN OPTICS LIMITED WARRANTY

ALPEN OPTICS warrants our products to be free from defects in materials and workmanship for a specified period based on product type. ALPEN OPTICS will repair or replace such product or part thereof that upon inspection by ALPEN OPTICS, is found to be defective in materials or workmanship. As a condition to the obligation of ALPEN OPTICS to repair or replace such product, the product must be returned to ALPEN OPTICS together with proof-of-purchase and product registration satisfactory to ALPEN OPTICS. Limited Warranty is in the USA, USA territories and Canada.





NEW FOR 2024

THERMAL MONOCULARS

Whether you are hunting predators in no-light situations or scouting for targets in dense environments thick with foliage, Alpen's new thermal monoculars can provide an optical edge by allowing you to "see" the unseen. Available in a solid 35mm objective lens size or a generous 54mm objective lens size, the new Alpen thermal monoculars detect heat signatures, which allows users to "see" targets in a whole new way.

- Premium thermal imaging device with color HD AMOLED display
- 2x start zoom for optimal overview
- 384x288 17 Q <40mK thermal imaging sensor
- Detection range: 1300 metres
- Rechargeable battery powered
- Clear+ technology for sharper, more detailed images
- 16 GB internal memory and playback function
- Wi-Fi and smartphone streaming

APEX 25 MM 40mK



ATM25



BUILT-IN CAMERA AND WI-FI FUNCTION FOR LIVESTREAMING



APEX 35 MM 40mK



ATM35



AMOLED Display



Sensor Size



Recording-Function



Splashguard

APEX 54 MM 40mK



ATM54



Internal Storage



Exchangeable Battery



Picture-In-Picture



CLEAR+ Technology



6 COLOR PALLETS




Black Hot



White Hot




Yellow Hot



Red Monochrome



Red Hot



Rainbow Hot

| Item Number | ATM25 | ATM35 | ATM54 |
|-----------------------|----------------------------------|--------------------------------|---------------------------------|
| Magnification | 1.5x (Digital Zoom up to 3x, 6x) | 2x (Digital Zoom up to 4x, 8x) | 3x (Digital Zoom up to 6x, 12x) |
| Objective Ø | 25mm | 35mm | 54mm |
| Disbandment | 1.024 x 768 | 1.280x960 | 1.280x960 |
| Battery | ALPEN battery AAP-3500 | ALPEN battery AAP-3500 | ALPEN battery AAP-3500 |
| Type | Monocular | Monocular | Monocular |
| Batteries Included | 2 | 2 | 2 |
| Internal Memory | 16 GB | 16 GB | 16 GB |
| Display | 384x288/17 Qm/<40mK | 384x288/17 Qm/<40mK | 384x288/17 Qm/<40mK |
| Screen Type | AMOLED | AMOLED | AMOLED |
| Picture-in-Picture | Yes | Yes | Yes |
| Wifi | Yes | Yes | Yes |
| Temperature Range | -25°C - 50°C | -25°C - 50°C | -25°C - 50°C |
| Waterproof | Yes, IPX 6 | Yes, IPX 6 | Yes, IPX 6 |
| Tripod adapter thread | Yes | Yes | Yes |
| Dimensions (LxWxH) | 177 x 53 x 80mm | 185 x 53 x 80mm | 215 x 62 x 83mm |

NEW FOR **2024**



THERMAL RIFLESCOPES

Get the advantage whenever and wherever your hunt takes you with an Alpen thermal rifle scope that lets you "see" unseeable targets in no-light situations or dense environments, such as woods filled with foliage.

This rugged device uses a high-resolution thermal imaging sensor to detect heat signatures from distant targets, allowing you to pinpoint critical positions even in total darkness. The scope's sensor has an excellent Noise Equivalent Temperature Difference (NETD) value of 25mK, which means it can discern even small temperature differences to produce quality images that minimize noise. Results can be viewed in six different color palettes — white-hot, black-hot, red-hot, rainbow hot, red-monochrome and cool color.

Each thermal rifle scope model has multiple reticle options to accommodate a variety of needs, a generous 54mm objective lens and Alpen's Clear+ technology that optimizes image sharpness and delivers critical details. The devices, which are waterproof and shockproof for all-weather performance, use power-saving high-definition AMOLED screens that are frost-resistant for reliable performance at a wide range of temperatures. To accommodate long observing sessions, it comes with two exchangeable batteries that can each provide up to six hours of power. It also has a power-saving mode to conserve energy during down times.

Additional features include 16GB of internal memory, an in-device playback option and Wi-Fi functionality for live streaming to your own smart device.

- Premium thermal imaging device with color HD AMOLED display
- Thermal imaging sensor has an excellent NETD value of 25mK, meaning it can discern even small temperature differences
- Six color palettes: white-hot, black-hot, red-hot, rainbow hot, red-monochrome and cool color
- Multiple reticle options
- Generous 54mm objective lenses
- Waterproof and shockproof for all-weather performance
- Clear+ technology for sharper, more detailed images
- 16GB internal memory and playback function
- Built-in camera and Wi-Fi function for livestreaming to smart devices
- Rechargeable battery

| Item Number | ATRS640 | ATRS384 |
|--------------------|-------------------------------|-------------------------------|
| Objective Ø | 54mm | 54mm |
| FOV | 8.1°x6.5° | 6.9°x5.2° |
| Detector Type | Uncooled Microbolometer | Uncooled Microbolometer |
| Eyepiece | AMOLED 0.39" Display | AMOLED 0.39" Display |
| Display Resolution | 2560 x 2560px | 2560 x 2560px |
| IR Resolution | 640 x 512 | 384 x 288 |
| NETD | 25mK | 25mK |
| Reticle | Digital | Digital |
| Digital Zoom | Yes | Yes |
| Waterproof | Yes, IP67 | Yes, IP67 |
| Shockproof | 1000G* | 1000G* |
| Picture-in-Picture | Yes | Yes |
| Wifi | Yes | Yes |
| Battery Powered | Rechargeable 3500mAh Built-in | Rechargeable 3500mAh Built-in |
| Internal Memory | 16 GB | 16 GB |
| Temperature Range | -20°C - 60°C | -20°C - 60°C |



AMOLED Display



Sensor Size



Internal Storage



CLEAR+ Technology



Rechargeable Battery



Waterproof

*G = Acceleration of gravity feet-per-second

54 MM 640x512 25mK

ATRS640




54 MM 384x288 25mK

ATRS384




Multiple Digital Reticles
All reticles not shown.




6 COLOR PALLETS




Black Hot




White Hot




Fire Hot



Cool Color



Iron Red



Rainbow

BUILT-IN CAMERA AND WI-FI FUNCTION FOR LIVESTREAMING



NEW FOR **2024**

LASER RANGEFINDERS

Outdoor sports enthusiasts can get the precise measurements they need to connect with their target with the Alpen 7x24 OLED Rangefinder. This compact device, which has an easy-to-grip dual-barrel design, quickly and accurately measures distances up to 2500 yards for hard targets and 800 yards for soft targets. The measurements, which can be given in yards or meters, are shown on an OLED display with a red readout and adjustable brightness.

- Red OLED readout
- Adjustable brightness
- Compact and contoured design
- 7 x magnification with a 24mm objective lens
- Hard target measurement up to 2500 yards
- Soft target measurement up to 800 yards
- Reticle can be dimmed / brightened to 6 different levels for low light and bright conditions
- Can choose yards or meters
- Comes with soft pouch
- Limited Lifetime Warranty



LOS & H.C.D Range Modes

33.0.

OLED Red Display



Red Reticle



Waterproof




Multi-Coated Lens




2000YDS Range Distance

| | |
|------------------|---|
| Item Number | 890LR |
| Objective Ø | 54mm |
| Magnification | 7x |
| Lens Coatings | Multi-Coated |
| Field of View | 6.6° |
| Eye Relief | 14mm / 0.55in |
| Exit Pupil | 3.4mm / 0.13in |
| Waterproof | IPX4 Water-Resistant |
| Range Min. | 5m / 6yds |
| Range Max. | 1828m / 2000yds |
| Range Accuracy | ±1yd @ <100yds ±2yds @ 100-1000yds ±3yds @ >1000yds |
| Inclinometer Max | ±60° |
| Scan Modes | LOS and HCD |
| Display | Red OLED |
| Brightness | 6 Levels |
| Battery Power | (1) CR2 Battery |



Line Of Sight Mode



Horizontal Component
Distance Mode

CRESTONE XP 7x24 LRF
890LR



NEW FOR **2024**

LASER RANGEFINDER BINOCULARS

Hunting success often hinges on quickly determining precise distances once you have spotted that elusive target. The Alpen 10x42 laser rangefinder binocular helps hunters do just that by combining two classical optical aids into one versatile unit. This waterproof binocular has a 42mm objective diameter that brings in lots of light without adding burdensome weight and features fully multi-coated, extra-low dispersion (ED) glass to maximize light transmission, which makes it easier to scout targets in twilight or other low-light situations.

- Red OLED readout
- Adjustable brightness
- Compact and contoured design
- 7 x magnification with a 24mm objective lens
- Hard target measurement up to 2500 yards
- Soft target measurement up to 800 yards
- Reticle can be dimmed / brightened to 6 different levels for low light and bright conditions
- Can choose yards or meters
- Comes with soft pouch
- Limited Lifetime Warranty



LOS & H.C.D Range Modes

330.

OLED Red Display



Red Reticle



Waterproof




Multi-Coated Lens




2000YDS Range Distance

| | |
|------------------|---|
| Item Number | 673LR |
| Objective Ø | 54mm |
| Magnification | 7x |
| Lens Coatings | Multi-Coated |
| Field of View | 6.6° |
| Eye Relief | 14mm / 0.55in |
| Exit Pupil | 3.4mm / 0.13in |
| Waterproof | IPX4 Water-Resistant |
| Range Min. | 5m / 6yds |
| Range Max. | 1828m / 2000yds |
| Range Accuracy | ±1yd @ <100yds ±2yds @ 100-1000yds ±3yds @ >1000yds |
| Inclinometer Max | ±60° |
| Scan Modes | LOS and HCD |
| Display | Red OLED |
| Brightness | 6 Levels |
| Battery Power | (1) CR2 Battery |



Line Of Sight Mode



Horizontal Component
Distance Mode



APEX XP 10x42 ED Glass LRF

673LR





— RIFLESCOPES





— DIFFERENCE MOA AND MRAD

The MOA and MRAD turret systems refer to two different measurement systems: metric and imperial. The Metric and the Imperial. Thus, the imperial system uses MOA and inches, and the metric system uses MRAD and centimeters. Therefore, at some point the question arises which turret system is the better one. First and foremost, it's a matter of habit and personal preference.

MOA

MOA stands for Minute Of Angle and corresponds to 1/60 of a degree. The system is suitable for those familiar with the imperial system, since it is calculated in inches. 1 MOA is equivalent to 1.047" at 100yd (2.9cm at 100m).


MRAD

MRAD stands for milliradian and is 1/1000 of a radian (angular measure). 0.1 MRAD/MIL is equivalent to 1cm at 100m and is suitable for those using the metric system. One advantage of the metric system is, that it is very easy to calculate. The shooting distance (unit meter) can be quickly converted into the unit of turret adjustment (centimeter). One click of an MRAD click adjustment thus corresponds to 3cm (0.03 m) at a firing distance of 300 m. ALPEN Optics uses MRAD 0.1 click adjustments for all riflescopes.






— DIFFERENCE RETICLES



DUPLEX

The **Duplex** reticle is mainly used for rifle scopes in the second focal plane, which does not change in size when zooming. Here, the four aiming spikes are thicker towards the rim of the scope and form a smaller cross in the center. Which results in symmetrical target acquisition.




MIL-DOT

The **Mil-Dot** reticle is a reticle primarily for shooting sports and long distances. The number of points is denoted by 1 mil in the scope is equivalent to 10cm for a constant magnification scope at a distance of 100m, and one mil dot is equivalent to 2cm. Accordingly, the MilDot serves as a measure of length.



RETICLE 4

The **Reticle 4** is a classic and most frequently used hunting reticle and is used for target optics in the second focal plane, with the size not changing when zooming. The reticle consists of three thicker bars and a narrower bar that extends from the top of the scope to the center. Here there is the well-known formula: If the deer fits between BOTH horizontal beams, it stands at 100 meters.



BDC


BDC stands for Bullet Drop Compensator. It was designed for long range distance shooting and is used when shooting at very long distances. The ballistic fall of the projectile and the influence of the different distances can be compensated by means of the different stop marks.



SMARTDOT TECHNOLOGY

MADE IN GERMANY

Probably the smartest way to use a red dot! With SmartDot technology, control is completely automatic via the latest circuit boards in the device - based only on the inclination of the gun. So the red dot will automatically turn off and stay in sleep mode when you put it down. When you return the gun to the ready position, the device is fully operational within a few milliseconds. This saves you valuable time and allows you to concentrate on the essentials - the hunt and the wild! For maximum energy saving, the device automatically shuts down completely after about three hours in sleep mode. Activating the SmartDot Technology is also very simple: You simply adjust the red dot to the desired brightness with a short turn of the knob.





— FLUO DIGITS TECHNOLOGY BY ALPEN OPTICS

Seeing, but not being seen - this is an essential requirement for hunting. Here, the new FluoDigits Technology is a real asset during night hunting or at dusk in the dark high seat. This is because it is usually difficult or impossible to see the set magnification of a riflescope in the dark. That's why ALPEN OPTICS' FluoDigits magnification numerals have a special coating that allows the numerals to glow slightly for up to 4 hours. You can read them clearly from the shortest distance. However, the glow is no longer perceptible from a distance of 1.5m. This way, you always have all the information about the magnification you are currently using at hand, but remain undetected. During the day, however, the digits can be seen normally.



— FluoDigits-Technology





APEX XP RIFLESCOPES

With the Apex XP 1-6x24 you have your target in sight at lightning speed during driven hunts. The quality optics with a sensational field of view of almost 39m at 100m make wild boar and co. appear sharp to the edge in front of your eye. The daylight-compatible duplex illuminated reticle helps you fire accurately.

As a universal riflescope, the high-quality APEX XP 1.5-9x45 gives a clear and rim-sharp image, especially for daytime and twilight hunting. At the same time, the short design and low weight make it perfect for use with attachments. You choose the reticle according to your own hunting needs. Because the riflescope is available with duplex illuminated dot reticle or illuminated dot reticle 4.



SmartDot Technology



FluoDigits Technology



Side Parallax Adjustment



First Focal Plane
(6015 Only)



Second Focal Plane



Waterproof



Multi-Coated Lens



Shockproof



UBX Multi-Coating



High Definition Glass


| Item Number | 6010 | 6012 | 6015 |
|-----------------------------------|------------------------|------------------------|------------------------|
| Magnification | 1 - 6x | 2.5 - 16x | 5 - 30x |
| Objective Ø | 24mm | 42mm | 56mm |
| Tube Diameter | 30mm | 30mm | 34mm |
| FOV m/100m | min. 6 - max. 38.5 | min. 2.25 - max. 14.1 | min. 1.3 - max. 8 |
| FOV ft/100yds | min. 18.8 - max. 113.4 | min. 6.5 - max. 41.1 | min. 3.9 - max. 23.3 |
| FOV Degrees | min. 3.58 - max. 21.4° | min. 1.24 - max. 7.84° | min. 0.74 - max. 4.46° |
| Reticle | Duplex | A4 | Mil-Dot |
| Reticle Focal Plane | Second | Second | First |
| Reticle Adjustment per click/100m | MRAD 0.1 | MRAD 0.1 | MRAD 0.1 |
| Adjustment Height Range Clicks | 290 | 170 | 350 |
| Adjustment Side Range Clicks | 290 | 170 | 145 |
| Red Dot | Yes | Yes | Yes |
| SmartDot Technology | Yes | Yes | Yes |
| Waterproof | Yes, 3m | Yes, 3m | Yes, 3m |
| Parallax Adjustment | Yes, 100m | Yes, 10m - 1000m - ∞ | Yes, 15m - 1000m - ∞ |
| Exit Pupil | min. 4 - max. 12mm | min. 2.6 - max. 10.6mm | min. 1.9 - max. 7.3mm |
| Shockproof | 1000G* | 1000G* | 1000G* |
| Weight | 534g | 615g | 1030g |

*G = Acceleration of gravity feet-per-second
0.1 MRAD = 0.3437 MOA



APEX XP 1-6x24 RIFLESCOPE

6010

6010
Duplex Reticle6012
A4 Reticle


APEX XP 2.5-16x42 RIFLESCOPE

6012



APEX XP 5-30x56 RIFLESCOPE

6015

6015
Mil-Dot, 5x6015
Mil-Dot, 30x



APEX RIFLESCOPES

Top-line ALPEN Apex riflescopes are fully loaded with Xtreme Performance features. All lenses are fully multi-coated for maximum light transmission and optical clarity. Fast focus eyepieces and generous eye relief are found on all riflescope models. ALPEN Apex riflescopes provide the ultimate in shooting performance.



Waterproof



Fully Multi-Coated Lens



Shockproof



Side Parallax Adjustment



First Focal Plane



High Definition Glass

| Item Number | 4010 | 4012 | 4015 |
|-------------------------------------|--|--|---|
| Magnification | 1 - 6x | 2.5 - 15x | 4.5 - 27x |
| Objective Ø | 24mm | 50mm | 50mm |
| Tube Diameter | 30mm | 30mm | 30mm |
| FOV m/100m FOV ft/100yds | min. 5.7 - max. 33.4 min. 18.9 - max. 109.6 | min. 2 - max. 12.3 min. 6.8 - max. 40.4 | min. 1.1 - max. 6.7 min. 3.8 - max. 22.2 |
| FOV Degrees | min. 3.6 - max. 20.7° | min. 1.3 - max. 7.7° | min. 0.1 - max. 4.2° |
| Reticle | AR-BDC | WBDC-A | WBDC-TACT |
| Reticle Focal Plane | First | First | First |
| Reticle Adjustment per click/100yds | MOA 1/4 | MOA 1/4 | MOA 1/4 |
| Adjustment Height Range Clicks | 60 | 40 | 40 |
| Adjustment Side Range Clicks | 60 | 40 | 40 |
| Red Dot | Yes | No | Yes |
| SmartDot Technology | No | No | No |
| Waterproof | Yes | Yes | Yes |
| Parallax Adjustment | Fixed 100yds | Yes, 10yds - ∞ | Yes, 25yds - ∞ |
| Exit Pupil | min. 4 - max. 10mm | min. 3.3 - max. 11mm | min. 1.9 - max. 9.5mm |
| Shockproof | 1000G* | 1000G* | 1000G* |
| Weight | 635g | 748g | 839g |

*G = Acceleration of gravity feet-per-second
0.1 MRAD = 0.3437 MOA




APEX 1-6x24 RIFLESCOPE

4010

4010
AR-BDC

APEX 2.5-15x50 RIFLESCOPE

4012

4012
WBDC-A

APEX 4.5-27x56 RIFLESCOPE

4015

4015
WBDC-TACT



KODIAK RIFLESCOPES

Kodiak riflescopes feature multi-coated optics, wide-angle viewing, easy-adjustable windage and elevation dials, easy to read magnification markings, fast-focus eyepiece, and AccuPlex™ tapered reticles. Kodiak riflescopes cover a wide variety of shooting and hunting situations, including big game, varmint hunting, shotgun and slug hunting, and target shooting. ALPEN Kodiak riflescopes are priced for value-conscious shooters.



Waterproof



Fully Multi-Coated Lens



Shockproof



Side Parallax Adjustment



First Focal Plane
(2058 Only)



Second Focal Plane




High Definition Glass

| Item Number | 2047 | 2054 | 2060 | 2058 |
|-------------------------------------|--|--|---|--|
| Magnification | 1- 4x | 2.5- 10x | 4 - 16x | 6 - 24x |
| Objective Ø | 24mm | 44mm | 50mm | 50mm |
| Tube Diameter | 30mm | 30mm | 30mm | 30mm |
| FOV m/100m FOV ft/100yds | min. 8 - max. 33 min. 26.2 - max. 108.5 | min. 2.9 - max. 7.1 min. 6.13 - max. 23.5 | min. 2.9 - max. 11.7 min. 9.58 - max. 38.4 | min. 1.4 - max. 5 min. 4.61 - max. 16.6 |
| FOV Degrees | min. 5 - max. 20.5° | min. 1.1 - max. 4.5° | min. 1.1 - max. 7.33° | min. 0.88 - max. 3.17° |
| Reticle | AR-BDC | ACCUPLEX | ACCUPLEX | WBDC-TACT |
| Reticle Focal Plane | Second | Second | Second | First |
| Reticle Adjustment per click/100yds | MOA 1/2 | MOA 1/4 | MOA 1/4 | MOA 1/8 |
| Adjustment Height Range Clicks | 60 | 25 | 25 | 25 |
| Adjustment Side Range Clicks | 60 | 25 | 25 | 25 |
| Red Dot | No | No | No | Yes |
| SmartDot Technology | No | No | No | No |
| Waterproof | Yes | Yes | Yes | Yes |
| Parallax Adjustment | No | Yes, 10yds - ∞ | No | Yes, 10yds - ∞ |
| Exit Pupil | min. 6.8 - max. 13.4mm | min. 5 - max. 14.6mm | min. 2.7 - max. 10.3mm | min. 2.3 - max. 8.8mm |
| Shockproof | 1000G* | 1000G* | 1000G* | 1000G* |
| Weight | 498g | 615g | 657g | 839g |

*G = Acceleration of gravity feet-per-second
0.1 MRAD = 0.3437 MOA

**KODIAK 1-4x24 RIFLESCOPE**

2047

2047
AR-BDC**KODIAK 4-16x44 RIFLESCOPE**

2054

2054
ACCUPLEX**KODIAK 2.5-10x50 RIFLESCOPE**

2060

2060
ACCUPLEX**KODIAK 6-24x50 RIFLESCOPE**

2058

2058
WBDC-TACT



WILD MEMORIES

BINOCULARS





RAINIER ED BINOCULARS

BINOCULARS



All Rainier™ binoculars push the limits of optical perfection. All optical components receive our exclusive UBX™ multi-layer coating for maximum light transmission. The extra large BAK-4 roof prisms are coated with over 60 layers of Alpen's SHR™ metallic and PXA™ phase coatings to deliver the best brightness, clarity and color fidelity. Large diameter lens elements throughout the optical system provide enhanced field of view and eye relief for easy viewing.

- HD - High definition, ED - Extra low dispersion optical system
- Extra large BaK-4 roof prisms with SHR™ metallic coating, PXA™ phase coating, and UBX™ multi-coating provide exquisite optical performance
- PXA™ phase coating for outstanding clarity and contrast
- A-lock™ diopter system allows you to set and lock the right eyepiece to fit your personal eye setting.
- Long eye relief provides full viewing performance for eye glass wearers
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Twist up eye cups
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



Extra-Low Dispersion Glass

UBX™

UBX Multi-Coating

PXA™

PXA Phase Coating



BaK4 Prism

| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|------------|------------|--------|
| 75 | 8x | 42mm | FMC | 393ft | 5.8° | 18mm | 5.3mm | 6.5ft | Roof BaK-4 | Yes | 833g |
| 77 | 10x | 42mm | FMC | 341ft | 5.8° | 16mm | 4.2mm | 6.5ft | Roof BaK-4 | Yes | 833g |

TETON ED BINOCULARS



The Teton binocular series delivers incredible optical performance in a lightweight yet durable body design. With ED and Abbe prism optical design, Teton delivers a bright and sharp viewing with true color fidelity at an affordable price.

Our exclusive PXA phase coating and SHR metallic coating on Abbe prism is featured for an exquisitely bright and crisp image. The composite body design provides light weight, yet durable, performance for years of field tough performance. Compare Alpen to competitors that cost two or three times more, you won't believe your eyes.

- HD - High definition, ED - Extra low dispersion optical system
- Abbe prisms with Alpen's exclusive SHR™ metallic coating for bright, sharp, high resolution images
- PXA™ phase coating for outstanding clarity and contrast
- Fully multi-coated for maximum brightness
- Long eye relief provides full viewing performance for eye glass wearers
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Twist up eye cups
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



Extra-Low Dispersion Glass



UBX Multi-Coating



PXA Phase Coating



ABBE Roof Prism

| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|-----------|------------|--------|
| 81 | 8x | 42mm | FMC | 390ft | 7.33° | 18mm | 5.3mm | 10ft | Roof Abbe | Yes | 847g |
| 82 | 10x | 42mm | FMC | 340 | 6.5° | 16mm | 4.2mm | 10ft | Roof Abbe | Yes | 821g |



NEW FOR **2024**

BLACK TUSK ED BINOCULARS

The best pair of ALPEN OPTICS binoculars to date: the Black Tusk offers breathtaking optical performance, high light transmission and true-color images. Observe animals or simply enjoy the surrounding landscape – the razor-sharp, detail-rich images are guaranteed to impress, no matter where you look. The large lens diameter provides an extended field of view of 142m at 1,000m, as well as a large interpupillary distance for optimal viewing comfort. A first-class pair of binoculars!

- Professional binoculars with ED glass for a true color image
- High light transmission of over 94 % (560 nm)
- Lightweight and robust magnesium housing
- Ergonomic and grippy rubber armor for use in the field
- Waterproof, sealed and nitrogen-filled against fogging of the lenses from the inside
- Twist-up eye cups
- PXA phase coating for excellent contrasts
- With ALPEN's exclusive SHR metallic coating for bright, sharp and high-resolution images



Waterproof



Fully Multi-Coated Lens

Mg

Magnesium Housing

ED
GLASS

Extra-Low
Dispersion Glass



PXA™

PXA Phase Coating

SHR™

Metallic Coating



BaK4 Prism

| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|------------|------------|--------|
| 715 | 8x | 42mm | FMC | 426ft | 8.1° | 17.2mm | 5.3mm | 6.5ft | Roof BaK-4 | Yes | 799g |
| 717 | 10x | 42mm | FMC | 340ft | 6.5° | 16.8mm | 4.2mm | 8.2ft | Roof BaK-4 | Yes | 759g |





APEX XP ED BINOCULARS

The Apex XP series binoculars shine with powerful optics that deliver vivid images and great detail even in adverse lighting conditions. HD and ED glass show the observation object true to color, brilliant and bright. In addition, the HR metal prism coating significantly increases light transmission. Excellent contrast and a clear view are provided by the PXA phase coating.

The Apex XP 8x56 ED binoculars inspire even in low light conditions with vivid, true-color images and remarkable detail. For this purpose, the high-definition quality optics are equipped with ED glass for stray light reduction and PXA phase and HR metal prism coating for excellent contrast and increased light transmission. Perfect for effortlessly targeting game even at dusk.

- HD – High definition, ED – Extra low dispersion optical system
- BaK4 roof prism for clear, bright, high resolution images
- PXA™ phase coating for superior resolution and color fidelity
- HR™ metallic prism coating for enhanced light transmission and brightness
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Fully multi-coated for maximum brightness
- Super close focus on selected models
- Lightweight, ergonomic styling, roof prism design
- Twist up eye cups
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



Extra-Low Dispersion Glass



PXA Phase Coating



Metallic Coating



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|------------|------------|--------|
| 653 | 10x | 42mm | FMC | 340ft | 6.5° | 15.2mm | 4.27mm | 8.2ft | Roof BaK-4 | Yes | 703g |
| 652 | 8x | 56mm | FMC | 305ft | 5.8° | 17.5mm | 6.9mm | 9.8ft | Roof BaK-4 | Yes | 1142g |

APEX BINOCULARS



The Alpen Apex binoculars are an excellent option for outdoor enthusiasts and nature watchers looking for high-performance optics. These binoculars deliver clear images even in low light conditions with a lightweight design and fully multi-coated lenses. The BaK4 prisms, PXA phase coating, and HR metallic coatings maximize light transmission, resulting in bright images with true-to-life color and sharp definition. These binoculars are waterproof and fog-proof, purged with nitrogen to prevent internal fogging and keep contaminants like dust and dirt out of the barrels, providing all-weather performance.

The sleek roof prism design and durable rubber armoring provide a comfortable grip, while the twist-up eyecups and generous eye relief are ideal for those who wear glasses. Each binocular comes with a deluxe travel case, a rubber rain guard and a wide comfortable neck strap. And as an added benefit, registration provides a lifetime warranty on these binoculars.



- HD - High definition
- BaK4 roof prism for clear, bright, high resolution images
- PXA™ phase coating for superior resolution and color fidelity
- HR™ metallic prism coating for enhanced light transmission and brightness
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Fully multi-coated for maximum brightness
- Super close focus on selected models
- Lightweight, ergonomic styling, roof prism design
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



PXA Phase Coating



BaK4 Prism

| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|------------|------------|--------|
| 615 | 8x | 42mm | FMC | 426ft | 8.1° | 17.2mm | 5.2mm | 6.5ft | Roof BaK-4 | Yes | 1042g |
| 617 | 10x | 42mm | FMC | 340ft | 6.5° | 15.2mm | 4.2mm | 8ft | Roof BaK-4 | Yes | 1042g |
| 618 | 10x | 50mm | FMC | 341ft | 6.5° | 16.9mm | 5.1mm | 9.8ft | Roof BaK-4 | Yes | 1179g |
| 619 | 15x | 56mm | FMC | 230ft | 4.38° | 19mm | 3.8mm | 9.8ft | Roof BaK-4 | Yes | 1587g |



— SHASTA RIDGE BINOCULARS

Alpen's high performance Shasta Ridge binoculars are fully waterproof, fully multi-coated, have long eye relief, and feature BaK4 roof prism optics that allow hunters, shooters, birders, boaters, and outdoor enthusiasts clearer, brighter viewing under all conditions.

- Light magnesium housing
- BaK4 roof prism for clear, bright, high resolution images
- PXA™ phase coating for superior resolution and color fidelity
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Fully multi-coated for maximum brightness
- Long eye relief for full field of view for eyeglass wearers on most models
- Lightweight, ergonomic styling, roof prism design
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens

Mg

Magnesium Housing

PXA™

PXA Phase Coating



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|--------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|-------------|------------|--------|
| 392SR | 8x | 42mm | FMC | 389ft | 7.4° | 17.4mm | 5.1mm | 11.4ft | Roof BaK-4 | Yes | 759g |
| 394SR | 10x | 42mm | FMC | 315ft | 6° | 15.4mm | 4.1mm | 11.4ft | Roof BaK-4 | Yes | 759g |
| 314 | 8x | 36mm | FMC | 330ft | 6.3° | 19.4mm | 4.5mm | 16.4ft | Porro BaK-4 | Yes | 907g |
| 318 | 10x | 36mm | FMC | 318ft | 6.1° | 15.6mm | 3.7mm | 16.4ft | Porro BaK-4 | Yes | 907g |





NEW FOR 2024

CHISOS ED BINOCULARS

Birders, hikers, and other outdoor adventurers will be amazed at the intense details and true color Alpen Optics' new Chisos ED binoculars can capture.

The superior optics in these binoculars combine extra-low dispersion optical glass, phase-coated prisms and fully broadband multi-coated lenses to produce images with astounding clarity and contrast. The brightness is enhanced by the large 42mm and 50mm apertures, which are sized to bring in lots of light to generate brilliant images. The Chisos ED binoculars also offer a close focus between 2m and 2.5 m, which is ideal for birdwatchers looking to maximize the tiny details they can observe in nearby subjects.

Each model is waterproof and nitrogen-purged to create an internal environment that is impervious to fog and fine debris. For ease of use, they have a sleek roof prism design, a textured gripping surface and twist-up eyecups.



Waterproof



Fully Multi-Coated Lens

Mg

Magnesium Housing

ED GLASS

Extra-Low Dispersion Glass

PXA™

PXA Phase Coating



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|----------|------------|--------|
| 915 | 8x | 42mm | FMC | 368ft | 8.2° | 18mm | 4.9mm | 6.5ft | Roof BK7 | Yes | 759g |
| 917 | 10x | 42mm | FMC | 305ft | 7° | 16mm | 4.2mm | 6.5ft | Roof BK7 | Yes | 759g |
| 918 | 10x | 50mm | FMC | 294ft | 8.2° | 18mm | 4.9mm | 8.2ft | Roof BK7 | Yes | 907g |
| 919 | 12x | 50mm | FMC | 263ft | 8.2° | 16mm | 4.2mm | 8.2ft | Roof BK7 | Yes | 907g |





— WINGS BINOCULARS

Available in apertures ranging from a compact 26mm that slips easily into a coat pocket to an impressive 56mm that gulps in light, Wings waterproof binoculars have fully multi-coated optics and premium BaK4 prisms that produce bright, high-contrast images even in twilight conditions. Designed with versatility in mind, these binoculars have an open bridge for steady gripping and feature twist-up eyecups to comfortably accommodate observers with or without eye glasses. In addition to being waterproof, Wings binoculars have rubber armoring for protection against minor bumps and are purged with an inert gas to prevent internal fogging.

- BaK4 roof prism for clear, bright, high resolution images
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Fully multi-coated for maximum brightness
- Lightweight and ergonomic open hinge body design
- Rubber armoring for holding comfort and shock protection
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|------------|------------|--------|
| 541 | 8x | 26mm | FMC | 368ft | 7° | 16mm | 3.25mm | 9.8ft | Roof BaK-4 | Yes | 589g |
| 545 | 10x | 26mm | FMC | 293ft | 5.6° | 14.1mm | 2.6mm | 13ft | Roof BaK-4 | Yes | 589g |
| 543 | 8x | 34mm | FMC | 372ft | 7.1° | 17.4mm | 4.2mm | 8.2ft | Roof BaK-4 | Yes | 1043g |
| 547 | 10x | 34mm | FMC | 314ft | 6° | 16mm | 3.3mm | 8.2ft | Roof BaK-4 | Yes | 1043g |
| 542 | 8x | 42mm | FMC | 372ft | 7.1° | 17.3mm | 5.2mm | 8.2ft | Roof BaK-4 | Yes | 997g |
| 546 | 10x | 42mm | FMC | 319ft | 6.1° | 16.1mm | 4.2mm | 8.2ft | Roof BaK-4 | Yes | 997g |
| 544 | 8x | 56mm | FMC | 335ft | 6.4° | 19.8mm | 7mm | 8.2ft | Roof BaK-4 | Yes | 997g |

KODIAK BINOCULARS



Kodiak binoculars produce luminous images rich in contrast and color through a combination of fully multi-coated optics, premium BaK4 roof prisms and a generous 42mm aperture. Available in magnifications of 8x and 10x, Kodiak binoculars deliver excellent views of the details sought by birders, sports enthusiasts and outdoor adventurers of all types.

- BaK4 roof prism for clear, bright, high resolution images
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Fully multi-coated for maximum brightness
- Ergonomic comfort-fit grip
- Rubber armoring for holding comfort and shock protection
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|------------|------------|--------|
| 828 | 8x | 42mm | FMC | 345ft | 6.6° | 17.9mm | 5.25mm | 14.7ft | Roof BaK-4 | Yes | 952g |
| 829 | 10x | 42mm | FMC | 298ft | 5.7° | 15.4mm | 4.2mm | 14.7ft | Roof BaK-4 | Yes | 952g |



MAGNAVIEV BINOCULARS

Alpen MagnaView binoculars offer performance and value for today's sports optics user who demands a binocular that delivers day in and day out. Durable, yet comfortable, with quality optics, Alpen MagnaView binoculars offer more features than other binoculars in their price class.

- BK7 roof prism for clear, bright and crisp images on selected models
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Fully multi-coated for maximum brightness
- Long eye relief which is great for eyeglass wearers
- Rubber armoring for holding comfort and shock protection
- Ergonomic comfort-fit grip
- Twist up eye cups
- Eyepiece rain guards
- Lens cleaning pen included
- Limited Lifetime Warranty



Waterproof



Fully Multi-Coated Lens



BK7 Prism



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|----------|------------|--------|
| 830 | 8x | 25mm | FMC | 330ft | 6.3° | 15.5mm | 3.1mm | 26ft | Roof BK7 | Yes | 272g |
| 834 | 10x | 25mm | FMC | 303ft | 5.8° | 15.5mm | 2.5mm | 26ft | Roof BK7 | Yes | 272g |
| 832 | 8x | 32mm | FMC | 288ft | 5.5° | 15mm | 4mm | 26ft | Roof BK7 | Yes | 453g |
| 836 | 10x | 32mm | FMC | 261ft | 4° | 15mm | 2.5 | 26ft | Roof BK7 | Yes | 453g |
| 838 | 12 | 32mm | FMC | 237ft | 4.5° | 10.5mm | 2.6mm | 26ft | Roof BK7 | Yes | 453g |

MAGNAVIEW BINOCULARS



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Apparent FOV | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|-----|-----------|----------|--------------|--------------|------------|------------|-------------|-------------|------------|--------|
| 312 | 10x | 50mm | FMC | 342ft | 5° | 16mm | 5mm | 14.7ft | Porro BaK-4 | Yes | 907g |
| 317 | 8x | 42mm | FMC | 430ft | 7° | 19mm | 5.2mm | 11.8ft | Porro BaK-4 | Yes | 771g |
| 260 | 8x | 42mm | FMC | 321ft | 6.15° | 15.5mm | 4.6mm | 19.6ft | Roof BaK-4 | Yes | 907g |
| 261 | 10x | 42mm | FMC | 294ft | 5.6° | 12.5mm | 3.65mm | 19.6ft | Roof BaK-4 | Yes | 907g |



— SPOTTING SCOPES





APEX & APEX XP SPOTTING SCOPES

Approach, confirm, count - due to the combination of large 80mm aperture and fully multi-coated, excellent optics, the Apex 20-60x80 spotting scope scores with brilliant, sharp images with large focal length at every opportunity. Coarse and fine adjustments can be made easily with the dual-focus system. In addition, the zoom eyepiece with 45° insight, a tripod thread and the twist-up eyecup always guarantee high observation comfort.

- ED Glass – Extra low dispersion optical system
- Fully multi-coated for maximum brightness
- Long eye relief which is great for eyeglass wearers
- Rubber armoring for holding comfort and shock protection
- Waterproof, sealed and nitrogen filled for guaranteed internal fog free performance
- Twist up eye cup



Waterproof



Fully Multi-Coated Lens



Extra-Low Dispersion Glass



UBX Multi-Coating



Metallic Coating



BaK4 Prism



| Item Number | Mag | Objective | Coatings | FOV @1000yds | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|-------------|--------|-----------|----------|---------------------------|-------------|------------|-------------|------------|------------|--------|
| 888 | 20-60x | 80mm | FMC | 107ft @ 20x 51ft @ 60x | 17.4-19.5mm | 1.3-4mm | 26ft | Roof BaK-4 | Yes | 1660g |
| 988 | 20-60x | 80mm | FMC | 107ft @ 20x 51ft @ 60x | 17.4-19.5mm | 1.3-4mm | 26ft | Roof BaK-4 | Yes | 1769g |

SPOTTING SCOPES



Available in four different series, Alpen spotting scopes combine impressive aperture and multiple magnification options in a highly portable unit that is the perfect observation companion for outdoor enthusiasts of all types. All Alpen spotting scopes generate brilliant images full of crisp details with fully multi-coated optics.



Waterproof



Fully Multi-Coated Lens



BaK4 Prism



BK7 Prism



Tripod Included*

Shasta Ridge
786/798/799



Kodiak
742N/745N



Wings
795



*Tripod Included on Shasta Ridge and Kodiak

| Item Number | Mag | Objective | Coatings | FOV @1000yds | Eye Relief | Exit Pupil | Close Focus | Prism | Waterproof | Weight |
|---------------------|------------------|-----------|----------|---------------------------|------------|------------|-------------|-------------|------------|--------|
| Shasta Ridge | | | | | | | | | | |
| 786 | 20-60x | 80mm | FMC | 113ft @ 20x 55ft @ 60x | 19-18mm | 4-1.3mm | 24ft | Porro BaK-4 | Yes | 1587g |
| 788 | 20-60x | 80mm | FMC | 113ft @ 20x 55ft @ 60x | 19-18mm | 4-1.3mm | 24ft | Porro BaK-4 | Yes | 1587g |
| 798 | 25-75x | 100mm | FMC | 78ft @ 25x 42ft @ 75x | 18-15mm | 4-1.3mm | 26ft | Porro BaK-4 | Yes | 1587g |
| Kodiak | | | | | | | | | | |
| 742N | 20-60x 90° EP | 60mm | FMC | 123ft @ 20x 63ft @ 60x | 18-15mm | 4-1.3mm | 20ft | Porro BaK-4 | Yes | 992g |
| 745N | 20-60x 45° EP | 60mm | FMC | 107ft @ 20x 52ft @ 60x | 14-12mm | 3-1mm | 20ft | Porro BaK-4 | Yes | 992g |
| Wings | | | | | | | | | | |
| 795 | 20-60x | 80mm | FMC | 108ft @ 20x 60ft @ 60x | 20-18mm | 4-1.3mm | 18ft | Porro BK7 | Yes | 1433 |



ACCESSORIES



SHASTA RIDGE 4K WIFI ACTION CAMERA

300AC

With its waterproof casing, multiple mounting accessories, 6-axis stabilization unit and wide 170° field of view, the Alpen Shasta Ridge 4K Wireless Action Camera has everything you need to capture the extremes of all of your outdoor adventure in ultra-high definition.

Whether you are trail riding, hunting, kayaking, snorkeling or climbing, this versatile camera can document your experiences in a range of resolution options including 4K video up to 60 fps and 16MP photo resolution. To ensure it is ready to go rain or shine wherever the action takes you, the Shasta Ridge camera is waterproof up to 10 meters on its own and up to 30 meters when inside the waterproof case.

It comes with a variety of accessories to accommodate multiple mounting needs and a 6-axis gyro unit that provides excellent stabilization during fast-paced activities. A ground stake is included for coordinating extreme angle shots or positioning in unique settings like the middle of a decoy array.

- Waterproof up to 10m without case or 30m with case
- 6-axis gyro unit stabilizes the camera during fast-paced action
- True 4K video resolution up to 60 fps
- 16MP photo resolution
- Wide 170° field of view
- Multiple mounting accessories
- Separate remote-control device easily attaches to your wrist
- Ground stake allows for excellent set shots
- 2" LCD screen
- iOS and Android compatible
- 1050 mAh battery

ACCESSORIES



CARBON TREKKING POLES SET

850

- Trekking poles provide stability on uncertain terrains, enhance calorie burn and relieve strain by encouraging good posture while walking
- Adjustable from 24 inches to 52 inches
- Quick lock system makes height adjustments easy
- Comfortable handle with adjustable strap ensures steady grip
- Tungsten steel tips provide sure footing on a variety of terrains
- Accessories include standard flat tip covers, big rock tips with tread, snow baskets and mud guards
- Aluminum construction is lightweight yet durable
- Cloth storage bag included



Tungsten Steel Tip
for ice, dirt, and gravel



Basic & Boot Tips
for indoor and extra grip



Mud Baskets
for mud, sand, and soft surfaces



Snow Baskets
for winter hiking

500 LUMENS LED RECHARGEABLE TEK-LIGHT


800

- Flashlight mode has a low beam option that illuminates up to 40 meters and a high beam option that reaches up to 100 meters
- Floodlight mode is perfect for illuminating a campsite and has high beam, low beam and red mode settings
- Red beam mode allows user to see without disturbing crucial adjustments their eyes have made to dark sky conditions
- Both flashlight and floodlight modes has flashing SOS function for emergency signaling
- Comes with pocket clip and adjustable head mount that leaves hands free for other activities
- Splash resistant for all-weather performance
- Magnetic base allows users to attach flashlight to metal surfaces for more illumination options
- USB charging base has light-up indicators for monitoring charging status



MAGNETIC
BASE CHARGING

7 Light Functions





NOTES

NOTES





NOTES

NOTES





www.alpenoptics.com



1010 South 48th Street
Springdale, Arkansas 72762

Phone: 866.252.3811

Email: service@alpenoutdoor.com