



NEW MagnaView™ Series

ALPEN MagnaView™ binoculars offer performance and value for today's sports optics user who demands a binocular that delivers day in and day out. Durable, yet comfortable, with quality optics, ALPEN MagnaView™ binoculars offer more features than other binoculars in their price class.

Binocular Features:

- Larger objective lens diameter for enhanced dim light viewing
- Fully coated & Fully multi-coated lenses
- Long eye relief which is great for eyeglass wearers
- Ergonomic comfort-fit grip
- Rubber armoring for protection and durability
- Fold down or twist up eye cups
- Eyepiece rain guards
- Stylish and functional carrying case
- Standard neck strap
- ALPEN's Limited Five Year or Lifetime Warranty



BK7 PRISM



FULLY COATED
FULLY MULTI-COATED*



TRIPOD ADAPTABLE



SPLASHGUARD*

*260/261 models only



222
223

8x42
& 10x42



*REGISTERED WITHIN 60 DAYS OF PURCHASE



260
261

8x42
& 10x42
SpashGuard



*REGISTERED WITHIN 60 DAYS OF PURCHASE

| Model Number | 222 | 223 | 260 | 261 |
|-----------------------------|-------------------|-------------------|----------------------|-----------------------|
| Description | 8x42 Open Hinge | 10x42 Open Hinge | 8x42 Water Resistant | 10x42 Water Resistant |
| Magnification | 8x | 10x | 8x | 10x |
| Objective Lens Diameter | 42mm | 42mm | 42mm | 42mm |
| Focus System | Center | Center | Center | Center |
| Prism Type | Roof | Roof | Roof | Roof |
| F.O.V (ft @ 1000yds) | 366 | 294 | 321 | 294 |
| Exit Pupil | 4.7mm | 3.7mm | 4.6mm | 3.65mm |
| Eye Relief | 17.5mm | 15mm | 15.5mm | 12.5mm |
| Lens Coating | Fully Coated | Fully Coated | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 2 | 2 | 2 | 2 |
| Type of Neckstrap | Standard | Standard | Standard | Standard |
| Tripod Adaptable | Yes | Yes | Yes | Yes |
| Prism Material | BK7 | BK7 | BK7 | BK7 |
| Waterproof/Fogproof | No | No | No; SplashGuard | No; SplashGuard |
| Type of Case | Nylon | Nylon | Nylon | Nylon |
| Packaging Dims. (in.) LxWxH | 5.625 x 3 x 6.625 | 5.625 x 3 x 6.625 | 5.625 x 3 x 6.625 | 5.625 x 3 x 6.625 |
| Warranty | Limited Five Year | Limited Five Year | Limited Lifetime | Limited Lifetime |



NEW Kodiak™ Waterproof Binoculars

Kodiak binoculars produce luminous images rich in contrast and color through a combination of fully multi-coated lenses, premium BaK4 prisms and a generous 42mm aperture. These waterproof binoculars offer long eye relief so eyeglass wearers can enjoy a full field of view. Additional amenities include twist-up eyecups, a central focusing system, rubber armoring and a tripod thread.

Binocular Features:

- Fully multi-coated lenses and BaK4 prisms maximize light transmission to generate luminous images with excellent contrast
- Waterproof and fogproof
- Diopter adjustment feature ensures both eyes attain proper focus
- Long eye relief easily accommodates eyeglass wearers
- Rubber armoring protects against minor bumps and promotes a sturdy grip
- Twist-up eyecups
- Tripod thread
- Includes nylon case and standard neck strap
- ALPEN's Limited Lifetime Warranty



BAK4 PRISM



FULLY MULTI-COATED



FOGPROOF



WATERPROOF




828
8x42
Waterproof

829
10x42
Waterproof

LIMITED LIFETIME WARRANTY
*REGISTERED WITHIN 60 DAYS OF PURCHASE

| | | |
|-----------------------------|--------------------|--------------------|
| Model Number | 828 | 829 |
| Description | 8x42 | 10x42 |
| Magnification | 8x | 10x |
| Objective Lens Diameter | 42mm | 42mm |
| Focus System | Center | Center |
| Prism Type | Roof | Roof |
| F.O.V (ft @ 1000yds) | 345 | 298 |
| Exit Pupil | 5.25mm | 4.2mm |
| Eye Relief | 17.9mm | 15.4mm |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 2.1 | 2.1 |
| Type of Neckstrap | Standard | Standard |
| Tripod Adaptable | Yes | Yes |
| Prism Material | BaK4 | BaK4 |
| Waterproof/Fogproof | Yes | Yes |
| Type of Case | Nylon | Nylon |
| Packaging Dims. (in.) LxWxH | TBD | TBD |
| Warranty | Limited Lifetime | Limited Lifetime |



NEW Kodiak™ Waterproof Binoculars

Perfect for grab-and-go adventure, these Kodiak binoculars emphasize portability with their compact, foldable design. Fully multi-coated optics and superior BK7 prisms produce bright images and excellent color. For added versatility, the binoculars are waterproof, fogproof and have long eye relief to accommodate eyeglass wearers.

Binocular Features:

- Compact, foldable design is lightweight and highly portable
- Fully multi-coated lenses and BaK4 prisms maximize light transmission to generate bright images rich in contrast
- Waterproof and fogproof
- Easy-to-grip design
- Diopter adjustment feature ensures both eyes attain proper focus
- Long eye relief easily accommodates eyeglass wearers
- Includes case and standard neck strap
- ALPEN's Limited Lifetime Warranty



BK7 PRISM



FULLY MULTI-COATED



FOGPROOF



WATERPROOF

832

8x32
Waterproof



838

12x32
Waterproof



| Model Number | 830 | 834 | 832 | 836 | 838 |
|-----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Description | 8x25 Waterproof | 10x25 Waterproof | 8x32 Waterproof | 10x32 Waterproof | 12x32 Waterproof |
| Magnification | 8x | 10x | 8x | 10x | 12x |
| Objective Lens Diameter | 25mm | 25mm | 32mm | 32mm | 32mm |
| Focus System | Center | Center | Center | Center | Center |
| Prism Type | Roof | Roof | Roof | Roof | Roof |
| F.O.V (ft @ 1000yds) | 330 | 303 | 288 | 261 | 237 |
| Exit Pupil | 3.13mm | 2.5mm | 4mm | 3.2mm | 2.67mm |
| Eye Relief / Close Focus | 15.5mm / 26ft | 15.5mm / 26ft | 16mm / 26ft | 15.5mm / 26ft | 10.5mm / 26ft |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 0.6 | 0.6 | 1 | 1 | 1 |
| Type of Neckstrap | Standard | Standard | Standard | Standard | Standard |
| Tripod Adaptable | No | No | No | No | No |
| Prism Material | BK7 | BK7 | BK7 | BK7 | BK7 |
| Waterproof/Fogproof | Yes | Yes | Yes | Yes | Yes |
| Type of Case | Standard | Standard | Standard | Standard | Standard |
| Packaging Dims. (in.) LxWxH | TBD | TBD | TBD | TBD | TBD |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime |



NEW Wings® Waterproof Binoculars

Available in a range of apertures and magnifications, Wings waterproof binoculars have a superior optical setup that combines fully multi-coated lenses and premium phase-coated prisms to produce bright, high-contrast images even in twilight conditions. Designed with versatility in mind, these binoculars have an open bridge for steady gripping and feature twist-up eyecups to comfortably accommodate observers with or without eyeglasses. In addition to being waterproof, Wings binoculars have rubber armoring for protection against minor bumps and are purged with an inert gas to prevent internal fogging.

Binocular Features:

- Fully multi-coated lenses maximize light transmission to generate brilliant images with excellent contrast
- Prisms are phase-coated for truer color
- Waterproof and purged with an inert gas to prevent internal fogging
- Open bridge design is easy to grip
- Diopter adjustment feature ensures both eyes attain proper focus
- Long eye relief easily accommodates eyeglass wearers
- Rubber armoring protects against minor bumps
- Twist-up eyecups and tripod thread
- Includes nylon case and standard neck strap
- ALPEN's Limited Lifetime Warranty



BAK4 PRISM



FULLY MULTI-COATED



FOGPROOF



WATERPROOF



542
8x42
Waterproof

546
10x42
Waterproof

LIMITED LIFETIME WARRANTY
*REGISTERED WITHIN 60 DAYS OF PURCHASE

| Model Number | 541 | 545 | 543 | 547 | 542 | 546 | 544 |
|-----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Description | 8x26 | 10x26 | 8x34 | 10x34 | 8x42 | 10x42 | 8x56 |
| Magnification | 8x | 10x | 8x | 10x | 8x | 10x | 8x |
| Objective Lens Diameter | 26mm | 26mm | 34mm | 34mm | 42mm | 42mm | 56mm |
| Focus System | Center | Center | Center | Center | Center | Center | Center |
| Prism Type | Roof | Roof | Roof | Roof | Roof | Roof | Roof |
| F.O.V (ft @ 1000yds) | 400 | 321 | 406 | 344 | 406 | 347 | 367 |
| Exit Pupil | 3.25mm | 2.6mm | 4.2mm | 3.3mm | 5.2mm | 4.2mm | 7mm |
| Eye Relief / Close Focus | 16mm / 9.8ft | 14.1mm / 13ft | 17.4mm / 8ft | 16mm / 8ft | 17.3mm / 8ft | 16.1mm / 8ft | 19.8mm / 8ft |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 1.3 | 1.3 | 2.3 | 2.3 | 2.2 | 2.2 | 2.2 |
| Type of Neckstrap | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Tripod Adaptable | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Prism Material | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 |
| Waterproof/Fogproof | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Type of Case | Nylon | Nylon | Nylon | Nylon | Nylon | Nylon | Nylon |
| Packaging Dims. (in.) LxWxH | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime |



NEW

Apex® Waterproof Binoculars

Apex binoculars deliver stunning images even in low light conditions by combining superior BaK4 prisms with unique PXA™ phase coating and HR™ metallic coatings. These optical choices maximize light transmission and generate brilliant images with true-to-life color and crisp definition. Four of the Apex models up the already excellent image quality through the use of high resolution ED (extra-low dispersion) glass. All Apex binoculars are waterproof and purged with nitrogen to prevent internal fogging. Additional features include twist-up eyecups and generous eye relief.

Binocular Features:

- BaK4 optics for clear, bright, high resolution images
- PXA™ phase coating for superior resolution and color fidelity
- HR™ metallic prism coating for enhanced light transmission and brightness
- Select models use high resolution ED glass for added luminosity and contrast
- Waterproof, sealed and nitrogen filled
- Super close focus (select models)
- Lightweight, ergonomic styling, roof prism design
- Rubber armoring for comfort, protection and durability
- Deluxe travel case and wide comfortable neck strap
- ALPEN's Limited Lifetime Warranty



HR METALLIC COATING



BAK4 PRISM



PXA PHASE COATING



FULLY MULTI-COATED



WATERPROOF



654

10x42 ED Glass
Waterproof



ED GLASS



615
8x42
Waterproof



616
8x56
Waterproof



| Model Number | 615 | 617 | 618 | 616 | 651 | 653 | 654 | 652 |
|-----------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Description | 8x42 | 10x42 | 10x50 | 8x56 | 8x42 ED | 10x42 ED | 10x50 ED | 8x56 ED |
| Magnification | 8x | 10x | 10x | 8x | 8x | 10x | 10x | 8x |
| Objective Lens Diameter | 42mm | 42mm | 50mm | 56mm | 42mm | 42mm | 50mm | 56mm |
| Focus System | Center | Center | Center | Center | Center | Center | Center | Center |
| Prism Type | Roof | Roof | Roof | Roof | Roof | Roof | Roof | Roof |
| F.O.V (ft @ 1000yds) | 426 | 340 | 341 | 305 | 426 | 340 | 341 | 305 |
| Exit Pupil | 5.2mm | 4.27mm | 5.1mm | 6.9mm | 5.2mm | 4.27mm | 5.1mm | 6.9mm |
| Eye Relief / Close Focus | 17.2mm / 6.5ft | 15.2mm / 8ft | 16.9mm / 9.8ft | 17.5mm / 9.8ft | 17.2mm / 6.5ft | 15.2mm / 8ft | 16.9mm / 9.8ft | 17.5mm / 9.8ft |
| Lens Coating | FBMC Coated | FBMC Coated | FBMC Coated | FBMC Coated | FBMC Coated | FBMC Coated | FBMC Coated | FBMC Coated |
| Net Weight (lbs.) | 2.3 | 2.3 | 2.6 | 3.5 | 2.3 | 2.3 | 2.6 | 3.5 |
| Type of Neckstrap | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Tripod Adaptable | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Prism Material | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 | BaK4 |
| Waterproof/Fogproof | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Type of Case | Nylon | Nylon | Nylon | Nylon | Nylon | Nylon | Nylon | Nylon |
| Packaging Dims. (in.) LxWxH | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime |



NEW Kodiak™ Rangefinder

By operating at split-second speeds, the compact Kodiak Rangefinder makes it easy to quickly determine precise distances to a target when golfing, hiking, hunting and more. The device, which has a rugged non-slip rubber armoring, uses a sleek three-barrel design to accurately measure distances of up to 800 yards. The optical elements are multi-coated to enhance light transmission and generate bright images for quick target acquisition. The rangefinder has an impressive 20.4mm eye relief that can easily accommodate eyeglass wearers.

Laser Rangefinder Features:

- Measures distances up to 800 yards with split-second timing
- Compact design allows rangefinder to slip easily into a pocket
- Multi-coated optics and 20mm objective generate bright images
- Water resistant housing offers protection from changing weather conditions
- 4x magnification for easy target acquisition
- Adjustable focus eyepiece
- Impressive 20.4mm eye relief accommodates eyeglass wearers
- LCD display with readout in yards or meters
- Includes nylon case
- ALPEN's Limited One Year Warranty



MULTI-COATED



800 YARDS RANGE



SPLASHGUARD



*REGISTERED WITHIN 60 DAYS OF PURCHASE

| | |
|-----------------------------|------------------------|
| Model Number | 400 |
| Description | 4x20 Laser Rangefinder |
| Magnification | 4x |
| Objective Lens Diameter | 20mm |
| Lens Coating | Multi-Coated |
| Range | 10-800 yards |
| Accuracy | +/- 1 yard |
| Speed | 5-300km/h 3-186mph |
| F.O.V (degrees) | 8 |
| Exit Pupil | 5mm |
| Eye Relief | 20.4mm |
| Net Weight (lbs.) | 0.4 |
| Display | LCD |
| Battery Type | CR2/3V |
| Waterproof | Yes; IPX5 |
| Type of Case | Nylon |
| Packaging Dims. (in.) LxWxH | TBD |
| Warranty | Limited One Year |



NEW Wings™ Spotting Scope

The Wings Spotting Scope generates brilliant images full of crisp details by combining an impressive 80mm aperture with fully multi-coated optics and a premium prism with dielectric coatings. It has a built-in zoom eyepiece angled at a comfortable 45° and a dual focus system that allows for both coarse and fine adjustments for precision results. The scope is splashguard for optimal outdoor performance and purged with nitrogen to prevent distracting internal fogging. It has rubber armoring, a tripod thread and twist-up eyecups.

Spotting Scope Features:

- Fully multi-coated optics maximize light transmission for brilliant images rich in contrast
- Generous 80mm aperture brings in lots of light
- Dual focus system allows for coarse and fine adjustments
- Built-in zoom eyepiece, which ranges from 20x to 60x, is angled at a comfortable 45°
- SplashGuard for optimal outdoor performance
- Purged with an inert gas to prevent distracting internal fogging
- Built-in shield around objective lens minimizes glare and interference from stray light and protects the lens from rain
- Outfitted with tripod thread
- Long eye relief accommodates eyeglass wearers
- Twist-up eyecups
- Includes nylon case and standard neck strap
- ALPEN's Limited Lifetime Warranty



BAK4 PRISM



FULLY MULTI-COATED




FOGPROOF



SPLASHGUARD

| | |
|-------------------------------|-------------------------------|
| Model Number | 795 |
| Description | 20 - 60x80 45° Spotting Scope |
| Magnification | 20 - 60x |
| Objective Lens Diameter | 80mm |
| Focus System | Internal |
| Prism Type | Porro |
| F.O.V (ft @ 1000yds) Low/High | 108 - 60 |
| Exit Pupil Low/High | 4 - 1.3mm |
| Eye Relief / Close Focus | 20 - 18mm / 18ft |
| Lens Coating | Fully Multi-Coated |
| Net Weight (lbs.) | 3.16 |
| Scope Length (in.) | 14.4 |
| Tripod Adaptable | Yes |
| Prism Material | BaK4 |
| Waterproof/Fogproof | SplashGuard / Yes |
| Type of Case | Nylon |
| Packaging Dims. (in.) LxWxH | TBD |
| Warranty | Limited Lifetime |



NEW Kodiak™ Riflescopes

With an emphasis on accuracy and repeat performance, Kodiak riflescopes focus on proven features to give you the precision you need at value pricing. The optical elements are fully multi-coated to maximize light transmission and produce bright views with crisp definition. In addition to being shockproof, waterproof and fogproof, Kodiak riflescopes offer fast focus eyepieces that allow for quick responses to changing target positions and zero-set low profile windage and elevation adjustments.

Riflescope Features:

- Series offers lowest powers in ALPEN's riflescope line
- Fully multi-coated optics maximize light transmission for superior clarity and brilliance
- Fully waterproof, fogproof and shockproof
- Shock tested to 1000 Gs magnum load
- Zero-set low profile windage and elevation adjustments
- Fast focus eyepiece and long eye relief
- Black matte, non-reflective finish
- Includes rings and flip-up lens covers
- ALPEN's Limited Lifetime Warranty



FULLY MULTI-COATED



WATERPROOF



SHOCKPROOF



2054

4-16x44
Waterproof
Shockproof




2058

6-24x50
Waterproof
Shockproof



*REGISTERED WITHIN 60 DAYS OF PURCHASE

| Model Number | 2047 | 2060 | 2054 | 2058 |
|------------------------------|------------------------|------------------------|------------------------|------------------------|
| Description | 1-4x24 Riflescope | 2.5-10x44 Riflescope | 4-16x44 Riflescope | 6-24x50 Riflescope |
| Magnification | 1 - 4x | 2.5 - 10x | 4 - 16x | 6 - 24x |
| Objective Lens Diameter | 24mm | 44mm | 44mm | 50mm |
| Tube Diameter | 30mm | 30mm | 30mm | 30mm |
| Exit Pupil Low/High | 15.2 - 5.2mm | 13.3 - 4.4mm | 11 - 2.75mm | 8.3 - 2.08mm |
| F.O.V (ft @ 100yds) Low/High | 31 - 121 | 45.3 - 11 | 27.7 - 7 | 17.8 - 4.6 |
| F.O.V (degrees) Low/High | 100.5 - 26.1 | 8.6 - 2.1 | 5.3 - 1.3 | 3.4 - 0.88 |
| Eye Relief | 90mm | 92mm | 93mm | 95mm |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 1 | 1.475 | 1.475 | 1.9 |
| Focal Plane | 2nd | 2nd | 2nd | 1st |
| Focus System | Fast Focus Eyepiece | Fast Focus Eyepiece | Fast Focus Eyepiece | Fast Focus Eyepiece |
| Side Focus Parallax | None | No, fixed at 100yds | Yes, 10yds - ∞ | Yes, 10yds - ∞ |
| Elevation Adjustment Range | 1/2 MOA | +/-25 MOA | +/-25 MIL | +/-25 MOA |
| Windage Adjustment Range | 1/2 MOA | +/-25 MOA | +/-25 MIL | +/-25 MOA |
| W/E Clicks | 1/4 MOA | 0.25 MOA | 0.1 MIL | 0.125 MOA |
| Reticle(s) | AR-BDC | Wire Non-IR | AccuPlex | WBDC-A |
| Waterproof/Fogproof | Yes | Yes | Yes | Yes |
| Shockproof | Yes | Yes | Yes | Yes |
| One Piece Main Body | Yes | Yes | Yes | Yes |
| Total Length (ins.) | 9.33 | 14.53 | 13.98 | 14.33 |
| Packaging Dims. (in.) LxWxH | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime |



NEW Wings™ Riflescopes

Shockproof, waterproof and nitrogen-purged to prevent internal fogging, Wings riflescopes have a streamlined design that holds up in tough conditions. All models come with fully multi-coated lenses made of superior glass and illuminated reticles with selectable brightness to accommodate for changing light situations. Additional amenities include side focus adjustment for eliminating parallax, zero-set low profile windage and elevation adjustments and a non-reflective finish.

Riflescope Features:

- Fully multi-coated optics maximize light transmission for superior clarity and brilliance
- Fully waterproof, fogproof and shockproof
- Shock tested to 1000 Gs magnum load
- Side focus adjustment eliminates parallax for increased accuracy
- Zero-set low profile windage and elevation adjustments
- First focal plane on 56mm model
- Illuminated reticle with adjustable brightness for changing light conditions
- Fast focus eyepiece and long eye relief
- Black matte, non-reflective finish
- Includes rings and flip-up lens covers
- ALPEN's Limited Lifetime Warranty



FULLY MULTI-COATED



WATERPROOF



SHOCKPROOF




5052

**5-25x56
Waterproof
Shockproof**



*REGISTERED WITHIN 60 DAYS OF PURCHASE

| Model Number | 5050 | 5055 | 5052 |
|------------------------------|------------------------|------------------------|------------------------|
| Description | 1-5x24 Riflescope | 4-20x44 Riflescope | 5-25x56 Riflescope |
| Magnification | 1 - 5x | 4 - 20x | 5 - 25x |
| Objective Lens Diameter | 24mm | 44mm | 56mm |
| Tube Diameter | 30mm | 30mm | 34mm |
| Exit Pupil Low/High | 12.7 - 4.8mm | 11 - 2.2mm | 10 - 2.0 mm |
| F.O.V (ft @ 100yds) Low/High | 101.2 - 20.1 | 22.2 - 4.36 | 20.3 - 4.1 |
| F.O.V (degrees) Low/High | 19.1 - 3.8 | 4.25 - 0.83 | 3.88 - 0.76 |
| Eye Relief | 99 - 89mm | 100 - 94mm | 102 - 98mm |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 1.125 | 1.475 | 1.9 |
| Focal Plane | 2nd | 2nd | 1st |
| Focus System | Fast Focus Eyepiece | Fast Focus Eyepiece | Fast Focus Eyepiece |
| Side Focus Parallax | None | Yes, 30yds - ∞ | Yes, 20yds - ∞ |
| Elevation Adjustment Range | 160 MOA | 80 MOA | 50 MOA |
| Windage Adjustment Range | 160 MOA | 40 MOA | 50 MOA |
| W/E Clicks | 1/4 MOA | 1/4 MOA | 1/4 MOA |
| Reticle(s) | AR-BDC | WBDC-A | WBDC-Tact |
| Waterproof/Fogproof | Yes | Yes | Yes |
| Shockproof | Yes | Yes | Yes |
| One Piece Main Body | Yes | Yes | Yes |
| Total Length (ins.) | 11.2 in | 15.1 | 15.5 |
| Packaging Dims. (in.) LxWxH | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |



NEW Apex® Riflescopes

Apex riflescopes have the precision optics, sleek design and high-end features necessary for that perfect shot. All models come with fully multi-coated lenses made of superior glass and illuminated reticles with selectable brightness to accommodate for changing light situations. Additional amenities include side focus adjustment for eliminating parallax and zero-set low profile windage and elevation adjustments. Shockproof, waterproof and nitrogen-purged to prevent internal fogging. Apex riflescopes have a black matte, non-reflective finish and are prepared to perform in even the toughest conditions.

Riflescope Features:

- Fully multi-coated optics maximize light transmission for superior clarity and brilliance
- Fully waterproof, fogproof and shockproof
- Shock tested to 1000 Gs magnum load
- Side focus adjustment eliminates parallax for increased accuracy
- Zero-set low profile windage and elevation adjustments
- First focal plane on 50mm model
- Illuminated reticle for changing light conditions
- Fast focus eyepiece and long eye relief
- Black matte, non-reflective finish
- Includes rings and flip-up lens covers
- ALPEN's Limited Lifetime Warranty



FULLY MULTI-COATED



WATERPROOF



SHOCKPROOF



4012

**2.5-15x50
Waterproof
Shockproof**




4015

**4.5-27x50
Waterproof
Shockproof**



*REGISTERED WITHIN 60 DAYS OF PURCHASE

| Model Number | 4010 | 4012 | 4015 |
|------------------------------|------------------------|------------------------|------------------------|
| Description | 1-6x24 Rifle Scope | 2.5-15x50 Rifle Scope | 4.5-27x50 Rifle Scope |
| Magnification | 1 - 6x | 2.5 - 15x | 4.5 - 27x |
| Objective Lens Diameter | 24mm | 50mm | 50mm |
| Tube Diameter | 30mm | 30mm | 30mm |
| Exit Pupil Low/High | 12.5 - 4mm | 11 - 3.3mm | 9.5 - 1.9mm |
| F.O.V (ft @ 100yds) Low/High | 108 - 17.6 | 40.4 - 6.8 | 22.2 - 3.8 |
| F.O.V (degrees) Low/High | 20.36 - 3.36 | 7.7 - 1.3 | 4.2 - 0.7 |
| Eye Relief | 97mm | 100mm | 100mm |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 1.2 | 1.9 | 1.9 |
| Focal Plane | 2nd | 1st | 1st |
| Focus System | Fast Focus Eyepiece | Fast Focus Eyepiece | Fast Focus Eyepiece |
| Side Focus Parallax | No, fixed at 100yds | Yes, 10yds - ∞ | Yes, 25yds - ∞ |
| Elevation Adjustment Range | +/-60 MOA | +/-70 MOA / +/-20 MIL | +/-50 MOA / +/-14 MIL |
| Windage Adjustment Range | +/-60 MOA | +/-70 MOA / +/-20 MIL | +/-50 MOA / +/-14 MIL |
| W/E Clicks | 0.5 MOA | 0.25 MOA / 0.1 MIL | 0.25 MOA / 0.1 MIL |
| Reticle(s) | AR-BDC | WBDC-Tact | WBDC-Tact |
| Waterproof/Fogproof | Yes | Yes | Yes |
| Shockproof | Yes | Yes | Yes |
| One Piece Main Body | Yes | Yes | Yes |
| Total Length (ins.) | 10.65 | 14.07 | 14.25 |
| Packaging Dims. (in.) LxWxH | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |



NEW

Apex® XP Riflescopes

Apex XP riflescopes have the precision optics, sleek design and high-end features necessary for that perfect shot. All models come with fully multi-coated lenses made of superior glass and illuminated reticles with selectable brightness to accommodate for changing light situations. Additional amenities include side focus adjustment for eliminating parallax and zero-set low profile windage and elevation adjustments. Shockproof, waterproof and nitrogen-purged to prevent internal fogging, Apex riflescopes have a black matte, non-reflective finish and are prepared to perform in even the toughest conditions.

Riflescope Features:

- Series offers highest powers in ALPEN's riflescope line
- Fully multi-coated optics maximize light transmission for superior clarity and brilliance
- Fully waterproof, fogproof and shockproof
- Shock tested to 1000 Gs magnum load
- Side focus adjustment eliminates parallax for increased accuracy
- Zero-set low profile windage and elevation adjustments
- First focal plane on 50mm model
- Illuminated reticle for changing light conditions
- Fast focus eyepiece and long eye relief
- Black matte, non-reflective finish
- Includes rings and flip-up lens covers
- ALPEN's Limited Lifetime Warranty



FULLY MULTI-COATED



WATERPROOF



SHOCKPROOF



4061

1-8x28
Waterproof
Shockproof



4063

4-32x56
Waterproof
Shockproof




*REGISTERED WITHIN 60 DAYS OF PURCHASE

| Model Number | 4061 | 4063 |
|------------------------------|------------------------|------------------------|
| Description | 1-8x28 Riflescope | 4-32x56 Riflescope |
| Magnification | 1 - 8x | 4 - 32x |
| Objective Lens Diameter | 28mm | 50mm |
| Tube Diameter | 34mm | 34mm |
| Exit Pupil Low/High | 7.5 - 2.9mm | 7 - 1.6mm |
| F.O.V (ft @ 100yds) Low/High | 105 - 13 | 27 - 3.4 |
| F.O.V (degrees) Low/High | 19.9 - 2.5 | 5.15 - 0.65 |
| Eye Relief | 90mm | 90mm |
| Lens Coating | Fully Multi-Coated | Fully Multi-Coated |
| Net Weight (lbs.) | 1.5 | 2.2 |
| Focal Plane | 1st | 1st |
| Focus System | Fast Focus Eyepiece | Fast Focus Eyepiece |
| Side Focus Parallax | None | Yes |
| Elevation Adjustment Range | 140 MOA | 90 MOA |
| Windage Adjustment Range | 140 MOA | 80 MOA |
| W/E Clicks | 1/2 MOA(1/10 MIL) | 1/10 MIL |
| Reticle(s) | AR-BDC | WBDC-Tact |
| Waterproof/Fogproof | Yes | Yes |
| Shockproof | Yes | Yes |
| One Piece Main Body | Yes | Yes |
| Total Length (ins.) | 10.9 | 15 |
| Packaging Dims. (in.) LxWxH | 15.625 x 4.125 x 4.125 | 15.625 x 4.125 x 4.125 |
| Warranty | Limited Lifetime | Limited Lifetime |




Riflescopes Reticles




AccuPlex™ Reticle

The AccuPlex™ tapered reticles found on all Kodiak riflescopes permit fast target acquisition in the dimmest light, giving shooters greater accuracy.



AR-BDC Reticle

The AR-BDC reticle is designed around a .223 55-70 grain load, but any bullet combination can be used. The submunition chart shows the hash mark measurements at the highest magnification for different distances. The center cross hair can be used at any magnification.




WBDC-A Reticle

The WBDC-A reticle is designed for excellent accuracy. It offers 1 MOA increments across the vertical axis.

**WBDC-A Reticle Subtentions
(inches at 100 yards)**

| | 2x | 3x | 4x | 9x | 10x | 16x |
|---|------|------|-----|-----|-----|-----|
| A | 50 | 33 | 25 | 11 | 10 | 6 |
| B | 10 | 6.5 | 5 | 2 | 2 | 1 |
| C | 10 | 6.5 | 5 | 2 | 2 | 1 |
| D | 20 | 13 | 10 | 4 | 4 | 2.5 |
| E | 30 | 20 | 15 | 7 | 6 | 4 |
| F | 40 | 26.5 | 20 | 9 | 8 | 5 |
| H | 7.5 | 5 | 4 | 1.5 | 1.5 | 1 |
| J | 15 | 10 | 7.5 | 3 | 3 | 2 |
| K | 22.5 | 15 | 11 | 5 | 4.5 | 3 |
| L | 30 | 20 | 15 | 7 | 6 | 4 |



WBDC-TACT Reticle

The WBDC-Tact reticle is designed for pinpoint accuracy at any distance. It offers 1 MOA and 5 MOA increments across both the horizontal and vertical axis to help find the best target range.

**WBDC-TACT Reticle Subtentions
(inches at 100 yards)**

| | 6x | 10x | 16x | 24x |
|---|----|-----|-----|-----|
| A | 40 | 24 | 15 | 10 |
| B | 2 | 1.2 | .8 | .5 |
| C | 4 | 2.5 | 1.5 | 1 |
| D | 4 | 2.5 | 1.5 | 1 |
| E | 8 | 5 | 3 | 2 |

At 50 yards distance multiply each value by .5
 At 150 yards distance multiply each value by 1.5
 At 200 yards distance multiply each value by 2
 At 300 yards distance multiply each value by 3