

SAFETY DATA SHEET

Revision Date: 06-Apr-2017

Revision Number: 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

ECO SPEC WB SEMI-GLOSS FINISH BASE 2

F3762X F3762X WATER THINNED PAINT All Paint No information available

Manufactured For

Benjamin Moore & Co., Limited 8775 Keele Street Concord ON L4K 2N1 Phone: 1-800-361-5898 www.benjaminmoore.com

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 855-724-6802 www.benjaminmoore.com Emergency Telephone Number(s) CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the Hazardous Products Regulations (HPR: SOR/2015-17)

Label elements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Appearance liquid

Odor little or no odor

Other information

No information available

3. COMPOSITION INFORMATION ON COMPONENTS

Chemical Name	CAS-No	Weight % (max)
Titanium dioxide	13463-67-7	5 - 10%
Kaolin	1332-58-7	3 - 7%
Sodium C14-C16 olefin sulfonate	68439-57-6	0.1 - 0.25%

A EIDET A	ID MEASURES		
4. FIRST A	ID WEASURES		
General Advice	No hazards which require special first aid measures.		
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.		
Inhalation	Move to fresh air. If symptoms persist, call a physician.		
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.		
Most Important Symptoms/Effects	None known.		
Notes To Physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Protective Equipment And Precautions For Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.		
Sensitivity To Mechanical Impact	No		
Sensitivity To Static Discharge	No		
Flash Point Data Flash Point (°F) Flash Point (°C) Flash Point Method	Not applicable Not applicable Not applicable		
Flammability Limits In Air			

Lower Explosion Limit Upper Explosion Limit

Not applicable Not applicable

<u>NFPA</u> He

Health: 1 Flammability: 0

Instability: 0

Special: -

NFPA Legend

- 0 Not Hazardous
- 1 Slightly
- 2 Moderate
- 3 High
- 4 Severe

The ratings assigned are only suggested ratings, the contractor/employer has ultimate responsibilities for NFPA ratings where this system is used.

Additional information regarding the NFPA rating system is available from the National Fire Protection Agency (NFPA) at www.nfpa.org.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Other Information

Environmental Precautions

Methods For Clean-Up

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Prevent further leakage or spillage if safe to do so.

See Section 12 for additional Ecological Information.

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient

Keep container tightly closed. Keep out of the reach of

ventilation, wear suitable respiratory equipment.

7. HANDLING AND STORAGE

Handling

Storage

Incompatible Materials

No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

children.

Exposure Limits

Chemical Name	ACGIH	Alberta	British Columbia	Ontario	Quebec
Titanium dioxide	10 mg/m ³ - TWA	10 mg/m³ - TWA	10 mg/m ³ - TWA	10 mg/m³ - TWA	10 mg/m ³ - TWAEV
			3 mg/m ³ - TWA		
Kaolin	2 mg/m ³ - TWA	2 mg/m³ - TWA	2 mg/m ³ - TWA	2 mg/m³ - TWA	5 mg/m ³ - TWAEV

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Alberta - Alberta Occupational Exposure Limits

British Columbia - British Columbia Occupational Exposure Limits

Ontario - Ontario Occupational Exposure Limits Quebec - Quebec Occupational Exposure Limits

Quebec - Quebec Occupational Expos

N/E - Not established

Engineering Measures

Personal Protective Equipment Eye/Face Protection Skin Protection Respiratory Protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

Safety glasses with side-shields. Protective gloves and impervious clothing. In case of insufficient ventilation wear suitable respiratory equipment.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor ThresholdNo information availableDensity (lbs/gal)9.7 - 10.0Specific Gravity1.16 - 1.20pHNo information availableViscosity (cps)No information availableSolubilityNo information availableWater SolubilityNo information availableWater SolubilityNo information availableVapor TressureNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)Not applicableFlash Point MethodNot applicableFlash Point MethodNot applicableFlash Point ImitNot applicableFlash Point LimitNot applicable<	Appearance	liquid
Density (ibs/gal)9.7 - 10.0Specific Gravity1.16 - 1.20pHNo information availableViscosity (cps)No information availableSolubilityNo information availableWater SolubilityNo information availableEvaporation RateNo information availableVapor PressureNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°F)32Freezing Point (°C)Not applicableFlash Point MethodNot applicableFlash Point ImitNot applicableFlash Point MethodNot applicableFlash Point ImitNot applicableFlash Point ImitNot applicableFlash Point ImitNot applicableFlash Point ImitNot applicable<	Odor	little or no odor
Specific Gravity1.16 - 1.20pHNo information availableViscosity (cps)No information availableSolubilityNo information availableWater SolubilityNo information availableWater SolubilityNo information availableEvaporation RateNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°F)32Freezing Point (°F)32Freezing Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)No information availableLower Explosion LimitNot applicable		
pHNo information availableViscosity (cps)No information availableSolubilityNo information availableWater SolubilityNo information availableWater SolubilityNo information availableEvaporation RateNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)Not applicableFlash Point (°C)Not applicable		••••
Viscosity (cps)No information availableSolubilityNo information availableWater SolubilityNo information availableEvaporation RateNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles55 - 65Vol. % Volatiles55 - 65Vol. % Volatiles55 - 65Voc Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Freezing Point (°C)0Flash Point (°C)Not applicableFlash Point (°	Specific Gravity	
SolubilityNo information availableWater SolubilityNo information availableEvaporation RateNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles55 - 65Vol. % Volatiles55 - 65Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Freezing Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableVore Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information		
Water SolubilityNo information availableEvaporation RateNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableVoget Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information avai		
Evaporation RateNo information availableVapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableVoer Explosion LimitNot applicableAutoignition Temperature (°C)No information available	•	
Vapor PressureNo information availableVapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)No information availableNo information Temperature (°F)No information availableAutoignition Temperature (°C)No information available	•	
Vapor DensityNo information availableWt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlay Point (Solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available	•	
Wt. % Solids45 - 55Vol. % Solids35 - 45Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point MethodNot applicableFlash point (°C)Not applicableNot applicableNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
Vol. % Solids35 - 45Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		No information available
Wt. % Volatiles45 - 55Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableNot applicableNot applicableVot applicableNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available	Wt. % Solids	
Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
VOC Regulatory Limit (g/L)0Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available	Wt. % Volatiles	
Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available	Vol. % Volatiles	55 - 65
Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information available		-
Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		100
Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		32
Flash Point (°C)Not applicableFlash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		0
Flash Point MethodNot applicableFlammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
Flammability (solid, gas)Not applicableUpper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available	Flash Point (°C)	
Upper Explosion LimitNot applicableLower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
Lower Explosion LimitNot applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
Autoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information available		
Autoignition Temperature (°C) No information available		
	• • • • •	
	Decomposition Temperature (°F)	No information available
Decomposition Temperature (°C) No information available	• • • • •	
Partition Coefficient (n-octanol/water) No information available	Partition Coefficient (n-octanol/water)	No information available

10. STABILITY AND REACTIVITY

Reactivity

Chemical Stability

Not Applicable

Stable under normal conditions.

Conditions To Avoid	Prevent from freezing.		
Incompatible Materials	No materials to be especially mentioned.		
Hazardous Decomposition Products	None under normal use.		
Possibility Of Hazardous Reactions	None under normal conditions of use.		
11. TOXIC	OLOGICAL INFORMATION		
Product Information Information on likely routes of exposure			
Principal Routes of Exposure	Eye contact, skin contact and inhalation.		
Acute Toxicity Product Information	No information available		
Information on toxicological effects			
Symptoms	No information available		
Delayed and immediate effects as well as ch	ronic effects from short and long-term exposure		
Eye contact Skin contact	May cause slight irritation Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation.		
Inhalation Ingestion	May cause irritation of respiratory tract. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
Sensitization: Neurological Effects Mutagenic Effects	No information available. No information available. No information available.		
Reproductive Effects Developmental Effects Target Organ Effects STOT - single exposure	No information available. No information available. No information available. No information available.		
STOT - repeated exposure Other adverse effects Aspiration Hazard	No information available. No information available. No information available.		
Numerical measures of toxicity			
The following values are calculated based or	n chapter 3.1 of the GHS document		
ATEmix (oral)	105190 mg/kg		
Component			

<u>Titanium dioxide</u> LD50 Oral: > 10000 mg/kg (Rat) <u>Kaolin</u> LD50 Oral: > 5000 mg/kg (Rat)

Chronic Toxicity

Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

Chemical Name	IARC	NTP
	2B - Possible Human Carcinogen	
Titanium dioxide	_	

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer NTP - National Toxicity Program OSHA - Occupational Safety & Health Administration

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

The environmental impact of this product has not been fully investigated.

Product Information

Acute Toxicity to Fish

No information available

Acute Toxicity to Aquatic Invertebrates

No information available

Acute Toxicity to Aquatic Plants

No information available

Persistence / Degradability

No information available.

Bioaccumulation / Accumulation

No information available.

Mobility in Environmental Media

No information available.

<u>Ozone</u>

No information available

Component

Acute Toxicity to Fish

<u>Titanium dioxide</u> LC50: > 1000 mg/L (Fathead Minnow - 96 hr.)

Acute Toxicity to Aquatic Invertebrates

No information available

Acute Toxicity to Aquatic Plants

No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

14. TRANSPORT INFORMATION

TDG

Not regulated

ICAO / IATA

IMDG / IMO

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA: United StatesYes - All components are listed or exempt.DSL: CanadaNo - Not all of the components are listed.
One or more component is listed on NDSL.

National Pollutant Release Inventory (NPRI)

NPRI Parts 1-4

This product contains the following Parts 1-4 NPRI chemicals:

None

NPRI Part 5

This product contains the following NPRI Part 5 Chemicals:

None

WHMIS Regulatory Status

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. OTHER INFORMATION

HMIS -	Health: 1	Flammability: 0	Reactivity: 0	PPE: -	
HMIS Lege	end	-	-		
0 - Minimal H	Hazard				
1 - Slight Ha	zard				
2 - Moderate	e Hazard				
3 - Serious H	Hazard				
4 - Severe H	lazard				
* - Chronic I	Hazard				

- * Chronic Hazard
- X Consult your supervisor or S.O.P. for "Special" handling instructions.

Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual normal conditions of use.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer, has chosen to provide them. HMIS® ratings are to be used only in conjunction with a fully implemented HMIS® program by workers who have received appropriate HMIS® training. HMIS® is a registered trade and service mark of the NPCA. HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by logging onto Health Canada @

http://www.hc-sc.gc.ca/ewh-semt/contaminants/lead-plomb/asked_questions-questions_posees-eng.php.

Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Revision Date:	06-Apr-2017
Reason For Revision	Not available

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

END OF SAFETY DATA SHEET