

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

#### **1** Identification

<sup>•</sup> Product identifier

· Trade name: Universal All Purpose Cleaner/Degreaser II

· Article number: DAC353

· Recommended use and restriction on use

- · Recommended use: All-purpose cleaner
- · Restrictions on use: No relevant information available.

#### <sup>•</sup> Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: DAC Industries, Inc. 1636 Gervais Avenue Suite 9 Maplewood, MN 55109 Phone: (651) 748-1750

### · Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

#### 2 Hazard(s) identification

#### <sup>•</sup> Classification of the substance or mixture

| Flam. Aerosol 1 | H222 | Extremely flammable aerosol.                        |
|-----------------|------|---|
| Press. Gas      | H280 | Contains gas under pressure; may explode if heated. |
| Eye Irrit. 2A   | H319 | Causes serious eye irritation.                      |
| STOT SE 3       | H336 | May cause drowsiness or dizziness.                  |
| Asp. Tox. 1     | H304 | May be fatal if swallowed and enters airways.       |

#### <sup>·</sup> Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



GHS02 GHS04 GHS07 GHS08

#### · Signal word: Danger

#### Hazard statements:

- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P261 Avoid breathing mist, vapors, or spray.

(Cont'd. on page 2)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

#### Trade name: Universal All Purpose Cleaner/Degreaser II

Revision: March 12, 2019

(Cont'd. of page 1) P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection. P280 If swallowed: Immediately call a poison center/doctor. P301+P310 P331 Do NOT induce vomiting. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. P312 If eve irritation persists: Get medical advice/attention. P337+P313 P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

| · Componen | ts:   |         |
|------------|---|---------|
| 67-64-1    | Acetone<br>Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319; STOT SE 3, H336     | 25-50%  |
| 64742-49-0 | Naphtha (petroleum), hydrotreated light (Nota P, <0.1% benzene)           | 25-50%  |
| 67-63-0    | Propan-2-ol<br>Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319; STOT SE 3, H336 | 2.5-10% |
| 124-38-9   | Carbon dioxide<br>Press. Gas, H280<br>Simple Asphyxiant                   | 2.5-10% |

#### Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

#### 4 First-aid measures

#### <sup>•</sup> Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

In cases of frostbite, rinse with plenty of water. Do not remove clothing.

#### · After eye contact:

(Cont'd. on page 3)





Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

#### Revision: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II (Cont'd. of page 2) Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Coughing Breathing difficulty Dizziness Nausea in case of ingestion. Gastric or intestinal disorders when ingested. Causes serious eye irritation. Disorientation Unconsciousness Danger: May be fatal if swallowed and enters airways. Danger of impaired breathing. Danger of convulsion. Danger of hyperglycemia. Danger of disturbed cardiac rhythm. · Indication of any immediate medical attention and special treatment needed: If swallowed or in case of vomiting, danger of entering the lungs. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media Suitable extinguishing agents: Carbon dioxide Fire-extinguishing powder Foam Gaseous extinguishing agents Water fog / haze • For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Danger of receptacles bursting because of high vapor pressure if heated.

# Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### • Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered containers with water fog.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

#### Trade name: Universal All Purpose Cleaner/Degreaser II

(Cont'd. of page 3)

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources. Protect from heat. **Environmental precautions** Avoid release to the environment. <sup>•</sup> Methods and material for containment and cleaning up Allow to evaporate. Absorb liquid components with non-combustible liquid-binding material. Send for recovery or disposal in suitable receptacles. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling

#### · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Keep out of reach of children.

Handle with care.

Avoid splashes or spray in enclosed areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

#### Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Fumes can combine with air to form an explosive mixture.

Emergency cooling must be available in case of nearby fire.

#### <sup>•</sup> Conditions for safe storage, including any incompatibilities

#### Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

Observe official regulations on storing packagings with pressurized containers.

#### Avoid storage near extreme heat, ignition sources or open flame.

#### • **Information about storage in one common storage facility:** Store away from foodstuffs.

Store away from oxidizing agents.

#### · Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. Storage Temperatures: <122  $^{\circ}$ F / <50  $^{\circ}$ C.

(Cont'd. on page 5)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II

• Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

| · Control paran | neters  |                  |
|-----------------|---|------------------|
| · Components w  | ith limit values that require monitoring at the workplace:                            |                  |
| 67-64-1 Aceton  | e   |                  |
| PEL (USA)       | Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm                                    |                  |
| REL (USA)       | Long-term value: 590 mg/m <sup>3</sup> , 250 ppm                                      |                  |
| TLV (USA)       | Short-term value: 1187 mg/m³, 500 ppm<br>Long-term value: 594 mg/m³, 250 ppm<br>BEI   |                  |
| EL (Canada)     | Short-term value: 500 ppm<br>Long-term value: 250 ppm                                 |                  |
| EV (Canada)     | Short-term value: 750 ppm<br>Long-term value: 500 ppm                                 |                  |
| LMPE (Mexico)   | Short-term value: 750 ppm<br>Long-term value: 500 ppm<br>A4, IBE                      |                  |
| 67-63-0 Propan  | -2-ol   |                  |
| PEL (USA)       | Long-term value: 980 mg/m <sup>3</sup> , 400 ppm                                      |                  |
| REL (USA)       | Short-term value: 1225 mg/m³, 500 ppm<br>Long-term value: 980 mg/m³, 400 ppm          |                  |
| TLV (USA)       | Short-term value: 984 mg/m³, 400 ppm<br>Long-term value: 492 mg/m³, 200 ppm<br>BEI    |                  |
| EL (Canada)     | Short-term value: 400 ppm<br>Long-term value: 200 ppm                                 |                  |
| EV (Canada)     | Short-term value: 400 ppm<br>Long-term value: 200 ppm                                 |                  |
| LMPE (Mexico)   | Short-term value: 400 ppm<br>Long-term value: 200 ppm<br>A4, IBE                      |                  |
| 124-38-9 Carbo  | n dioxide   |                  |
| PEL (USA)       | Long-term value: 9000 mg/m³, 5000 ppm   |                  |
| REL (USA)       | Short-term value: 54,000 mg/m³, 30,000 ppm<br>Long-term value: 9000 mg/m³, 5000 ppm   |                  |
| TLV (USA)       | Short-term value: 54,000 mg/m³, 30,000 ppm<br>Long-term value: 9000 mg/m³, 5000 ppm   |                  |
| EL (Canada)     | Short-term value: 15000 ppm<br>Long-term value: 5000 ppm                              |                  |
| EV (Canada)     | Short-term value: 54,000 mg/m³, 30,000 ppm<br>Long-term value: 9,000 mg/m³, 5,000 ppm |                  |
| LMPE (Mexico)   | Short-term value: 30000 ppm   |                  |
|                 |   | (Cont'd. on page |



Revision: March 12, 2019

(Cont'd. of page 4)



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II

|  | (Cont'd. of page 8   |
|--|--|
|  | Long-term value: 5000 ppm  |
| Ingredient   | s with biological limit values:  |
| 67-64-1 Ac   |  |
| BEI (USA)  | 50 mg/L<br>Medium: urine<br>Time: end of shift<br>Parameter: Acetone (nonspecific)   |
| 67-63-0 Pr   | opan-2-ol  |
| BEI (USA)  | 40 mg/L<br>Medium: urine<br>Time: end of shift at end of workweek<br>Parameter: Acetone (background, nonspecific)  |
| Wash hand<br>Do not inha<br>Avoid conta<br>Engineerir<br>Breathing | y remove all soiled and contaminated clothing.<br>Is before breaks and at the end of work.<br>ale gases / fumes / aerosols.<br>act with the eyes and skin.<br><b>ng controls:</b> No relevant information available.<br><b>equipment:</b><br>opriate NIOSH respirator when ventilation is inadequate and occupational exposure limits ar<br><b>of hands:</b> |
| Pro Pr   | otective gloves  |
| The glove r<br>Eye protec  | material has to be impermeable and resistant to the product/ the substance/ the preparation. ction:  |
| Sa   | afety glasses  |
|  | ection: Protective work clothing<br>n and supervision of exposure into the environment   |

· Risk management measures No relevant information available.

#### 9 Physical and chemical properties

#### <sup>·</sup> Information on basic physical and chemical properties

· Appearance: Form:

Color:

Aerosol Clear

(Cont'd. on page 7)



#### Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Page: 7/12

Printing date: March 12, 2019

Revision: March 12, 2019

#### Trade name: Universal All Purpose Cleaner/Degreaser II

|   | (Cont'd. of page  |
|---|---|
| · Odor:                                       | Solvent-like  |
| <sup>·</sup> Odor threshold:                  | Not determined.   |
| · pH-value:                                   | Not determined.   |
| · Melting point/Melting range:                | Not determined.   |
| · Boiling point/Boiling range:                | 65 °C (149 °F)  |
| · Flash point:                                | < -18 °C (<-0.4 °F) (PMCC)                                  |
| · Flammability (solid, gaseous):              | Not applicable.   |
| · Auto-ignition temperature:                  | 240 °C (464 °F)   |
| · Decomposition temperature:                  | Not determined.   |
| · Danger of explosion:                        | Product is not explosive. However, formation of explosive a |
| -   | vapor mixtures are possible.                                |
| · Explosion limits                            |   |
| Lower:  | 1.2 Vol %   |
| Upper:  | 13.0 Vol %  |
| · Oxidizing properties:                       | Non-oxidizing.  |
| <sup>.</sup> Vapor pressure at 20 °C (68 °F): | 233 hPa (174.8 mm Hg)                                       |
| · Density:                                    |   |
| Relative density:                             | 0.7   |
| Vapor density:                                | Not determined.   |
| Evaporation rate:                             | Not determined.   |
| · Solubility in / Miscibility with            |   |
| Water:  | Fully miscible.   |
| · Partition coefficient (n-octanol/wate       | er): Not determined.  |
| Viscosity                                     |   |
| Dynamic:                                      | Not determined.   |
| Kinematic:                                    | Not determined.   |
| · Other information                           | No relevant information available.                          |

#### 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.

#### Possibility of hazardous reactions

Extremely flammable aerosol.

Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.

- Develops readily flammable gases / fumes.
- Danger of receptacles bursting because of high vapor pressure if heated.
- Used empty containers may contain product gases which form explosive mixtures with air.
- Reacts with peroxides and other radical forming substances.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

(Cont'd. on page 8)

# DAC

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II

(Cont'd. of page 7)

Reacts with strong acids and alkali. • Conditions to avoid Excessive heat. • Incompatible materials Oxidizers, strong bases, strong acids • Hazardous decomposition products Under fire conditions only:

Carbon monoxide and carbon dioxide

Hydrocarbons

| Acut  | mation on toxicological effects<br>e toxicity: Based on available data, the classification criteria are not met.   |
|-------|--|
|       | C50 values that are relevant for classification:   |
| 67-64 | I-1 Acetone  |
| Oral  | LD50 5800 mg/kg (rat)  |
|       | al LD50 20000 mg/kg (rabbit)   |
|       | ary irritant effect:   |
|       | ne skin: Based on available data, the classification criteria are not met.<br>The eye: Causes eye irritation.  |
|       | itization: Based on available data, the classification criteria are not met.   |
|       | inogenic categories  |
|       | (International Agency for Research on Cancer):   |
|       | of the ingredients are listed.   |
|       |  |
|       | (National Toxicology Program):   |
|       | of the ingredients are listed.   |
|       | A-Ca (Occupational Safety & Health Administration):  |
|       | of the ingredients are listed.   |
|       | able route(s) of exposure:   |
| Inhal | ation.<br>contact.   |
|       | contact.   |
|       | <b>cell mutagenicity:</b> Based on available data, the classification criteria are not met.  |
| Carc  | nogenicity: Based on available data, the classification criteria are not met.  |
|       | oductive toxicity: Based on available data, the classification criteria are not met.   |
|       | <b>F-single exposure:</b> May cause drowsiness or dizziness.   |
|       | <b>F-repeated exposure:</b> Based on available data, the classification criteria are not met.<br><b>ration hazard:</b> May be fatal if swallowed and enters airways. |
| дорі  |  |
|       |  |

· Aquatic toxicity No relevant information available.

• Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

(Cont'd. on page 9)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

#### Revision: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II

(Cont'd. of page 8)

• Mobility in soil: No relevant information available.

Additional ecological information

· General notes: Avoid release to the environment.

· Other adverse effects No relevant information available.

#### 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

| <sup>·</sup> UN-Number<br>· DOT, ADR/RID/ADN, IMDG, IATA            | UN1950                                      |  |
|---|---|--|
| · UN proper shipping name<br>· DOT<br>· ADR/RID/ADN, IMDG<br>· IATA | Aerosols<br>AEROSOLS<br>Aerosols, flammable |  |
| Transport hazard class(es)  |   |  |
| DOT   |   |  |
| · Class<br>· Label  | 2.1<br>2.1                                  |  |
| · ADR/RID/ADN   |   |  |
|   |   |  |
| · Class   | 2 5F  |  |
| · Label   | 2.1   |  |
|   |   |  |





Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

|   | (Cont'd. of pa   |
|---|--|
| Class   | 2.1  |
| Label   | 2.1  |
| Packing group   | Aerosols are not assigned a packing group.               |
| Environmental hazards   |  |
| Marine pollutant:   | No   |
| Special precautions for user  | Warning: Gases   |
| Danger code (Kemler):<br>EMS Number:  | -  |
|   | F-D,S-U  |
| Transport in bulk according to An   |  |
| MARPOL73/78 and the IBC Code  | Not applicable.  |
|   |  |
| Transport/Additional information:   |  |
| DOT   |  |
| DOT Limited Quantity for packages le  | ess than 30 kg gross and inner packagings less than 1 L. |
| DOT<br>Limited Quantity for packages le   |  |
| DOT<br>Limited Quantity for packages le<br>ADR/RID/ADN<br>Limited Quantity for packages le  | ess than 30 kg gross and inner packagings less than 1 L. |
| DOT<br>Limited Quantity for packages less<br>ADR/RID/ADN<br>Limited Quantity for packages less<br>IMDG  | ess than 30 kg gross and inner packagings less than 1 L. |
| DOT<br>Limited Quantity for packages lease<br>ADR/RID/ADN<br>Limited Quantity for packages lease<br>IMDG<br>Limited Quantity for packages lease | ess than 30 kg gross and inner packagings less than 1 L. |
| ADR/RID/ADN<br>Limited Quantity for packages le   | ess than 30 kg gross and inner packagings less than 1 L. |

# 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA Section 302 (extremely hazardous substances): None of the ingredients are listed. Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 11)



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II

(Cont'd. of page 10)

L

• Section 313 (Specific toxic chemical listings):

67-63-0 Propan-2-ol

TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

67-64-1 Acetone

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 12, 2019 / -

· Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit BEI: Biological Exposure Limit** Flam. Aerosol 1: Aerosols - Category 1 Press. Gas: Gases under pressure - Compressed gas Press. Gas: Gases under pressure - Liquefied gas Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 12)





Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 12, 2019

Revision: March 12, 2019

Trade name: Universal All Purpose Cleaner/Degreaser II

(Cont'd. of page 11)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com