

Printing date: March 07, 2019

Revision: March 07, 2019

1 Identification

- [•] Product identifier
- · Trade name: Moisture Guard
- · Article number: DAC101

· Recommended use and restriction on use

- · Recommended use: Anti-moisture agent
- · Restrictions on use: No relevant information available.

[•] Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: DAC Industries, Inc. 1636 Gervais Avenue Suite 9 Maplewood, MN 55109 Phone: (651) 748-1750

Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Flam. Aerosol 1H222Extremely flammable aerosol.Press. GasH280Contains gas under pressure; may explode if heated.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.

[·] Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



Signal word: Danger

- · Hazard statements:
- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

· Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P261 Avoid breathing mist, vapors, or spray.

(Cont'd. on page 2)



Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard

	(Cont'd. of page 1)
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	If on skin: Wash with plenty of soap and water.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403	Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazard	S There are no other hazards not athenwise classified that have been identified

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

components.		
68476-86-8 Petroleum gases, liquified, sweetened	50-100%	
🚯 Flam. Gas 1, H220		
Press. Gas, H280		
Trade Secret Sulfonate adipate blend	2.5-10%	
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317		
· Additional information:		

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

[•] Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention. In cases of frostbite, rinse with plenty of water. Do not remove clothing. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

(Cont'd. of page 2)

DAC

Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard

Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Coughing Breathing difficulty Dizziness Frostbite Danger: Danger of impaired breathing. Vapors have narcotic effect. Danger of convulsion. Danger of disturbed cardiac rhythm. Indication of any immediate medical attention and special treatment needed: Contains Trade Secret Sulfonate adipate blend. May produce an allergic reaction. Medical supervision for at least 48 hours. Later observation for pneumonia and pulmonary edema. If necessary oxygen respiration treatment. Treat frost-bitten areas appropriately.

5 Fire-fighting measures

[·] Extinguishing media

Suitable extinguishing agents:

Alcohol resistant foam Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

• For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Danger of receptacles bursting because of high vapor pressure if heated.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered containers with water fog.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Protect from heat.

(Cont'd. on page 4)



Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard

(Cont'd. of page 3)

Environmental precautions Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up

Allow to evaporate.

Absorb liquid components with non-combustible liquid-binding material. Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Keep away from heat and direct sunlight.

Avoid contact with the eyes and skin.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Emergency cooling must be available in case of nearby fire.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

Storage area should be dry and well-ventilated.

Information about storage in one common storage facility: Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. Protect from heat and direct sunlight.

Storage Temperatures: <122 °F / <50 °C.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Exposure controls

· General protective and hygienic measures:

(Cont'd. on page 5)

Printing date: March 07, 2019

Trade name: Moisture Guard

Revision: March 07, 2019

(Cont'd. of page 4) The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: No relevant information available. · Breathing equipment: Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment Avoid release to the environment. · Risk management measures No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Aerosol Color: Amber colored · Odor: Light Not determined. · Odor threshold: · pH-value: Not determined.

• Melting point/Melting range: Not determined. Boiling point/Boiling range: -24 °C (-11.2 °F) · Flash point: <-104 °C (<-155.2 °F) (PMCC) · Flammability (solid, gaseous): Not applicable. Not determined. • Auto-ignition temperature: · Decomposition temperature: Not determined. • Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. Explosion limits Lower: Not determined.

(Cont'd. on page 6)



Page: 6/10

Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard

		(Cont'd. of page
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

Thermal decomposition / conditions to be avoided:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

[•] Possibility of hazardous reactions

Extremely flammable aerosol.
Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.
Develops readily flammable gases / fumes.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
Danger of receptacles bursting because of high vapor pressure if heated.
Reacts with peroxides and other radical forming substances.
Reacts with acids.
Conditions to avoid Excessive heat.
Incompatible materials
Strong acids
Oxidizers
Hazardous decomposition products
Under fire conditions only:
Carbon monoxide and carbon dioxide
Sulfur oxides (SOx)

11 Toxicological information

Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

(Cont'd. on page 7)

DAC

Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard

(Cont'd. of page 6)

- On the skin: Irritant to skin and mucous membranes.
- On the eye: Causes eye irritation.
- Sensitization: Sensitization possible through skin contact.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

(Cont'd. on page 8)



Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard


	(Cont'd. of page
· DOT, ADR/RID/ADN, IMDG, IATA	UN1950
UN proper shipping name	
· DOT · ADR/RID/ADN, IMDG	Aerosols AEROSOLS
	Aerosols, flammable
[•] Transport hazard class(es)	
· DOT	
· Class	2.1
·Label	2.1
· ADR/RID/ADN	
Class	2 5F
·Label	2.1
· Class	2.1
· Label	2.1
· Packing group	Aerosols are not assigned a packing group.
· Environmental hazards · Marine pollutant:	No
-	
 Special precautions for user Danger code (Kemler): 	Warning: Gases
· EMS Number:	- F-D,S-U
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
[·] Transport/Additional information:	
· DOT	
	han 30 kg gross and inner packagings less than 1 L.
	(Cont'd. on page



Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard



15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
United States (USA)
SARA
Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

(Cont'd. on page 10)



Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 07, 2019

Revision: March 07, 2019

Trade name: Moisture Guard

(Cont'd. of page 9)

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 07, 2019 / -

• Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Gas 1: Flammable gases - Category 1 Flam. Aerosol 1: Aerosols - Category 1 Press. Gas: Gases under pressure - Compressed gas Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com