FLEX 32PN







ecosmar+™ Fire

	Clean	Burning
		by clean burning bioethanol
Beem Divider Application		Toughened Safety Screen
Room Divider Application Peninsula fireplaces feature three open sides - view the flame from the front, back and open side.	Global Compliance	Your Flex Fireplace features toughened glass to stabilise the flame in windy conditions and provide an additional layer
Decorative Side Box	These models comply with existing standards in the USA, Europe, UK and Australia. UL Listed, EN 16647 BSI Certified, ACCC Safety	of safety and comfort. The Integrated windscreen sits flush behind the frame.
When a decorative box is added, the panel between the standard fire and the decorative box is glass.	Mandate compliant.	
18.52 3 14	Lunder (m. S. Joseffer	
		· · · · · · · · · · · · · · · · · · ·
Colours		: .
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners.	Built to Last a Lit	:
Available in a timeless black finish, Flex Fireplaces	Zinc sealed steel of	construction powder coated with super t prevents rusting so all fireplaces can
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Black	Zinc sealed steel of hi-temp black pair	construction powder coated with super t prevents rusting so all fireplaces can
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners.	Zinc sealed steel of hi-temp black pair be used both indo Zero Clearance Self-contained, zero cl fireplace to be framed installation freedom ar	construction powder coated with super t prevents rusting so all fireplaces can
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Black	Zinc sealed steel of hi-temp black pair be used both indo Zero Clearance Self-contained, zero cl fireplace to be framed installation freedom ar	construction powder coated with super it prevents rusting so all fireplaces can ors or outdoors. earance construction allows your Flex into wood or metal studs, providing d flexibility for builders, architects,
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Burner Burner	Zinc sealed steel of hi-temp black pair be used both indo Zero Clearance Self-contained, zero cl fireplace to be framed installation freedom ar	construction powder coated with super it prevents rusting so all fireplaces can ors or outdoors. earance construction allows your Flex into wood or metal studs, providing d flexibility for builders, architects, iscapers and homeowners.
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Burner Burner	Zinc sealed steel of hi-temp black pair be used both indo Zero Clearance Self-contained, zero cl fireplace to be framed installation freedom ar interior designers, land	construction powder coated with super it prevents rusting so all fireplaces can ors or outdoors. earance construction allows your Flex into wood or metal studs, providing d flexibility for builders, architects, iscapers and homeowners.

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum edent permitted by law. The product specifications do not expand or otherwise modily MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or applications. Images are indicative only.



Peninsula Fireplaces

Award	2020 BIMsmith Best Award (USA)
Application	Indoor & Outdoor
Materials	Mild Steel (Zinc Sealed), Toughened Glass, Grade 304 Stainless Steel
Colours	Black Firebox, Stainless Steel or Black Burner/s
Fuel Type	e-NRG Bioethanol


Flex 32


ESF.1.FX.32PN

Weight	49.8kg [109.6lbs] (Incl. burner/s, glass charcoal, glass)						
Burner	XL500 x 1						
Volume Capacity	5 Litres [1.3 Gallons]						
Heats on Average (when used indoors)	Over 40 square metres [430.6 square feet]						
Burn Time	10 - 13 hours (approx)						
Minimum Room Size	80 cubic metres [2825 cubic feet] per fireplace.						
Minimum Wall Length	1,015mm [40in]						

Physical model dimensions should be verified against cut out dimensions BEFORE installation begins to confirm tolerances align.

These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.





FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or applications. Images are indicative only.

ecosmar+™ Fire

Peninsula Installations





Flex 68PN.BXL



Flex	140PN	V.BX2												

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group,"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum edent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDE products net expressiving indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any draw as arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.