FLEX 32RC

RIGHT CORNER FIREPLACE





ecosmar+™ Fire

		Clean Burning	
		Fueled by clean burning e-NRG bioethanol	
		Touch and Octobe Opening	
Single Room Application		Toughened Safety Screen	
Right Corner fireplaces feature two open sides - view the flame from the front and from the right corner.	Global Compliance	Your Flex Fireplace features toughened glass to stabilise the flame in windy conditions and provide an additional layer	
	These models comply with existing standards in the USA, Europe, UK and Australia.	of safety and comfort. The Integrated windscreen sits flush behind the frame.	
Decorative Side Box	UL Listed, EN 16647 BSI Certified, ACCC Safety		
When a decorative box isadded, the panel between the standard fire and the decorative box is glass.	Mandate compliant.		
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners.		Last a Lifetime	
Available in a timeless black finish, Flex Fireplaces	Zinc sea hi-temp	Last a Lifetime led steel construction powder coated with supe black paint prevents rusting so all fireplaces car both indoors or outdoors.	
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Black	Zinc sea hi-temp	led steel construction powder coated with supe black paint prevents rusting so all fireplaces car both indoors or outdoors.	
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Black	Zinc sea hi-temp be used Zero Clearan Self-containe fireplace to b installation fr	led steel construction powder coated with supe black paint prevents rusting so all fireplaces can both indoors or outdoors.	
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners.	Zinc sea hi-temp be used Zero Clearan Self-containe fireplace to b installation fr	led steel construction powder coated with super black paint prevents rusting so all fireplaces can both indoors or outdoors. nce ed, zero clearance construction allows your Flex e framed into wood or metal studs, providing eedom and flexibility for builders, architects,	
Available in a timeless black finish, Flex Fireplaces come with Stainless Steel or Black burners. Stainless Steel Black	Zinc sea hi-temp be used Zero Clearan Self-containe fireplace to b installation fr	led steel construction powder coated with super black paint prevents rusting so all fireplaces car both indoors or outdoors. nce ed, zero clearance construction allows your Flex e framed into wood or metal studs, providing eedom and flexibility for builders, architects, ners, landscapers and homeowners.	

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum edent permitted by law. The product specifications do not expand or otherwise modily MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or applications. Images are indicative only.



Right Corner Fireplaces

Award	2020 BIMsmith Best Award (USA)	
Application	Indoor & Outdoor	
Materials	Mild Steel (Zinc Sealed), Toughened Glass, Grade 304 Stainless Steel	
Colours	Black Firebox, Stainless Steel or Black Burner/s	
Fuel Type	e-NRG Bioethanol	


Flex 32

ESF.1.FX.32RC

Weight	48.8kg [107.4lbs] (Incl. burner/s, glass charcoal, glass)	
Burner	XL500 x 1	
Volume Capacity	5 Litres [1.3 Gallons]	
Heats on Average (when used indoors)	Over 40 square metres [430.6 square feet]	
Burn Time	10 - 13 hours (approx)	
Minimum Room Size	80 cubic metres [2825 cubic feet] per fireplace.	
Minimum Wall Length	1,015mm [40in]	

Physical model dimensions should be verified against cut out dimensions BEFORE installation begins to confirm tolerances align.

These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.



SIDE VIEW

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or applications. Images are indicative only.

[28.4] 721

200 [7.9]


[14.3] 364

[13.4]

340 INT

[1.8] 47

ecosmar+™ Fire



Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behall (collectively, "MAD Design Group"), disclaim any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGS terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDE products not expressed indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications.