# FLEX 50SS








# Clean Burning Fueled by clean burning e-NRG bioethanol **Toughened Safety Screen Single Room Application** Your Flex Fireplace features Single Sided fireplaces feature toughened glass to stabilise one open side - view the flame the flame in windy conditions **Global Compliance** from the front. and provide an additional layer of safety and comfort. The These models comply with Integrated windscreen sits flush existing standards in the USA, behind the frame. Europe, UK and Australia. UL Listed, EN 16647 BSI **Decorative Side Box** Certified, ACCC Safety Mandate compliant. When a decorative box is added, the panel between the standard fire and the decorative box is glass. Luxurious Finish Available in a timeless black finish, Flex **Built to Last a Lifetime** Fireplaces come with stainless steel burners and black glass charcoal. Zinc sealed steel construction powder coated with super hi-temp black paint prevents rusting so all fireplaces can be used both indoors or outdoors. Decorative Steel Log Sets (sold separately) EcoSmart Fire offers non-combustible logs as an optional, **Zero Clearance** eye-catching accessory for models with the decorative side box. Made from stainless steel with a patina finish, Self-contained, zero clearance construction allows your Flex they are available in different finishes. fireplace to be framed into wood or metal studs, providing \*Decorative logs must NOT be placed directly over an open installation freedom and flexibility for builders, architects, flame. They are designed to sit near heat but not over flames. interior designers, landscapers and homeowners. Included Accessories **Optional Accessory** Jerry Can Lighting Rod Operations Manual Baffles Black Glass Decorative + Lighter Steel Logs

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or of benevise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDGs. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.





# **Single Sided Fireplaces**

Award	2020 BIMsmith Best Award (USA)
Application	Indoor & Outdoor
Materials	Mild Steel (Zinc Sealed), Toughened Glass, Grade 304 Stainless Steel
Colours	Black Firebox, Stainless Steel Burner/s
Fuel Type	e-NRG Bioethanol

### Flex 50

ES	$\vdash$	 -	/ F	0	00

71.4kg [157.1lbs] (Incl. burner/s, glass charcoal, glass)
XL900 x 1
9 Litres [2.4 Gallons]
Over 60 square metres [645 square feet]
8 - 13 hours (approx)
110 cubic metres [3884 cubic feet] per fireplace.
1,475mm [58in]

ESF.1.FX.50SS.BXL ESF.1.FX.50SS.BXR

Weight	69.9kg [153.8lbs] (Incl. burner/s, glass charcoal, glass)
Burner	XL500 x 1
Volume Capacity	5 Litres [1.3 Gallons]
Heats on Average (when used indoors)	Over 40 square metres [430.6 square feet]
Burn Time	10 - 13 hours (approx)
Minimum Room Size	80 cubic metres [2825 cubic feet] per fireplace.
Minimum Wall Length	1,475mm [58in]

Physical model dimensions should be verified against cut out dimensions BEFORE installation begins to confirm tolerances align.

These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

## FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer, All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any darranges arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.



# Single Sided Installations





Flex 32SS Flex50SS





Flex 50SS Flex 50SS





Flex 50SS Flex 50SS

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.



# Single Sided Installations





Flex 68SS Flex 68SS





Flex 68SS Flex 104SS





Flex 158SS Flex 158SS.BX2

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.