

## Brand

### тото

# Product Name

#### TCF24410ASG

# Description

- EWATER+ spreads out and keeps clean nozzle by preventing bacterial with sanitizing effect
- PREMIST water is sprayed inside the toilet bowl to make it difficult for dirt to adhere
- Maximized comfort function with new wide front and pulsating cleansing
- Fully equipped with comfortable rear, front and oscillating cleansing functions
- Adjustable WARM AIR DRYING and HEATED SEAT with temperature control
- Auto powerful DEODORIZER activates after every usage
- Comes with ABB F202 RCCB

# Colour / Material

White / Plastic

# **Specifications**

Size	: 383W x 530D x 147H mm
Water pressure	: 0.05MPa ~ 0.75MPa
Power rating	: 220~240V, 50/60Hz, 307 ~ 362W
Power cord	: 5000mm length
Base plate that co	omes together with washlet
-	-

can be extended from 140mm - 155mm


Fullsun Marketing Pte Ltd www.fullsun.com.sg



WASHLET TCF24410ASG#NW1 FUNCTIONS						
Hygiene Functions		Cleansing Functions		Comfort Functions		
<b>EWATER</b> +	•	S AIR-IN WONDERWAVE		Soft Close Seat & Lid	•	
<b>OREMIST</b>	•	Rear Cleansing	•	O AUTO OPEN / CLOSE LID		
SELF-CLEANING WAND	•	Rear Soft Cleansing	•	🔘 AUTO FLUSH		
Self – Cleaning Button	•	Front Cleansing	•	HEATED SEAT	•	
Clean Resin	•	Wide Front Cleansing		DRYER	•	
Removable Lid	•	Oscillating Cleansing	•	DEODORIZER	•	
One-Touch Removable Unit	•	Pulsating Cleansing	•	SOFT LIGHT		
Antibacterial Surface	•	Nozzle Position Adjustment	•	Water Heating Type	Tank	
				Temperature (Water)	•	
				Water Pressure	•	
				Remote Control	•	
				Personal Setting	•	
				Energy Saver	•	



# Electrical Installation Requirements for TOTO Washlet & Neorest



Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.

Fullsun Marketing Pte Ltd www.fullsun.com.sg