

Brand

OTOT

Product Name

TCF34320GSG

Description

- EWATER+ spreads out and keeps the nozzle clean by preventing bacteria with sanitizing effect
- PREMIST water is sprayed inside the toilet bowl to make it difficult for dirt to adhere
- · Maximized comfort function with pulsating cleansing
- Fully equipped with comfortable rear, front and oscillating cleansing functions
- Adjustable WARM AIR DRYING
- HEATED SEAT with temperature control
- Auto powerful DEODORIZER activates after every usage
- Comes with ABB F202 RCCB

Colour / Material

White / Plastic

Specifications

Size : $383W \times 540D \times 130H \text{ mm}$

Water pressure : 0.05MPa ~ 0.75MPa

Power rating : 220~240V, 50/60Hz, 826 ~ 837W


Power cord : 5000mm length



WASHLET TCF34320GSG#NW1 FUNCTIONS					
Hygiene Functions		Cleansing Functions		Comfort Functions	
€ EWATER+	•	AIR-IN WONDERWAVE		Soft Close Seat & Lid	•
PREMIST	•	Rear Cleansing	•	AUTO OPEN / CLOSE LID	
SELF-CLEANING WAND	•	Rear Soft Cleansing	•	O AUTO FLUSH	
Self – Cleaning Button	•	Front Cleansing	•	HEATED SEAT	•
Clean Resin	•	Wide Front Cleansing		DRYER	•
Removable Lid	•	Oscillating Cleansing	•	DEODORIZER	•
One-Touch Removable Unit	•	Pulsating Cleansing	•	SOFT LIGHT	
Antibacterial Surface	•	Nozzle Position Adjustment	•	Water Heating Type	Instantaneous
				Temperature (Water)	•
				Water Pressure	•
				Remote Control	•
				Personal Setting	•
				Energy Saver	•



Electrical Installation Requirements for TOTO Washlet & Neorest



Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.