

Brand

TOTO

Product Name

CW812REJT2WS

Description

- Wall hung toilet
- Tornado Flushing for powerful flushing effect with less amount of water
- Rimless bowl design ensures easy cleaning and ultimate hygiene
- CeFiONtect prevents debris on toilet surface
- Come with concealed feature, hiding all wires inside the bowl

Colour / Material

White

Specifications

Flush System : Tornado, Dual Fush Water Usage : 3.50 L / 2.50 L Rough-in : 220 mm (P-Trap)

Size : $380W \times 595D \times 335H \text{ mm}$ Water Pressure : $0.05MPa \sim 0.75MPa$




TOTO

K9203 FIXING KIT INSTALLATION MANUAL


Included Parts / 동봉 부품 / 包裝內零件

Parts name / 각부의 설명 / 關於各部位之說明



- * The product may be slightly different in shape than the product shown in the figure depending on the model. / ※품번에 따라 그림과 실제 제품의 형태가 일부 다를 수 있습니다. /
- ※依型號不同,圖示與實際產品的形狀可能有部分差異。


Installation Procedure / 설치 방법 / 安裝方法



For repairs & maintenance, where the dismantling and reinstalling of the wall hung water closet is concern, it is advisable to change the fixing kit.







Brand

OTOT

Product Name

TCF4911ESP

Description

- Multi function washlet with remote control
- EWATER+ automatically spreads out and keeps clean toilet bowl and nozzle by preventing bacteria with sanitizing effect
- · Auto lid opening and closing
- Fully equipped with comfortable rear, front, pulsating and oscillating cleansing functions
- PREMIST water is sprayed to make it difficult for dirt to adhere
- SELF-CLEANSING NOZZLE where wand self-cleans before and after every use
- AIR-IN WONDERWAVE Cleansing provides eco-friendliness
- Come with 16A ELCB 10mA DP (SS97)
- Refer to 2nd page for detail functions

Colour / Material

White

Specifications

Size : $383W \times 532D \times 125H \text{ mm}$

Water pressure $: 0.05MPa \sim 0.75MPa$ Power rating : 220V, 50/60H, 830W

Power cord : 5100mm length




WASHLET FUNCTIONS

Hygiene Functions		Cleansing Functions		Comfort Functions	
Ewater+	•	Air in Wonder Wave	•	Auto Lid Opening and Closing	•
Antibacterial Feature	•	Rear Cleansing	•	Soft Close Seat and Lid	
Removable Lid	•	Soft Rear Cleansing	•	Deodorizer	•
One-Touch Removable of Main Unit	•	Front Cleansing	•	Dryer	•
Nozzle Cleaning Button	•	Wide Front Cleansing	•	Heated Seat	•
Self-Cleaning Nozzle	•	Oscillating (Move) Cleansing	•	Soft Light	•
Pre-mist	•	Pulsating Cleansing	•	Remote Control	•
		Nozzle Position Adjustment	•	Water Pressure	•
				Personal Setting	•
				Temperature	•
				Energy Saver	•



Electrical Installation Requirements for TOTO Washlet & Neorest




Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.







Brand

TOTO

Product Name

WH173SGAT

Description

- Concealed cistern tank
- Dual flush system
- Auto –flushing feature (TCA464 valve)
- Compatible with WASHLET +

Colour / Material

Specifications



