

3D-Printers for industrial Applications



INDUSTRY

rapidshape



Andreas Schultheiss CEO

Andreas Geitner CTO

10 years ago we launched our very first printer. Ever since we have been contributing to extraordinary moments in other people's lives: When exchanging wedding rings in front of the altar, when the perfect fitted hearing aid let people discover an emotional sound experience, when smiling bright to both sides after leaving the dentist and with every step you take. These are the moments we are proud of and which push us forward.

Today, additive manufacturing (AM) is more dynamic than ever before. AM allows us to realize completely new shapes, to think further and to discover unknown paths. AM makes the impossible become reality so that we are able to think outside the boxes of conventional production processes. The part production of the future will become faster, more flexible and less expensive - but quality will remain the same. Our ideas and solutions are made to provide this future of production to you already today!

But what about the upcoming 10 years? Pandemic has taught us many things. One of the lessons learned is that planning the future is necessary, but every scenario should be designed adaptable. But it is also clear that the world will keep on turning and we all keep turning with it. It is our ideas and decisions that will keep us pushing forward.

Optimize Your Production!

130+
Page 14

150+
Page 16

1100+
Page 18

RS inline
Page 20



NEW

We are Rapid Shape

From a start-up to an international respected company

A company from the south of Germany. 10 years ago, we decided to make our own 3D-printers. Thus, a virtue was made of necessity. Because the offers on the market were simply not satisfactory for our parent company Schultheiss GmbH, whose field of activity is heating and casting technology for processing precious metals. So, if nothing fits, then something suitable is made. That's how our first printers came about. Today, we employ over 175 people at seven locations in over five countries around the world.

Our claim

Not only to meet our customers' expectations, but to exceed them, that has always been our aspiration. We are constantly developing our products, as well as ourselves, to provide the best solutions for our customers. Thus, our product portfolio has grown enormously since the foundation in 2011.

Always a solution

3D-printing is supposed to save you time - not take it away. This is exactly where our patented solutions come in. For example, our printers have Automatic Separation units to save you the task of separating the printed parts from the build platform and start the next print job independently. In addition, the Automatic Refill unit ensures that there is always a sufficiently high level of print material in the reservoir. Manual refilling is no longer necessary. No idle time, no cleaning time.*

The quality

Before leaving our production site, every single 3D-printer must pass several strict quality control processes. One of the most important checks - the printing itself. Every printer has to execute validation print jobs which will be measured afterwards. That's how we ensure that every printer meets our high quality standards and will be sent to you fully functional.

Andreas Laboratory

Simone Customer Service

Chi Distribution

Robin Product Management

Placide Technical Service

* More extras and a complete overview of our solutions can be found starting on page 14.

All over the World

- Heimsheim **Germany** _____
- Andover **USA** _____
- Tokyo **Japan** _____
- Suzhou **China** _____

- Curitiba **Brazil** _____



Why we are so fast

Why Vat Polymerization Technology? Why DLP?

There is a huge amount of different 3D-printing technologies available. We made conscious decisions about choosing Digital Light Processing (DLP) for a simple reason: Only by using DLP we can ensure high repeatability over a long period of time when printing high-resolution parts.

DLP is one technical way of vat photopolymerization. Hereby liquid resins are used, the so called photopolymere in this context, which are being cured photochemical by light. As using light as tool, a very precise production is possible. Simultaneously, only lowest energy and resource consumptions are necessary to get from the resin as raw material to the finished printed part. Thereby the highest material turnover rate per time and thus the highest productivity in comparison to other 3D-printing technologies can be achieved. Due to precise manufacturing and smart ideas being developed in-house, a high rate of resource-efficiency is also an effect of this technology.

All named parameters in combination allow us to produce complex geometries in a cost-efficient, sustainable way and is therefore our technology of choice by conviction.

**No
idle time**

**Highest quality
is our standard**

Speed and precision with Force Feedback Technology

We were often asked for the reason being that fast - Alongside many causes, especially our patented Force Feedback Technology is an important reason. When separating the very first layer of the part from the reservoir bottom, normally undefined forces are at work. To prevent the part from being damaged, the separation process has to be proceeded carefully and slowly.

To face this critical point we have a solution called Force Feedback Technology. By measuring the forces involved directly on the part, we ensure that our 3D-printer can increase his processing speed up to the maximum - but always in a safe way! In addition, support structures can be constructed noticeable thinner what simplifies rework after printing. The results of Force Feedback in sum are faster printing times while having a constant high quality level.

- First-class image quality**
- Detailed print results**
- Durable and proven components**
- Wide range of materials**
- Cost-effective materials**
- Easy handling**
- Fast results**
- Low entry costs**

Our Solutions for a higher Level of Productivity

Automatic Separation Module (ASM)

Increase your productivity through seamlessly proceeded printing jobs - without any interruption. The Automatic Separation Module (ASM) enables you to produce multiple printing jobs in an order you chose (job-queue) without being obliged to remove the build platform out of the printer and separate the parts on your own.



Automatic Resin Refill

Is there still enough resin material inside the reservoir? With the Automatic Resin Refill it's no longer your job to check the filling level. Modern sensor technique verify the filling level inside the reservoir to the second. Refilling of resin material from the connected resin bottle is automatically started, in the case that the filling level reaches a critical minimum niveau.*




* Not available for every type of machine.


I30+

The powerhouse thanks to automation - The ideal machine for production upscaling

The high-performance machine I30+ is setting new benchmarks regarding quality and productivity for some time. Thanks to the integrated Automatic Separation Module (patented) your printed parts will be removed from the build platform right after being finished and all collected in a collection basket. The upcoming printing job will be started immediately, without any manual intervention. Fast and semi-automated.



Maximum height of parts
155 mm (with ASM: 70 mm)



Printing area
133 x 75 mm

Performance parameters	I30+
Printing area	133 x 75 mm
Native pixel	+/- 34 µm
Maximum height of parts	155 mm (with ASM: 70 mm)
Lightsource	385 nm UV LED
Temperature	Regulated up to 35° C (equal to 95° F)
Resolution	HD 1920 x 1080 px
Dimensions (W x H x D)	480 x 690 x 410 mm
Ports	WLAN, TCP/IP, USB
Control unit	10" Touchscreen



Automatic Separation Module (ASM)



User friendly



Open system

Integrated Force Feedback Technology

Controlled regulation of resin temperature up to 35° C (= 95° F)

Certified Auto Calibration Sensor (ACCS)

Automatic Separation Module (ASM)


Resolution of 720p (Full HD)



I50+

The workhorse for entry into professional 3D-printing production

The I50+ is our new workhorse for printing every kind of use-case. By having a printing area that is triple the size of the one of the I30+ and with the optional patented Automatic Separation Module, you will give your daily production output a real boost up to the maximum. Your printed parts will be removed from the build platform right after being finished and all collected in a collection basket. The upcoming printing job will be started immediately, without any manual intervention. An Automatic Resin Refill unit takes care of a constantly sufficient filling level of resin material inside the reservoir.



Maximum height of parts
300 mm (with ASM: 100 mm)



Printing area
231 x 130 mm

Performance parameters	I50+
Printing area	231 x 130 mm
Native pixel	+/- 30 µm
Maximum height of parts	300 mm (with ASM: 100 mm)
Lightsource	385 nm UV LED
Temperature	Regulated up to 35° C, optional even up to 60° C (equal to 95° F / 140° F)
Resolution	4K 3840 x 2160 px
Dimensions (W x H x D)	600 x 1660 x 570 mm
Ports	WLAN, Ethernet, USB
Control unit	10" LCD-Display, Touchscreen



Automatic Separation Module (ASM)



Automatic Resin Refill unit



Open system

Integrated Force Feedback Technology

Controlled regulation of resin temperature up to 60° C (= 140° F)

Certified Auto Calibration Sensor (ACCS)

Automatic Separation Module (ASM)

Automatic Resin Refill unit

4K Resolution




NEW

I100+

Efficient, automated, trustworthy - Perfect workflow, maximum speed and constant quality

The I100+ has an even bigger printing area than the other printer while ensuring highest precision when producing parts. Combined with longlasting, reproducible quality the machine is the perfect 24/7 production unit. It comes with an industrial projection system and internal cooling for all system components. The I100+ is the solution for 3D-laboratories or production sites with high capacities including multiple-shift operation or simply when having high build space requirements.



Maximum height of parts
400 mm



Printing area
338 x 190 mm

Performance parameters	I100+
Printing area	338 x 190 mm
Native pixel	+/- 44 μ m
Maximum height of parts	400 mm
Lightsource	385 nm, ultra high power UV LED
Resolution	4K 3640 x 2160 px
Dimensions (W x H x D)	575 x 2160 x 498 mm
Ports	TCP/IP, USB
Control unit	10" Touchscreen



Open System



For permanent usage



Automatic Resin Refill unit

Integrated Force Feedback Technology

Controlled regulation of resin temperature up to 60° C (= 140° F)

Automatic Resin Refill unit

Certified Auto Calibration Sensor (ACCS)


Remote access



RS inline

Scalable from 2 to 5 -
applicable to 1-, 2- or
3-shift operation


The fully-automated system for producing thousands of parts per day. Recycling of material during the whole handling and cleaning process.



Revolutionize Your Production Process

From injection moulding to additive manufacturing

No large initial investments necessary! Always scalable in any steps. Keeping spare parts in stock is expensive and takes up a lot of space. Revolutionize your production process by producing your own parts when you need them. This way you avoid long delivery times and current delays in the global supply chain, save space in your warehouse and in the end valuable money by reducing the amount of expensive spare parts in your warehouse.



When You need to go Fast

Automated 3D-printing ensures low production costs per part

Produce prototypes quickly and easily in small quantities to test them for your application and implement changes flexibly. In this way, you avoid high costs for individual orders and long delivery times. You can carry out revisions independently and on your own until your prototype is ready for series production.



We won't let You down

Our service team

If you have problems with the technology, we won't let you down! Our technical service team is spread out internationally across 5 service hubs and will get any downtime up and running again. Whether remotely from the service workshop or directly at your site, we will find a way. You can reach our technical service team by phone, email, and WhatsApp, or you can use our online booking system and book an appointment of your choice from the comfort of your home.

5 service hubs worldwide

Over 1 million maintenance and service kilometers

Remote & On-site

Robin Service Team

Our Experience is Your Value

No one is born a master


Extensive training in the use of our printers will help you to perfectly match the print results to your needs. Afterwards, you'll receive a training certificate and be ready to get started with your printer.

**Get first-hand tips and tricks
— at our headquarters in
Heimsheim or at your location**

Knowledge is Power

We like to share

Get access to our knowledge, bundled in our Rapid Shape Knowledge Center! You can dial directly into the Knowledge Center with each product. When you scan the QR code on your device with your smartphone, you will be redirected to the mobile view of the Knowledge Center.* There you can access informative brochures, technical documentation as well as numerous tutorials and downloads. If you prefer to browse our Knowledge Center from the comfort of your PC, we can send you your individual access data by email.



Showroom at the Headquarter

Heimsheim, Germany



For best Results

Our material partners



Rapid Shape and the leading material manufacturers combine their strengths for maximum flexibility and unlimited availability. This allows us to support a jointly validated end-to-end workflow. In close cooperation and at the highest level, new material parameters are created every day that are precisely matched to our products and that bring you the best possible end results.

Our material library provides you with validated materials, each of which is accompanied by a tested and approved set of printing parameters. You will receive regular material updates for your material library to ensure that you are always up to date with the largest selection available.*



Our recommendation

3D-printing materials by



High Toughness
LOCTITE 3D 3843



High Impact
LOCTITE 3D 3172



High Accuracy
LOCTITE 3D 3818



High Rebound
LOCTITE 3D 8195



* Validations of materials from other partners are currently pending and will soon be available in our library.

All Doors open for You

Our workflow partners



We take almost all the steps out of your hands. With the latest version of our Netfabb CAM software, part orientation and positioning on the build platform, the addition of necessary support structures as well as the final creation of the print data are automatically taken over for you.

What's left to do? Press „Start“.

tewipack Application:
Pressure gauge for physical water treatment systems



We'll accompany You on Your Path

Satisfied customers



We are proud and grateful for the trust of over 4.000 satisfied customers worldwide. This is the best proof of quality and service. Many have accompanied us since our company was founded in 2011 and know how passionate we are about developing high-quality 3D-printing machines. Our success is based on this passion and on the comprehensive know-how of our engineers and all our employees.

We will be happy to advise you individually about your requirements.

Rapid Shape GmbH
Römerstr. 21
71296 Heimsheim
Germany

+49 7033 309878-0

info@rapidshape.de
rapidshape.de



„Breaking new ground and growing your business is always exciting. Growth requires making wise decisions, having a lot of courage and using reliable partners to support you.“

Andreas Schultheiss
Founder and CEO

rapidshape

Rapid Shape GmbH
Römerstrasse 21
71296 Heimsheim
Germany

+49 7033 309878-0
info@rapidshape.de

rapidshape.de



rapidshape.de