

Product Information Sheet

#	INFORMATION	Value and precision
1	Supplier's name or trade mark	Pixio
2	Supplier's model identifier	PXC327A
3	Energy efficiency class for standard Dynamic Range (SDR)	F
4	On mode power demand for Standard Dynamic Range (SDR)	31.00
5	Energy efficiency class (HDR)	G
6	On mode power demand in High Dynamic Range (HDR) mode	48.00
7	Off mode, power demand	0.22
8	Standby mode power demand	0.30
9	Networked standby mode power demand	n.a.
10	Electronic display category	Monitor
11	Size ratio	16:9
12	Screen resolution (pixels)	2560x1440
13	Screen diagonal	81.00
14	Screen diagonal	32
15	Visible screen area	27.00
16	Panel technology used	LED
17	Automatic Brightness Control (ABC) available	NO
18	Voice recognition sensor available	NO
19	Room presence sensor available	NO
20	Image refresh frequency rate	165
21	Minimum guaranteed availability of software and firmware updates (from the date of end of the placement on the market)	
22	Minimum guaranteed availability of spare parts (from the date of end of the placement on the market)	
23	Minimum guaranteed product support	

	Minimum duration of the general guarantee offered by the supplier		
24	Power supply type:		External
i	External standardised power supply (included in the product box)	Standard name	SHENZHEN FUJIA APPLIANCE CO., LTD. FJ-SW2017903420
		Input voltage	AC 100 -240
		Output voltage	19.00
ii	External standardised suitable power supply (if not included in the product	Standard name	n.a.
		Required output voltage	n.a.
		Required delivered current	n.a.
		Required current frequency	n.a.

Unit	
W	
W	
W	
W	
W	
integer	
pixels	
cm	
inches	
cm2	
[YES/NO]	
[YES/NO]	
[YES/NO]	
Hz	
years	
years	
years	

years	
V	
V	
V	
A	
Hz	