

# Carbon In-Line - Disposable

The Carbon In-Line cartridge is designed to meet the market requirements for a compact, easily installed and removed in-line cartridge. Manufactured from Acid-Washed Activated Carbon it is ideal for the removal of Chlorine and other objectionable tastes and odours from potable water supplies, and will also remove limited quantities of rust, sand, silt and other sediments.

The cartridge is constructed and designed to insure maximum contact time and to discourage channelling. The use of quality materials and construction resist damage from rust, corrosion and vibration making it suitable for a wide variety of Point Of Use (POU) applications.

## Features and Benefits

- Price Competitive
- Simple Installation
- Disposable
- Quality Materials
- Wide Variety of Applications
- Individually Wrapped and Sealed

## Typical Applications

- Post-Reverse Osmosis (RO)
- Water Coolers
- Beverage Dispensers
- Ice Machines (Fridges, etc.)
- Recreation Vehicles
- Boats

## General Specifications

- Micron Ratings (Nominal): 10
- Length: 254mm (10")
- Diameter: 51mm (2")
- Thread size: 1/4" NPT
- Temperature Ranges: 4.4°C - 43°C (40°F - 110°F)
- Operating Pressure: 690 kPa (100 psi)
- Filter Capacity: @ 2.8 lpm 5,700 Lts

(Estimated capacity based on 2.0 mg/l free available chlorine, capacity will vary depending on raw water quality.)

### **NOTE:**

Recommended cartridge change is 6-9 months from date of installation, or earlier if required or at a maximum increased pressure differential of 69kPa (10psi), whichever occurs first.

### **Warning:**

For drinking water applications, do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.

### Series: WCIC



### Model No.

10"  
WCIC10S14