

Qty.	Description
1	<p data-bbox="199 331 422 365"><b>Multifunction valve</b></p> <p data-bbox="199 365 470 398">Product No.: <a href="#">95730828</a></p> <p data-bbox="199 398 997 432">Compact valve unit for direct mounting on the pump discharge connection.</p> <p data-bbox="199 454 678 488">Multifunction valves combine four functions:</p> <ol data-bbox="199 488 726 611" style="list-style-type: none"><li>1. Constant counter-pressure and anti-siphoning</li><li>2. Pump protection through pressure relief</li><li>3. Deaeration of pump head during start up</li><li>4. Emptying of discharge line</li></ol> <p data-bbox="199 667 319 701">Technical:</p> <p data-bbox="199 701 630 734">Pump connection: G5/8"</p> <p data-bbox="199 757 319 790">Materials:</p> <p data-bbox="199 790 630 824">Housing: PVDF</p> <p data-bbox="199 824 630 857">Gasket: PTFE</p> <p data-bbox="199 857 630 891">Connection mat.: PVDF</p> <p data-bbox="199 913 319 947">Installation:</p> <p data-bbox="199 947 774 981">Pipework connection: 4/6, 6/9, 6/12, 9/12</p> <p data-bbox="199 981 630 1014">Relief pressure: 16 bar</p>

Description	Value
<b>General information:</b>	
Product name:	Multifunction valve
Product No:	<a href="#">95730828</a>
EAN number:	5710626527144
Price:	
<b>Technical:</b>	
Pump connection:	G5/8"
<b>Materials:</b>	
Housing:	PVDF
Gasket:	PTFE
Connection mat.:	PVDF
<b>Installation:</b>	
Opening pressur:	3 bar
Pipework connection:	4/6, 6/9, 6/12, 9/12
Relief pressure:	16 bar
<b>Others:</b>	
Designed for:	DDA,DDC,DDE,DDI up to 60 l/h



