





Qty.	Description
1	<p data-bbox="204 338 695 365">VFI/-0.3-6m/1/ C/M5.00-X/EG6/SS/05B/AC-1</p> <div data-bbox="225 383 576 461">  </div> <p data-bbox="592 443 1062 465">Note! Product picture may differ from actual product</p> <p data-bbox="204 477 464 499">Product No.: 97688334</p> <p data-bbox="204 533 1166 562">The VFI is the industrial version (4-20 mA output) of the Grundfos vortex flow meter range.</p> <p data-bbox="204 595 975 624">The VFI is based on the principle of vortex shedding behind a bluff body.</p> <p data-bbox="204 658 919 687">The VFI has no moving parts and is built into a stainless steel pipe.</p> <p data-bbox="204 721 1414 763">The rugged design allows the VFI to be used in a wide range of applications as a cost-effective and accurate flow transmitter.</p> <p data-bbox="204 831 703 887">Liquid: Liquid temperature range: -30 .. 110 °C</p> <p data-bbox="204 920 735 1099">Technical: Approvals: KTW,ACS,EAC Pressure differential functionality = Yes/No: N Pressure relative functionality = Yes/No: N Flow functionality = Yes/No: Y Temperature functionality = Yes/No: N</p> <p data-bbox="204 1133 687 1189">Installation: Range of ambient temperature: -25 .. 60 °C</p> <p data-bbox="204 1223 647 1357">Electrical data: Enclosure class (IEC 34-5): IP67 Length of cable: 5 m Minimum rated voltage dc: 12.50 V Maximum rated voltage dc: 30.00 V</p> <p data-bbox="204 1402 703 1514">Others: Finnish LVI No.: 4467300 Country of origin: DK Custom tariff no.: 9026109020</p>

Description	Value
General information:	
Product name:	VFI/-0.3-6m/1/ C/M5.00-X/EG6/SS/05B/AC-1
Product No:	97688334
EAN number:	5710621538534
Price:	
Technical:	
Approvals:	KTW,ACS,EAC
Pressure differential functionality = Yes/No:	N
Pressure relative functionality = Yes/No:	N
Flow functionality = Yes/No:	Y
Temperature functionality = Yes/No:	N
Installation:	
Range of ambient temperature:	-25 .. 60 °C
Liquid:	
Liquid temperature range:	-30 .. 110 °C
Electrical data:	
Enclosure class (IEC 34-5):	IP67
Length of cable:	5 m
Minimum rated voltage dc:	12.50 V
Maximum rated voltage dc:	30.00 V
Others:	
Finnish LVI No.:	4467300
Country of origin:	DK
Custom tariff no.:	9026109020



97688334 VFI/--0.3-6m/1/ C/M5.00-X/EG6/SS/05B/AC-1



Note! All units are in [mm] unless others are stated.
Disclaimer: This simplified dimensional drawing does not show all details.



Company name:

Created by:

Phone:

Date:

23/04/2021

Order Data:

Product name: VFI/--0.3-6m/1/

Amount: 1

Product No: 97688334

Price:

Total: Price on request
