

Qty.	Description
1	<p>Tank 60l, PE-transp. Product No.: 98148805 Cylindrical tanks are available transparent or black. They have a litre scale and a black screw cap. Tank material: LLDPE, UV-stabilised Liquid temperature: -20 °C to +45 °C. All cylindrical tanks are prepared for a G 3/4 opening for a drain valve, and have a screw plug (PE/EPDM). The cylindrical tanks with volumes of 60, 100, 200, 300 and 500 litres include additionally: Threaded M 6 inserts for the assembly of a SMART Digital, a DDI, or a DMX model 221 dosing pump. For other pumps, please use a console. A G 2 opening for a suction lance or a foot valve, closed with a screw plug A flange for an electric mixer with threaded inserts Threaded M 6 inserts at the bottom part for floor mounting with a set of floor-mounting brackets</p> <p>Materials: Colour: Transparent</p> <p>Installation: Suction mount: Without suction line Floor mounting: inserts for floor mounting Mixer mounting: inserts for mixer assembly Mixer prepared: Without mixer</p> <p>Tank: Total volume of tank(s): 15G l</p> <p>Others: Country of origin: DE Custom tariff no.: 3923300053</p>



Company name: Parkway Process Solutions

Created by:

Phone:

Date: 3/29/2022

Description	Value
General information:	
Product name:	Tank 60l, PE-transp.
Product No:	98148805
EAN number:	5711490494846
Materials:	
Colour:	Transparent
Installation:	
Suction mount:	Without suction line
Floor mounting:	inserts for floor mounting
Mixer mounting:	inserts for mixer assembly
Mixer prepared:	Without mixer
Tank:	
Total volume of tank(s):	15G l
Others:	
Designed for:	DDA, DDC, DDE, DDI, DMXMOD.221
Country of origin:	DE
Custom tariff no.:	3923300053



Company name: Parkway Process Solutions

Created by:

Phone:

Date: 3/29/2022

Order Data:

Product name: Tank 60l, PE-transp.

Amount: 1

Product No: 98148805

Total: Price on request
