



BBP®31 SIGN & LABEL PRINTER



FAST, SIMPLE AND POWERFULLY VERSATILE. THE WAY LABEL MAKING SHOULD BE.

The BBP®31 Sign and Label Printer is an easy-to-use, versatile printer that can print signs and labels for a wide variety of applications.

Produce professional quality, customised signs and labels on demand. No more external supplier minimum order quantities or leadtimes – simply print whatever you like, instantly.

View online demo videos of the BBP®31 Printer at www.bradyID.com.au/bbp31

FACILITY, SAFETY AND ID LABELS IN SECONDS!

SERIOUS SIMPLE OPERATION

- Large touch-screen display with “touch and drag” moving and sizing
- 2-touch printing – just walk up and print
- Smart chip technology supplies for automatic formatting
- Full size fold-down keyboard
- Stand alone or PC-connect operation

CHECK-FULL OF CAPABILITIES.

- Hundreds of material options
- 192 built-in graphics, with quick import options
- Wizard-style applications for pipe ID and arc flash
- Templates for common label styles and a library of 266 pre-made “pick and print” signs and labels
- Use with MarkWare™ Software for even more capabilities

BBP®31 Printer Specifications

Print Speed	76.2mm per second
Max. Label Width	107.95mm
Continuous Labels	Yes
Die Cut Labels	Yes
Print Colour	Single colour print
Font Sizes	20.32mm – 99.06mm (with MarkWare™ Software)
Memory	Yes
PC Connectivity	USB Able to be used with MarkWare™ software (see page 93)
Stand-Alone Design	Yes with full colour 150 x 100mm built-in display
Print Resolution	306dpi
Serialisation Number	Yes
Barcode Function	Yes
Symbols	500+ built into printer for standalone use, thousands when used with MarkWare™ software
Power Supply	AC power included

* For a comparison of specifications versus other printers, see page 92.

DO-IT-YOURSELF SIGNMAKING



BBP®31 AVAILABLE WITH MARKWARE™ SOFTWARE

Creating your sign and labels is fast and easy with MarkWare™ software, a powerful tool to compliment your use of the BBP®31 printer. Use your PC to design professional looking signs and labels and print directly to the BBP®31 printer.

The MarkWare™ Software contains thousands of pre-made labels ready to print as-is or customise with the click of a mouse. Fast. Accurate. Amazing.

Just Walk Up And Print. So Simple Your Whole Team Can Use It





BBP®31 PRINTER, RIBBONS & LABELS

BBP®31 PRINTER & ACCESSORIES

Part No.	Description
873226	BBP®31 Printer* with MarkWare™ software
873227	BBP®31 Printer* standalone (no software)
108365	BBP®31 Carry case
142117	BBP®31 Dust cover
142114	BBP®31 Media wipers (5 pack)
142115	BBP®31 Replacement Stylus (3 pack)
142116	BBP®31 Cutter tool

BBP®31 printer ships with printer, power cord, drivers CD, stylus, cleaning kit, cutter cleaning tool, quick start guide and documentation holder. Note: if using with MarkWare software, version 3.8.1 or higher is required for use with the BBP®31.



BBP®31 RIBBONS

Part No.	Reference	Colour	Length
118084	R10000 BLK	Black	60.96m
118085	R10000 BLU	Blue	60.96m
118086	R10000 GRN	Green	60.96m
118087	R10000 MGN	Magenta	60.96m
118088	R10000 ORN	Orange	60.96m
118089	R10000 RED	Red	60.96m
118090	R10000 WHT	White	60.96m
118091	R10000 YEL	Yellow	60.96m
118093	R6000 BLK	Black	60.96m
118094	R4300 BLK	Black	60.96m
118097	R4400 WHT	White	60.96m



COLOURED VALVE TAGS

Part No.	Colour	Dimensions
41920	Black	38.1 x 76.2mm
41921	Black	63.5 x 101.6mm
41922	Yellow	38.1 x 76.2mm
41923	Yellow	63.5 x 101.6mm
41924	RedH	38.1 x 76.2mm
41925	Red	63.5 x 101.6mm
41926	Blue	38.1 x 76.2mm
41927	Blue	63.5 x 101.6mm
41928	Green	38.1 x 76.2mm
41929	Green	63.5 x 101.6mm



MAKE YOUR OWN HEAVY-DUTY RIGID TAGS

- Use with pre-cut blank labels (B-595)
- Tags have centre hole for hanging; corner holes accept round wire or flat fastening straps
- Tag is non-conductive, non-corrosive; resistant to high-temps and impact

Colour Without The Cost...

The BBP®31 is available with a range of pre-printed header labels, allowing you to create colour labels using an affordable single colour printer. Six headers available: Danger, Warning, Notice, Restricted Area, Security Notice and Safety First.



LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID

- B-595 Indoor/Outdoor Vinyl Tape

Dimensions	Labels per Roll	Material	Part No.					
			Restricted Area	Danger	Security Notice	Safety First	Notice	Warning
57.15 x 76.2mm	50	B-595	872933	872929	872941	872937	872931	872945
101.6 x 152.4mm	50	B-595	872935	872930	872943	872939	872932	872947
101.6 x 152.4mm	175	B-595	872936	142190	872944	872940	142188	872948
57.15 x 76.2mm	300	B-595	872934	142191	872942	872938	142189	872946
Recommended Ribbon Series			R10000	R10000	R10000	R10000	R10000	R10000



Refer to the material guide on page 361-369 for full material specifications and descriptions.

DO-IT-YOURSELF SIGNS/MAKING



BBP®31 PRINTER, TAPES & LABELS

LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID

■ B-595 Indoor/Outdoor Vinyl Tape



Dimensions	Material	Part No.												
		White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple	Gold	
12.7mm x 30.48m	B-595	142031	142036	142010	142026	141994	142018	141990	142014	141998	142002	142022	142006	
28.58mm x 30.48m	B-595	142030	142035	142009	142025	141993	142017	141989	142013	141997	142001	142021	142005	
57.15mm x 30.48m	B-595	142029	142034	142008	142024	141992	142016	141988	142012	141996	142000	142020	142004	
76.2mm x 30.48m	B-595	142028	142033	-	-	-	-	-	-	-	-	-	-	
101.6mm x 30.48m	B-595	142027	142032	142007	142023	141991	142015	141987	142011	141995	141999	142019	142003	
Recommended Ribbon Series		R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	



LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID



■ B-569 Hi-Performance Polyester Tape

Dimensions	Material	Part No.															
		White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple	Ochre	Pink	Light Blue	Sky Blue	Tan
12.7mm x 30.48m	B-569	117989	117993	117948	117976	117936	117964	117932	117952	117940	117944	117972	117960	117968	117956	117980	117984
28.58mm x 30.48m	B-569	117988	117992	117947	117975	117935	117963	117931	117951	117939	117943	117971	117959	117967	117955	117979	117983
57.15mm x 30.48m	B-569	117987	117991	117946	117974	117934	117962	117930	117950	117938	117942	117970	117958	117966	117954	117978	117982
76.2mm x 30.48m	B-569	117986	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101.6mm x 30.48m	B-569	117985	117990	117945	117973	117933	117961	117929	117949	117937	117941	117969	117957	117965	117953	117977	117981
Rec. Ribbon Series		R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000	R10000



PRE-CUT BLANK LABELS

■ B-595 Indoor/Outdoor Vinyl Die Cut Labels



Dimensions	Material	Part No.		Labels per Roll
		White	Yellow	
28.58 x 72.39mm	B-595	142196	-	300
57.15 x 76.2mm	B-595	142195	142199	300
57.15 x 97.79mm	B-595	142197	-	250
101.6 x 152.4mm	B-595	142194	142198	175
Recommended Ribbon Series		R10000	R10000	



REFLECTIVE/LOW LIGHT APPLICATIONS

■ B-584 Reflective Tape



Dimensions	Material	Part No.		
		Orange	Silver	Yellow
28.58mm x 15.24m	B-584	117994	117997	118000
57.15mm x 15.24m	B-584	117995	117998	118001
101.6mm x 15.24m	B-584	117996	117999	118002
Recommended Ribbon Series		R10000	R10000	R10000



Refer to the material guide on page 361-369 for full material specifications and descriptions.



BBP®31 PRINTER TAPES & LABELS

TEMPORARY / REMOVABLE

■ B-581 Repositionable Vinyl Tape



Dimensions	Material	Part No.	
		White	Yellow
12.7mm x 30.48m	B-581	118006	118010
28.58mm x 30.48m	B-581	118005	118009
57.15mm x 30.48m	B-581	118004	118008
101.6 mm x 30.48m	B-581	118003	118007
Recommended Ribbon Series		R10000	R10000

COLD TEMPERATURE APPLICATION

■ B-549 Temperature Label Stock Tape



Dimensions	Material	Part No.	
		White	Yellow
28.58mm x 30.48m	B-549	117862	117865
57.15mm x 30.48m	B-549	117861	117864
101.6 mm x 30.48m	B-549	117860	117863
Recommended Ribbon Series		R10000	R10000

HIGH TEMP METALLISED POLYESTER

■ B-565 Metallised Polyester Tape



Dimensions	Material	Part No.
Colour: Silver		
28.58mm x 30.48m	B-565	117922
57.15mm x 30.48m	B-565	117921
101.6 mm x 30.48m	B-565	117920
Recommended Ribbon Series		R10000

HIGH INTENSITY PHOTOLUMINESCENT

■ B-526 Glow In The Dark Tape



Dimensions	Material	Part No.
28.58mm x 15.24m	B-526	117928
57.15mm x 15.24m	B-526	117926
101.6 mm x 15.24m	B-526	117924
Recommended Ribbon Series		R10000

PRINTABLE MAGNETIC SUPPLY

■ B-509 Magnetic Tape



Dimensions	Material	Part No.	
		White	Yellow
63.5mm x 7.62m	B-509	117917	117919
107.95mm x 7.62m	B-509	117916	117918
Recommended Ribbon Series		R10000	R10000

TAMPER EVIDENT SUPPLY

■ B-438 Tamper Evident Polyester Tape / Labels



Dimensions	Material	Part No.	Labels per Roll
Colour: Silver			
50.8 x 25.4mm	B-438	118076	1,225
76.2 x 25.4mm	B-438	118077	1,225
76.2 x 50.8mm	B-438	118078	650
76.2 x 30.48m	B-438	118014	Continuous
Recommended Ribbon Series		R4300	

NON ADHESIVE SAFETY TAGS & STOCK

■ B-551 Pre-Printed and Pre-Cut Safety Tags / Continuous Tag Stock

Dimensions	Material	Description	Part No.	Tags per Roll
146.05 x 82.55mm	B-551	Pre-Printed & Pre-Cut DANGER header Tags	142223	100
146.05 x 82.55mm	B-551	Pre-Cut Blank White Tags	142226	100
107.95 x 15.24m	B-551	Blank White Tag Stock	118011	Continuous
82.55 x 15.24m	B-551	Blank White Tag Stock	118012	Continuous
63.50 x 15.24m	B-551	Blank White Tag Stock	118013	Continuous
Plastic Snap-In Grommets For Pre-Cut Tags (100/pack)			20596	
Recommended Ribbon Series			R10000	



Don't Forget Grommets! Plastic snap-in grommets are available to provide additional strength. Part # 20596 - 100/Pack



Refer to the material guide on page 361-369 for full material specifications and descriptions.



BBP®31 PRINTER TAPES & LABELS

SELF LAMINATING CABLE & WIRE LABELS

■ B-427 Self Laminating Labels



Part No.	Material	For Data Cables Sized to Fit	Wire Gauge	Dimensions (mm) A	Dimensions (mm) B	Dimensions (mm) C	Labels per Roll
Colour: White/Clear							
141979	B-427	-	16-10 Gauge (4.1mm max dia)	12.7	19.05	9.525	4000
141981	B-427	2 pair Fiber/Coaxial, Single/Multi Mode	12-10 Gauge (5.3mm max dia)	12.7	25.4	9.525	3000
118079	B-427	CAT-5, 4 pair UTP Copper	10-4 Gauge (6.9mm max dia)	12.7	31.75	12.7	2800
141980	B-427	-	16-10 Gauge (4.1mm max dia)	25.4	19.05	9.525	4000
118080	B-427	2 pair Fiber/Coaxial, single/Multi Mode	12-10 Gauge (5.3mm max dia)	25.4	25.4	9.525	3300
118081	B-427	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	10-4 Gauge (6.9mm max dia)	25.4	31.75	12.7	2750
141983	B-427	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	10-4 Gauge (8.1mm max dia)	25.4	38.1	12.7	2300
118082	B-427	25 pair Copper, 4-12 pair Fiber, Coaxial	3 Gauge-2/0 (13.5mm max dia)	25.4	63.5	19.05	1500
141982	B-427	CAT-5, 4 pair UTP Copper	10-4 Gauge (6.9mm max dia)	38.1	31.75	12.7	1800
141984	B-427	CAT-5, 4 pair UTP Copper, Fiber, Coaxial	10-4 Gauge (8.1mm max dia)	38.1	38.1	12.7	1500
118083	B-427	25 pair Copper, 4-12 pair Fiber, Coaxial	3 Gauge-2/0 (13.5mm max dia)	38.1	63.5	19.05	1000
141985	B-427	50 pair Copper, 24 pair Fiber, Backbone	3/0-400 kcmil (21.6mm max dia)	38.1	101.6	25.4	600
141986	B-427	100 pair Copper, 36 pair Fiber, Backbone	3/0-400 kcmil (33.0mm max dia)	38.1	152.4	38.1	400


Recommended Ribbon Series: use black ribbon R4300

ENGRAVED PLATE SUBSTITUTES

■ B-593 Raised Profile Labels



Push Button Style




Colour	Material	Part No.	38.10 x 30.48 22.5mm dia keyed hole (200 labels/roll)	38.10 x 30.48 22.5mm dia no key hole (200 labels/roll)	48.26 x 30.48 22.5mm dia keyed hole (180 labels/roll)	45.72 x 45.72 22.5mm dia keyed hole (190 labels/roll)	60.96 x 60.96 22.5mm dia keyed hole (145 labels/roll)
White	B-593	118051	118051	118056	118061	118066	118071
Black	B-593	118055	118055	118060	118065	118070	118075
Red	B-593	118052	118052	118057	118062	118067	118072
Green	B-593	118054	118054	118059	118064	118069	118074
Yellow	B-593	118053	118053	118058	118063	118068	118073

Recommended Ribbon Series: use black ribbon R6000 or white ribbon R4400-WT



Rectangular Style



Colour	Material	Part No.	63.50 x 76.20 (125 labels/roll)	25.40 x 76.20 (300 labels/roll)	19.05 x 76.20 (375 labels/roll)	25.40 x 101.60 (300 labels/roll)	25.40 x 50.80 (300 labels/roll)	14.99 x 44.96 (400 labels/roll)	12.45 x 26.92 (500 labels/roll)
White	B-593	118047	118047	118043	118039	118033	118027	118021	118015
Black	B-593	118050	118050	118046	118042	118038	118032	118026	118020
Silver	B-593	-	-	-	-	118037	118031	118025	118019
Red	B-593	-	-	-	-	118034	118028	118022	118016
Green	B-593	118049	118049	118045	118041	118036	118030	118024	118018
Yellow	B-593	118048	118048	118044	118040	118035	118029	118023	118017

Recommended Ribbon Series: use black ribbon R6000 or white ribbon R4400-WT

Refer to the material guide on page 361-369 for full material specifications and descriptions.



GLOBALMARK®2 INDUSTRIAL PRINTER

THE ULTIMATE VISUAL WORKPLACE TOOL



- Colour touch screen interface - helps making signs quick and easy
- Cuts characters and shapes!
- Built-in templates & symbols
- Standalone or PC connect operation
- File management utility - import & print logos and photos directly from the GlobalMark®2

COLOUR & CUT SYSTEM

- Prints one colour, multiple spot colours, blended colours and full process colour
- With optional MarkWare™ software, import and print images such as logos and photos
- Built-in plotter cutter for cutting out characters, text and shapes!

MULTICOLOUR SYSTEM

- Includes the same features as the Colour & Cut system without the built-in plotter cutter.

GLOBALMARK®2 PRINTERS & ACCESSORIES

Part No.	Description
76801	GlobalMark®2 Colour & Cut System
76800	GlobalMark®2 Multicolour System
76808	Mouse
76809	Stylus Pen (3 pack)
76810	32 MB memory card
76811	Replacement cutting blade
20596	Grommets (100 pack)
20591	Hole punch
36611	Weeding tool
36612	Squeegee
76804	GlobalMark®2 USB cable
64692	GlobalMark®2 cleaning pen
33969	Cleaning kit (4 pack)
76802	Carrying case GlobalMark machine

GlobalMark®2 Printer Specifications

Print Speed	25.4mm per second
Max. Label Width	100mm
Continuous Labels	Yes
Die Cut Labels	No
Print Colour	Single Colour, Multi-Colour & Blend
Font Sizes	20.32mm – 99.06mm (with MarkWare™ Software)
Memory	Yes
PC Connectivity	USB
	able to be used with MarkWare™ Software (see page 93)
Stand-Alone Design	Yes
Print Resolution	300dpi
Serialisation Function	Yes with MarkWare™ Software
Barcode Function	Yes with MarkWare™ Software
Symbols	Thousands with MarkWare™ Software
Power Supply	AC power included

* For a comparison of specifications versus other printers, see page 92.

GLOBALMARK®2 VALUE PLUS START UP PACKAGE

This start up pack saves you money and gets you printing instantly!

Part No.	Description
90835	Value Plus Package

Value Plus Pack Contents:

- 1 x MarkWare™ facility identification software (see page 93)
- 1 x One roll of white Vinyl tape – 100mm x 30m
- 1 x One roll of black ribbon
- 1 x 12 months extended warranty*

* To receive an extended twelve month warranty period, the Value Plus Package must be purchased at the same time as the GlobalMark®2 Printer and warranty card registered with Brady. No exceptions to this condition.

COLOURED VALVE TAGS

Part No.	Colour	Dimensions
41920	Black	38.1 x 76.2mm
41921	Black	63.5 x 101.6mm
41922	Yellow	38.1 x 76.2mm
41923	Yellow	63.5 x 101.6mm
41924	Red	38.1 x 76.2mm
41925	Red	63.5 x 101.6mm
41926	Blue	38.1 x 76.2mm
41927	Blue	63.5 x 101.6mm
41928	Green	38.1 x 76.2mm
41929	Green	63.5 x 101.6mm

MAKE YOUR OWN HEAVY-DUTY RIGID TAGS

- Use your Brady printer to apply labels to these durable tags.



GLOBALMARK®2 RIBBONS


SINGLE COLOUR RIBBONS			TWO COLOUR PANEL RIBBONS			FOUR COLOUR PANEL RIBBONS						
Part No.	Colour	Dimensions	Part No.	Colour	Dimensions	Part No.	Colour	Colour	Colour	Dimensions		
76739	Black	105mm x 60m	76763	Black	Red	200mm panels 105mm x 60m	76787	Black	Red	Blue	Green	200mm panels 105mm x 60m
76741	White	105mm x 60m	76775	Black	Blue	200mm panels 105mm x 60m	76791	Black	Red	Blue	Yellow	200mm panels 105mm x 60m
76743	Red	105mm x 60m	76767	Black	Yellow	200mm panels 105mm x 60m	76795	Cyan	Magenta	Yellow	Black	200mm panels 105mm x 60m
76745	Blue	105mm x 60m	76771	Black	Orange	200mm panels 105mm x 60m	76786	Black	Red	Blue	Green	400mm panels 105mm x 60m
76747	Green	105mm x 60m	76779	Black	Green	200mm panels 105mm x 60m	76790	Black	Red	Blue	Yellow	400mm panels 105mm x 60m
76749	Magenta	105mm x 60m	76762	Black	Red	400mm panels 105mm x 60m	76794	Cyan	Magenta	Yellow	Black	400mm panels 105mm x 60m
76751	Yellow	105mm x 60m	76774	Black	Blue	400mm panels 105mm x 60m						
76752	Orange	105mm x 60m	76766	Black	Yellow	400mm panels 105mm x 60m						
76759	Proc. Cyan	105mm x 60m	76770	Black	Orange	400mm panels 105mm x 60m						
76760	Proc. Yellow	105mm x 60m	76778	Black	Green	400mm panels 105mm x 60m						
76761	Proc. Magenta	105mm x 60m										



GLOBALMARK®2 PRINTER TAPES

LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID

■ B-595 Indoor/Outdoor Vinyl Tape



Dimensions	Material	Part No.										
		White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple
13mm x 30m	B-595	113113	113118	113126	113122	113130	113154	113134	113146	113138	113108	113150
29mm x 30m	B-595	113112	113117	113125	113121	113129	113153	113133	113145	113137	113107	113149
57mm x 30m	B-595	113111	113116	113124	113120	113128	113152	113132	113144	113136	113106	113148
76mm x 30m	B-595	113110	113115	-	-	-	-	-	-	-	-	-
100mm x 30m	B-595	113109	113114	113123	113119	113127	113151	113131	113143	113135	113105	113147

■ B-569 Hi-Performance Polyester Tape



Dimensions	Material	Part No.															
		White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple	Ochre	Pink	Light Blue	Sky Blue	Tan
13mm x 30m	B-569	77618	76622	76642	76626	76630	76638	76650	76654	76646	76613	76634	97741	76601	76609	97745	76605
29mm x 30m	B-569	76617	76621	76641	76625	76629	76637	76649	76653	76645	76612	76633	97740	76600	76608	97744	76604
57mm x 30m	B-569	76616	76620	76640	76624	76628	76636	76648	76652	76644	76611	76632	97739	76599	76607	97743	76603
76mm x 30m	B-569	76615	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100mm x 30m	B-569	76614	76619	76639	76623	76627	76635	76647	76651	76643	76610	76631	97738	76598	76606	97742	76602

■ B-581 Repositionable Vinyl Tape



Dimensions	Material	Part No.	
		White	Yellow
13mm x 30m	B-581	76700	76704
29mm x 30m	B-581	76699	76703
57mm x 30m	B-581	76698	76702
100mm x 30m	B-581	76697	76701

■ B-549 Temperature Label Stock Tape



Dimensions	Material	Part No.	
		White	Yellow
35mm x 30m	B-549	76693	76696
63.50mm x 30m	B-549	76692	76695
108 mm x 30m	B-549	76691	76694

SPECIALITY TAPES

Part No.	Material	Dimensions
76716	B-551 Non Adhesive Supply White	60mm x 15m
76715	B-551 Non Adhesive Supply White	80mm x 15m
76714	B-551 Non Adhesive Supply White	105mm x 15m

Not recommended for plotter cutting

Part No.	Material	Dimensions
76713	B-582 Photoluminescent Tape	29mm x 15m
76712	B-582 Photoluminescent Tape	57mm x 15m
76711	B-582 Photoluminescent Tape	100mm x 15m

Meets IMO Standards

Part No.	Material	Dimensions
76722	B-565 Metallised Polyester	29mm x 30m
76721	B-565 Metallised Polyester	57mm x 30m
76720	B-565 Metallised Polyester	100mm x 30m

Part No.	Material	Dimensions
76690	B-515 Clear Static Cling Tape	100mm x 30m
76737	B-515 Premask - Transfer Tape	107mm x 60m

Part No.	Material	Dimensions
76707	B-584 Silver Reflective Tape	29mm x 15m
76706	B-584 Silver Reflective Tape	57mm x 15m
76705	B-584 Silver Reflective Tape	100mm x 15m
96062	B-584 Yellow Reflective Tape	29mm x 15m
96061	B-584 Yellow Reflective Tape	57mm x 15m
96060	B-584 Yellow Reflective Tape	100mm x 15m

Part No.	Material	Dimensions
76687	B-509 White Magnetic Tape	57mm x 7.5m
76686	B-509 White Magnetic Tape	107mm x 7.5m
76689	B-509 Yellow Magnetic Tape	57mm x 7.5m
76688	B-509 Yellow Magnetic Tape	107mm x 7.5m

Part No.	Material	Dimensions
852229	B-674 Laminate	50mm Transparent
852230	B-674 Laminate	85mm Transparent
852231	B-674 Laminate	130mm Transparent

Refer to the material guide on page 361-369 for full material specifications and descriptions.

DO-IT-YOURSELF SIGMAKING



BBP®85 INDUSTRIAL PRINTER



Available
February
2013

BBP®85 Printer Specifications	
Max. Label Width	250mm
Continuous Labels	Yes
Die Cut Labels	No
Print Colour	Single colour & Multicolour
Memory	Yes - 56MB
PC Connectivity	USB, ethernet & wireless
Stand-Alone Design	Yes
Print Resolution	300dpi
Serialisation Number	Yes
Barcode Function	Yes
Symbols	Yes
Power Supply	AC power included

* For a comparison of specifications versus other printers, see page 92.

MAKE YOUR LABELS & SIGNS STAND OUT IN THE CROWD!

With the capability to print custom signs up to 250mm high, the BBP®85 gives your signs a whole new dimension.

With the 4-colour printing you can now increase the visual impact of your signs and labels. In addition, BBP®85 makes it possible to adapt to safety standards with pictograms and colours complying with the current safety sign regulations.

FEATURES:

- 7" colour LCD display with Touch Screen capability
- Fast image processing and printing
- Intelligent smart cell technology supplies
- Integrated fold down keyboard
- USB, Ethernet and Wireless connectivity
- Built-in barcodes, symbols and applications
- Internal storage - 56MB
- Prints 250mm wide labels!

BBP®85 PRINTER & ACCESSORIES

Part No.	Description
874031	BBP®85 Printer
13507	Spare Ribbon Cartridge
874032	Dust Cover
874036	Media Wiper Pads (5 pack)
874033	Cleaning Kit
874035	Stylus Pens (3 pack)
874034	USB Cable

Laminate your BBP®85 signs using the Brady Laminating System. See page 109.

For more information on the BBP®85 Printer visit www.bradyID.com.au/bbp85

NEW & IMPROVED! The BBP®85 printer will replace the POWERMARK™ printer in 2013.

With all the features you know and trust in the POWERMARK™ and new features such as the large, adjustable colour LCD display, fold down keyboard, faster image processing and printing, improved connectivity with Wireless feature, intelligent supplies and user interface, the BBP®85 is sure to help you create professional custom signs and labels with ease.

The Ribbons & Labels on page 108 are suitable for both the BBP®85 and POWERMARK™ printers.

POWERMARK™ INDUSTRIAL PRINTER



POWERMARK™ PRINTER & ACCESSORIES

Part No.	Description
13500	POWERMARK™ Printer
13507	Spare Ribbon Cartridge
64692	Cleaning Pen
13644	Replacement Wiper Pad

BIG... BOLD... COLOURFUL... OUTPUT

Customised signs and labels on the spot when you need them.

- Multiple colour printing and 250mm wide output... get noticed!
- Industrial strength, outdoor grade tapes and ribbons
- Built-in display and full size keyboard
- PC Connectivity (with MarkWare Software, page 93)
- Includes file storage, symbols and bar codes.

DO-IT-YOURSELF SIGNMAKING



BBP®85 AND POWERMARK™ PRINTER RIBBONS & TAPES

RIBBONS

Part No.	Colour	Dimensions	Part No.	Colour	Dimensions	Part No.	Colour	Dimensions				
SINGLE COLOUR RIBBONS			TWO COLOUR PANEL RIBBONS			FOUR COLOUR PANEL RIBBONS						
13511	Black	156mm x 60m	13521	Black	Red	375mm panels 156mm x 60m	13531	Black	Red	Blue	Yellow	375mm panels 156mm x 60m
13513	White	156mm x 60m	13523	Black	Red	200mm panels 156mm x 60m	13533	Black	Red	Blue	Yellow	200mm panels 156mm x 60m
13595	Red	156mm x 60m	13525	Black	Blue	375mm panels 156mm x 60m	13535	Black	Red	Blue	Green	375mm panels 156mm x 60m
13597	Green	156mm x 60m	13527	Black	Yellow	200mm panels 156mm x 60m	13537	Black	Red	Blue	Green	200mm panels 156mm x 60m
13599	Yellow	156mm x 60m	13529	Black	Orange	200mm panels 156mm x 60m	13530	Black	Red	Blue	Yellow	375mm panels 220mm x 60m
13596	Blue	156mm x 60m	13704	Black	Green	200mm panels 156mm x 60m	13532	Black	Red	Blue	Yellow	200mm panels 220mm x 60m
13598	Magenta	156mm x 60m	13705	Black	Green	375mm panels 156mm x 60m	13534	Black	Red	Blue	Green	375mm panels 220mm x 60m
13600	Orange	156mm x 60m	13520	Black	Red	375mm panels 220mm x 60m	13536	Black	Red	Blue	Green	200mm panels 220mm x 60m
13510	Black	200mm x 60m	13522	Black	Red	200mm panels 220mm x 60m						
13512	White	200mm x 60m	13524	Black	Blue	375mm panels 220mm x 60m						
13514	Red	200mm x 60m	13526	Black	Yellow	375mm panels 220mm x 60m						
13516	Green	200mm x 60m	13528	Black	Orange	375mm panels 220mm x 60m						
13518	Yellow	200mm x 60m	13706	Black	Green	200mm panels 220mm x 60m						
13515	Blue	200mm x 60m	13707	Black	Green	375mm panels 220mm x 60m						
13517	Magenta	200mm x 60m										
13519	Orange	200mm x 60m										

LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID

B-595 Indoor/Outdoor Vinyl Tape



Dimensions	Material	Part No.	White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple	Gold
100mm x 15m	B-595	13538	13539	13542	13540	13541	13543	13544	13546	13547	99498	13548	13545	
150mm x 15m	B-595	13549	13550	13603	13601	13602	13604	13605	13607	13608	99497	13609	13606	
200mm x 15m	B-595	13551	13552	13555	13553	13554	13556	13557	13559	13560	99496	13561	13558	
250mm x 15m	B-595	13562	13563	13612	13610	13611	13613	13614	13616	13617	99495	13618	13615	

B-569 Hi-Performance Polyester Tape



Dimensions	Material	Part No.	White	Yellow	Orange	Clear
100mm x 15m	B-569	13565	13566	13567	13564	
150mm x 15m	B-569	13569	13570	13571	13568	
200mm x 15m	B-569	13573	13574	13575	13572	
250mm x 15m	B-569	13577	13578	13579	13576	

B-584 Reflective Tape



Dimensions	Material	Part No.	Silver	Yellow	Orange
100mm x 15m	B-584	13580	51584	13645	
175mm x 15m	B-584	13585	51585	13646	
250mm x 15m	B-584	13590	51586	13647	

B-582 Phosphorescent Tape



Dimensions	Material	Part No.
100mm x 10m	B-582	13582
175mm x 10m	B-582	13587
250mm x 10m	B-582	13592

B-526 Brady Glo™ Tape



Dimensions	Material	Part No.
100mm x 10m	B-526	105912
175mm x 10m	B-526	105913
250mm x 10m	B-526	105914

B-575 Brushed Gold Polyester Tape



Dimensions	Material	Part No.
100mm x 10m	B-575	13584
175mm x 10m	B-575	13589
250mm x 10m	B-575	13594

Refer to the material guide on page 361-369 for full material specifications and descriptions.



BLS850 LAMINATING SYSTEM

Laminate documents in seconds without heat or electricity. Small & portable – perfect for office use or industrial applications. Laminates documents 216mm wide. Ideal for the office or the toughest industrial environments. Perfect for finishing Signs, Maps, Labels, Photos, certificates and many more.



1. Select desired cartridge, insert a document and turn the handle.
2. As it passes through the rollers, the adhesive and laminate are evenly applied.
3. The cut-off blade provides a precise trim to finish documents.



20585

i Need to Laminate Documents up to 12" Wide or Mount PowerMark Output to Sign Blanks?



Request a demo of the Brady BLS1255 Laminator today

Part No.	Description	Size	G
20585	BLS850 Laminating System		
20589	Double-sided/Industrial use	218 x 152mm	
20602	Double-sided/Office use	218 x 305mm	

SAFETY SIGN BLANKS



Print text or pictogram | Remove liner | Apply to blank sign panel.

Create custom signs in minutes – no lead time

Apply labels to blank safety signs with preprinted headers, to create personal and professional signs for your workplace. Ideal for use with BBP®85, GlobalMark®2, BBP®31, MiniMark™ or BMP™71 printers.

Dimensions (WxH)	Material	Price (EX GST)	S
600x450mm	MTL	\$23.50	
600x450mm	POLY	\$21.90	
450x300mm	MTL	\$19.90	
450x300mm	POLY	\$18.50	
300x225mm	MTL	\$17.90	
300x225mm	POLY	\$15.90	



600x450 MTL **832527**
 600x450 POLY **841935**
 450x300 MTL **832526**
 450x300 POLY **841936**
 300x225 MTL **841938**
 300x225 POLY **841937**



600x450 MTL **863528**
 600x450 POLY **841901**
 450x300 MTL **863531**
 450x300 POLY **863530**
 300x225 MTL **863529**
 300x225 POLY **841905**



600x450 MTL **834071**
 600x450 POLY **841969**
 450x300 MTL **834070**
 450x300 POLY **841970**
 300x225 MTL **863514**
 300x225 POLY **841971**



600x450 MTL **863522**
 600x450 POLY **841887**
 450x300 MTL **863523**
 450x300 POLY **841889**
 300x225 MTL **863525**
 300x225 POLY **863524**



600x450 MTL **863518**
 600x450 POLY **863519**
 450x300 MTL **863520**
 450x300 POLY **841896**
 300x225 MTL **841897**
 300x225 POLY **863521**



600x450 MTL **841916**
 600x450 POLY **841915**
 450x300 MTL **863513**
 450x300 POLY **863512**
 300x225 MTL **841920**
 300x225 POLY **841919**



600x450 MTL **863533**
 600x450 POLY **863532**
 450x300 MTL **841911**
 450x300 POLY **841910**
 300x225 MTL **863535**
 300x225 POLY **863534**




600x450 MTL **841963**
 600x450 POLY **863527**
 450x300 MTL **841965**
 450x300 POLY **841964**
 300x225 MTL **863526**
 300x225 POLY **841966**



600x450 MTL **832521**
 600x450 POLY **841950**
 450x300 MTL **832520**
 450x300 POLY **841951**
 300x225 MTL **841953**
 300x225 POLY **841952**



300x450 POLY **863515**
 225x300 MTL **863517**
 225x300 POLY **863516**



450x600 POLY **841922**
 180x250 SS **841926**



450x600 MTL **833308**
 450x600 POLY **863509**
 300x450 MTL **833309**
 300x450 POLY **841928**
 225x300 MTL **841930**
 225x300 POLY **863510**



VERSAPRINTER™ & LABELIZER® PLUS TAPE CARTRIDGES

The 2 Globalmark systems replace the LabelizerPlus, VersaPrinter and GraphicsPro. - which have been discontinued. A list of supplies for these older systems are listed below or in your pricelist.

Brady is committed to supplying consumables for these printers now and into the future.

B-595 Brady Indoor/Outdoor Vinyl Tape

Our most popular tape, adheres well to pipes, walls, equipment, windows... most clean, dry surfaces. It even conforms well to irregular, curved or rough surfaces. For industrial use: stands up to grease, oil and most industrial chemicals



Size	Part No.		Qty. Per Pkg.
	Black	White	
13mm x 27.4m	142760	-	2
28.6mm x 27.4m	142759	-	2
57.1mm x 27.4m	142758	142762	1
100mm x 27.4m	142757	142761	1

Size	Part No.														Qty. Per Pkg.
	Black	Black	White	White	Red	White	Black	Black	Black	White	White	White	White	White	
13mm x 27.4m	-	142750	64814	64818	142745	142755	142741	142756	142785	-	-	-	-	142781	2
28.6mm x 27.4m	142765	142749	64815	142776	142744	142773	142740	142755	142784	142793	142787	142790	142780	2	
57.1mm x 27.4m	142764	142748	64816	142775	142743	142771	142739	142754	142783	142792	142786	142789	142779	1	
100mm x 27.4m	64690	142746	142766	142774	142742	142770	142737	142753	142782	142791	-	142788	142778	1	

B-569 Brady Hi-Performance Polyester Tape


Great for many industrial applications. Tape applies nicely to smooth surfaces. Has the durability of the B-580 indoor/outdoor vinyl tape sold above. Tape is specially designed with a low halide content which means it's great for use on stainless steel and nickel piping.

Size	Part No.							Qty. Per Pkg.
	Black	White	White	White	Black*	Black		
13mm x 33m	64326	64330	64334	64338	Black*	-	2	
28mm x 33m	64327	64331	64335	64339	64347	64355	2	
57.1mm x 33m	64328	-	64336	64340	64348	64356	1	
100mm x 33m	64329	64333	64337	-	64349	64357	1	

* On Clear Tape.

B-584 Reflective Tape

Well suited for both indoor and outdoor applications. The reflective capabilities are ideal for reading barcodes on racks and shelves from long distances, as well as on vehicles, work sites, low-light areas and more.



Size	Part No.		Qty. Per Pkg.
	Black	Black	
28.1mm x 23m	64739	64403*	2
57.1mm x 23m	64740	64404**	1
100mm x 23m	64741	64405	1

* Tape is 21m per roll
 ** Tape is 17.6m per roll

The GlobalMark®2 system has replace the LabelizerPlus, VersaPrinter and GraphicsPro printers. Now is the time to update your old printer to the latest technology, with great new features & functionality. Call for a demo & quote.

DO-IT-YOURSELF SIGMAKING



DO-IT-YOURSELF SIGNMAKING

PROFESSIONAL SIGNS & LABELS AT YOUR FINGERTIPS

Create all your safety and facility signage quickly, easily and cost-effectively with Brady's complete line of DIY printers, high performance media and design software

Do-It-Yourself Signmaking Introduction.....	86
Arc Flash Labelling.....	86
Printer Selector Guides.....	87-89
Material for Application Checklist.....	90
Brady Materials Guide.....	91
Printer Specifications.....	92
Markware™ Software.....	93
BMP™71 Printer & Media.....	94-96
HandiMark™ Media.....	97
MiniMark™ Printer & Media.....	98-99
BBP®31 Sign & Label Printer.....	100-104
GlobalMark™ Printer & Media.....	105-106
BBP™85 Industrial Printer.....	107-108
PowerMark™ Printer & Media.....	107-108
BLS850 Laminating System.....	109
Safety Sign Blanks & Laminators.....	109
VersaPrinter & Labelizer® Plus Media.....	110





DO-IT-YOURSELF SIGNMAKING INTRODUCTION

HIGH-PERFORMANCE PRINTING AT YOUR FINGERTIPS

With Brady DIY Signmaking solutions, produce professional quality, customised signs and labels on demand. No external supplier minimum order quantities or lead times - simply print whatever you like - instantly, whenever you need to. Investing in a DIY printing solution can help your business to save money, improve productivity and stay compliant with safety standards.



PRINTING SYSTEMS

Brady's printers use Thermal Heat Transfer technology to create a clear, crisp print finish that can survive in even the most demanding environments. They are designed to be easy to use and rugged to stand the test of time. With in-built symbols and full colour printing capabilities, you can create signage that truly stands out. Whether you require a handheld labeller or high end desktop printer, Brady has the solution to fit your needs.

LABEL DESIGN SOFTWARE

Design your labels on your PC and print directly to a Brady printer for maximum efficiency, ease of use and customisation options. See page 93 for further information.

HIGH PERFORMANCE LABELS

Brady invests millions of dollars into researching and developing materials for labels that stand the test of time under the toughest conditions. Whether your safety and facility signage needs to be reflective, repositionable, tamper evident or even glow in the dark, Brady has the material you need.



DO-IT-YOURSELF SIGNMAKING

ARC FLASH LABELLING



WHAT IS ARC FLASH?

Arc flash is a short circuit through air that flashes over from one exposed live conductor to another conductor or to ground.

WHAT CAUSES ARC FLASH?

Arc flashes can be caused in a variety of ways:

- Coming close to a high-amp source with a conductive object can cause the electricity to flash over.
- Dropping a tool or otherwise creating a spark can ignite an arc flash.
- Equipment failure due to use of substandard parts, improper installation, even normal wear & tear.
- Breaks or gaps in insulation.
- Dust, corrosion or other impurities on the surface of the conductor.

WHAT EQUIPMENT POSES A RISK?

- Switchboards
- Panel boards
- Industrial control panels
- Meter socket enclosures
- Motor control centres



DIY ARC FLASH LABELLING SOLUTIONS:



With the GlobalMark®2 printers you can produce Arc Flash templates to include any colours, symbols and text you like. See page 105 for details on this printer.



With the BBP®31 printer you can over-print text and symbols onto pre-printed DANGER header labels to product Arc Flash Risk templates and labels. See page 101 for details.





















PRINTER SELECTOR

The best starting point in identifying your solution is to consider what type of signs and labels you want to print. Basically there are 2 key factors to consider: Size and Colour.

These 2 factors will affect which printer you need. Use the selection guide below to help start selecting the right printer for you.

For more detailed comparison of printers, see page 92. If you have a specific application in mind, see pages 88-89.

	Media Width	Print Colour	Software	Why Buy?
BMP™71 	50 mm  Die cut	Monochrome	 MarkWare™	Portable Continuous & Diecut Materials
Minimark™ 	100 mm  Die cut	Monochrome	 MarkWare™	Continuous & Diecut Materials
BBP®31 	107 mm  Die cut	Monochrome	 MarkWare™	Touch Screen Stand Alone Continuous & Diecut Materials
GlobalMark®2 Multicolour 	105 mm 	Monochrome Multicolour	 MarkWare™	Touch Screen Stand Alone Multicolour
GlobalMark®2 Colour & Cut 	105 mm 	Monochrome Multicolour Full Colour	 MarkWare™	Touch Screen Stand Alone Multicolour Cut System
NEW BBP®85 	250 mm 	Monochrome Multicolour	 MarkWare™	Touch Screen Stand Alone Multicolour 250mm Media Width

DO-IT-YOURSELF SIGNMAKING



WHICH SYSTEM BEST SUITS YOUR APPLICATION

★★★★
Ideal

★★★
Good

★
Acceptable



pg. 94



pg. 98



pg. 100

APPLICATIONS	BMP™71	Minimark™	BBP®31
 <p>Safety panels Pictograms, pictograms and text, wallcharts</p>	★ Up to 50mm high Monochrome	★ Up to 100mm high Monochrome	★★ Up to 100mm high Monochrome
 <p>Evacuation maps</p>	–	★ Up to 100mm high Monochrome	★ Up to 100mm high Monochrome
 <p>Safety procedures & machine instructions Schematics Valve and switch identification Emergency procedures, lockout / tagout</p>	★★ Up to 17 lines on 50mm high	★★★★ Up to 25 lines on 100mm high	★★★★ Up to 25 lines on 100mm high
 <p>Pipe marking Standard, roll form, arrows</p>	★★ Individual pipe markers Monochrome Sizes from 25 to 50mm	★ Individual pipe markers Monochrome Sizes 29, 57 & 100mm	★★ Individual pipe markers Monochrome Sizes 13, 29, 57 & 100
 <p>Hazardous substances identification</p>	–	★★★★ 57, 75 and 100mm Monochrome	★★★★ 57, 75 and 100mm Monochrome
 <p>Photoluminescent signage Emergency escape routes Assembly and emergency point signs</p>	★★ Up to 50mm high	–	★★★★ Up to 100mm high Monochrome
 <p>Maintenance Cleaning instructions, repair instructions</p>	★★★★ Up to 17 lines on 50mm high	★★★★ Up to 25 lines on 100mm high	★★★★ Up to 25 lines on 100mm high
 <p>Switchboard identification Panel and switch identification</p>	★★★★	★★	★★
 <p>Asset management Office furniture, tools and machines, Company cars</p>	★★★★	★★★★ Die-cut, temper Evident materials	★★★★ Die-cut, temper evident materials
 <p>Logistics Warehouse, stock, barcodes</p>	★★★★ Up to 11 barcode symbologies	★★★★ Up to 11 barcode symbologies and economy material	★★★★ Built-in barcode symbologies
 <p>Transport Chemical substance, directional signs, Informative signs</p>	★ Up to 50mm high Monochrome	★ Up to 100mm high Monochrome	★ Up to 100mm high Monochrome
 <p>Office use Files, door plates</p>	★★★★	★★	★★
 <p>Cutting letters & signs</p>	–	–	–
 <p>Tag Out labels Safety tags</p>	–	–	★★ Special material, non-adhesive tags Monochrome
 <p>Events (badges, logos..) Exhibitions, seminars Advertising / communication agencies</p>	★	★★ Up to 100mm high Monochrome	★★ Up to 100mm high Monochrome
 <p>Service / recreation Industrial contractors Holiday centres, leisure centres Theme parks</p>	★ Up to 50mm high Monochrome	★ Up to 100mm high Monochrome	★ Up to 100mm high Monochrome

DO-IT-YOURSELF SIGMAKING



pg. 105



pg. 107

















GlobalMark®2 Multicolour	GlobalMark®2 Colour & Cut	BBP®85
★★ Up to 100mm high, Multicolour (300mm with tiling)	★★★★ Up to 100mm high Multicolour (300mm with tiling)	★★★★ Up to 250mm high Multicolour
★★ Up to 100mm high, Multicolour (300mm with tiling)	★★★★ Up to 100mm high Multicolour (300mm with tiling & auto-cut labels)	★★ Up to 250mm high Multicolour (60mm with tiling)
★★★★ Up to 25 lines on 100mm high	★★★★ Up to 25 lines on 100mm high	★★★★ Up to 42 lines on 250mm high
★★★★ Individual pipe markers, Multicolour Sizes 13, 29, 57 & 100mm	★★★★ Individual or multiple-up pipe markers, Multicolour & cut to shape Sizes 13, 29, 57 & 100mm	★★★★ Individual or multiple-up pipe markers, Multicolour or monochrome, Sizes 13 to 250mm
★★★★ 57, 75 and 100mm Multicolor	★★★★ 57, 75 and 100mm Multicolor	★ 100, 150, 200 and 250mm Multicolor
★★★★ Up to 100mm high Multicolour	★★★★ Up to 100mm high Multicolour	★★★★ Up to 250mm high
★★★★ Up to 25 lines on 100mm high	★★★★ Up to 25 lines on 100mm high	★★★★ Up to 42 lines on 250mm high
★★	★★	★
★★★★ Special materials Semi rigid, non adhesive, Multicolour (prints photos)	★★★★ Special materials Semi rigid, non adhesive Multicolour (prints photos)	★
★★ Up to 11 barcode symbologies and special material	★★ Up to 11 barcode symbologies and special material	★★ Built in barcode symbologies
★★ Up to 100mm high Multicolour	★★★★ Up to 300mm high Multicolour (tiling function)	★★★★ Up to 250mm high Multicolour
★★	★★	★
-	★★★★	-
★★★★ Special materials Semi rigid, non adhesive Multicolour (prints photos)	★★★★ Special materials Semi rigid, non adhesive Multicolour (prints photos)	★
★★★★ Print photos in full colour	★★★★ Print photos in full colour Cut out function	★
★★ Up to 100mm high, Multicolour (300mm with tiling)	★★★★ Up to 100mm high, Multicolour (300mm with tiling)	★★★★ Up to 600mm high (with tiling) Multicolour

i Your Brady distributor has in-depth knowledge on the range of products and options available to you. They are on-call to answer all of your questions and help you to identify a solution ideal for your needs.

DO-IT-YOURSELF SIGNMAKING



APPLICATION VS MATERIAL CHECKLIST

















		Compatible printer key: 71 = BMP™71 MM = Minimark™ 31 = BBP®31 GM = GlobalMark™ 85 = BBP®85	B-7604/ B-7606 Paper Diecut	B-595/ B-7569 Industrial quality vinyl	B-569 High perform. polyester	B-581 Repos. vinyl	B-582/ B-526 Photolum.	B-530/ B-438 Tampor resistant/ Evident	B-549 Cold temp. polyester	B-529/ B-7591 Economy Polyprop. & Vinyl	B-584 Reflective vinyl	B-575 Brushed gold polyester	B-509 Magnetic	B-551 Non adhesive tag stock	B-565/ B-7563 Metallised polyester	B-8423 Polyester
Compatible Printers		MM	71, MM, 31, GM, PM	31, GM, PM	71, 31, GM	71, GM, PM	71, MM, 31	71, GM	71, MM	71, GM, PM	PM	31, GM	31, GM	MM, 31, GM	MM	
	Safety Panels • Pictograms • Pictograms and text • Wallcharts		★	★		★		★		★						
	Evacuation Maps		★	★		★		★								
	Safety Procedures & Machine Instructions • Valve & switch Identification • Emergency procedures • Lockout / Tagout • Schematic		★	★		★		★	★	★					★	
	Pipe Marking • Standard • Roll form • Arrows		★	★												
	Hazardous Substances Identification		★	★					★							
	Photoluminescent Signage • Emergency escape routes • Assembly and Emergency point signs					★										
	Maintenance • Cleaning instructions • Repair instructions		★		★									★	★	★
	Switchboard Identification		★												★	
	Asset Management • Office furniture • Tools and machines • Company cars		★				★		★							
	Logistics • Warehouse • Stock • Barcodes	★	★		★				★	★			★			
	Transport • Chemical substances • Directional signs • Informative signs		★	★						★						
	Office Use • Files • Door plates	★	★						★							★
	Cutting Letters & Signs		★	★								★			★	
	Tag Out Labels • Safety Tags		★											★		
	Events (badges, logo) • Exhibitions • Seminars • Advertising/ communication agencies		★		★				★		★				★	
	Services / Recreation • Industrial contractors • Holiday centres, leisure centres • Theme parks		★		★				★		★				★	

DO-IT-YOURSELF SIGNSMAKING









BRADY MATERIALS GUIDE

CONTINUOUS TAPES

	Indoor/Outdoor Vinyl Tape (B-595) Adheres to most clean, dry surfaces. Also conforms well to irregular, curved or rough surfaces. Stands up to grease, oil and most industrial chemicals. 5-year average outdoor durability in temperatures from -40°C and +82°C (under certain conditions*). Tape can be applied at as low as -18°C		Minimark™ Indoor/Outdoor Vinyl Tape (B-7569) Adheres to most clean, dry surfaces. Also conforms well to irregular, curved or rough surfaces. Stands up to grease, oil and most industrial chemicals. 3-year average outdoor durability in temperatures from -20°C and +75°C (under certain conditions*). Tape can be applied at as low as -10°C.
	Minimark™ Indoor Vinyl Tape (B-7591) Preferred in logistics market. Economical/Non-UV stabilised. Gloss white vinyl film with permanent acrylic pressure sensitive adhesive used for indoor applications such as warehouse racking identification. 2-year average outdoor durability in temperatures from -20°C to +65°C (under certain conditions*). Tape can be applied at as low as 10°C.		Magnetic Tape (B-509) Magnetic backed Polyester, ideal for temporary, reusable and movable signs. Constantly repositioned identification, warehouse applications. 3-5 years average outdoor durability in temperatures from -18°C to +70°C (under certain conditions*). Tape can be applied at as low as -18°C.
	Hi-Performance Polyester Tape (B-569) Adheres to smooth surfaces. Low halide content: ideal for use on stainless steel and nickel piping. 3-year average outdoor durability in temperatures from -40°C to +100°C (under certain conditions*). Tape can be applied at as low as -18°C.		Photoluminescent (B-526/B-582) Will remain clearly visible in a totally dark room for at least one hour! (High performance Brady Glo also available). Indoor use only. Usage from -40°C up to +80°C. Tape can be applied at as low as +10°C.
	Non Adhesive Tag Stock (B-551) Heavy duty polyester tag stock (0.35 mm) for accident prevention tags. Used for marking on-the-spot warning of dangerous conditions. 2-year average outdoor durability in temperatures from -40°C to +90°C (under certain conditions*).		Metallised Polyester Tape (B-565) Metallised polyester film with a permanent acrylic pressure sensitive adhesive. Applications like ID labels, rating and serial plates that utilise barcodes, alphanumerics, symbols and logos and require nameplate-like quality. 3 to 5-year average outdoor durability in temperatures from -40°C to +110°C (under certain conditions*). Tape can be applied at as low as -18°C.
	Economy Polypropylene Tape (B-529) Economy polypropylene film with pressure sensitive acrylic adhesive. Ideal low-cost choice. Not recommended for outdoor use. Usage from: -40°C up to +100°C. Tape can be applied at as low as +10°C.		Cold Temperature Tape (B-549) Flexible, dimensionally stable, low temperature, pressure sensitive adhesive tape. Stands up to chemicals, water, oil and some solvents. Not recommended for outdoor use. Usage from: -40°C up to +100°C. Tape can be applied at as low as -23°C.
	Repositionable Vinyl Tape (B-581) Special adhesive allows easy removal and reapplication. 5-year average outdoor durability in temperatures from -40°C to +80°C (under certain conditions*). Tape can be applied at as low as +10°C.		Tamper Resistant Tape (B-530) Destructs into tiny fragments when tampered with making removal very tedious and difficult. 3-year average outdoor durability in temperatures from -40°C up to +80°C (under certain conditions*). Tape can be applied at as low as +10°C
	Overlaminare (B-674) Rolls of overlaminare providing improved label durability. 2-year average outdoor durability in temperatures from -40°C to +90°C (under certain conditions*). Tape can be applied at as low as +10°C.		Brushed Gold Polyester (B-575) Brushed gold polyester tape with a permanent pressure sensitive adhesive. Used for general labelling and marking indoors. 2-year average outdoor durability in temperatures from -40°C to +145°C (under certain conditions*). Tape can be applied at as low as +10°C.
	Reflective Tape (B-584) Ideal for reading labels in low light conditions (with flashlight). 5-year average outdoor durability in temperatures from -40°C to +80°C (under certain conditions*). Tape can be applied at as low as +10°C.		Static Cling Tape (B-515) Static cling vinyl used for temporary, removable indoor signage when applied to most clean, smooth surfaces. No adhesive. Not suitable for outdoor use. Usage in temperatures from -40°C to +80°C (under certain conditions*). Tape can be applied at as low as +10°C.

DIE-CUT LABELS

	Direct Thermal Paper (B-7604) General labelling, packaging labels, temporary identification. No ribbon required. Economical solution. Usage from -60°C to 80°C.		Metallised Polyester (B-7563) Metallised polyester film with a permanent acrylic pressure sensitive adhesive. Applications like identification labels or rating and serial plates that utilise barcodes, alphanumerics, symbols and logos and require nameplate-like quality. Usage from -40°C to 120°C.
	Self Laminating Wire ID (B-427) Permanent acrylic adhesive and a topcoat specifically formulated for thermal transfer printing. Excellent water, oil and solvent resistance. Usage from -40°C to 60°C. RoHS compliant. Durable wire and cable identification.		Thermal Transfer Paper (B-7606) General labelling, packaging labels. Variety of sizes. Suitable for shipping, warehousing. Usage from -20°C to 80°C.
	Raised Panel Label (B-593) Adhesive-Tape Polyesters are designed for patch panel identification in identifying external push buttons, switches, and internal connection points. Also used as rating and serial plates. Usage from -20°C to 100°C.		Tamper Evident Metallised Polyester (B-438) Matt metallised polyester, permanent adhesive. Designed for rating and serial plates requiring both high-performance and protection against removal. Leaves a checkerboard footprint if removed. Durable asset identification. Usage from -40°C to 40°C.

* Depends on climatic conditions, colours and usage.



For full list of Brady Material Specifications, refer to page 361-369



SIGN PRINTER SPECIFICATIONS



pg. 94



pg. 98



pg. 100



pg. 105



pg. 107

	BMP™71	Minimark™	BBP®31	GlobalMark®2 Multicolour	GlobalMark®2 Colour & Cut	BBP®85
Functionality						
Input	Keypad	PC Link	Touch Screen & Keyboard	Touch Screen, Keyboard & Mouse	Touch Screen, Keyboard & Mouse	Keyboard
Portable	Yes	No	No	No	No	No
Stand-Alone	Yes	No	Yes	Yes	Yes	Yes
PC Connectivity	USB	USB, Serial	USB	COM, USB	COM, USB	USB, Ethernet & Wireless
Backlit Screen Display	Yes	-	Yes	Yes	Yes	Yes
Compatible Software	LabelMark & MarkWare	MarkWare	MarkWare	MarkWare	MarkWare	MarkWare
Print Resolution	300dpi	203dpi	306dpi	300dpi	300dpi	300dpi
Print Colour	Single Colour	Single Colour	Single Colour	Single Colour, Multicolour & Blended	Single Colour, Multicolour & Blended	Single Colour, & Multicolour
Built-in Fonts	2	-	4	4	4	4
Built-in Symbols	500+	-	500+	700+	700+	600+
Barcode Function	Yes	Yes with Markware	Yes	Yes	Yes	Yes
Serialisation Function	Yes	Yes with Markware	Yes	Yes with Markware	Yes with Markware	Yes
Memory	Yes	Yes	Yes	Yes	Yes	Yes
Materials						
Continuous Tape	Yes	Yes	Yes	Yes	Yes	Yes
Die Cut Labels	Yes	Yes	Yes	No	No	No
Max Tape Widths	50.8mm	100mm	107.95mm	100mm	100mm	250mm
Max Print Length	101.6cm	250cm	250cm	250cm	250cm	500cm
Max Print Length Multicolour	-	-	-	96cm	96cm	80cm
Specifications						
Weight	2.49kg	2.2kg	6.5kg	9.6kg	10.1kg	22kg
Dimensions (HxWxD mm)	333x241x177	201x260x179	229x305x279	430x260x350	430x260x350	490x310x500
Power Supply	240V (110V)	240V (110V)	240V (110V)	240V (110V)	240V (110V)	240V (110V)
Min. PC System Requirements for use with MarkWare	Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit). Minimum 640 x 480 at 256 colours. Minimum 400 MHz Pentium or equivalent. 96 MB RAM. 500 MB of available hard disk space. Internet Explorer 6.0 or greater. CD-ROM drive.	Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit). Minimum 640 x 480 at 256 colours. Minimum 400 MHz Pentium or equivalent. 96 MB RAM. 500 MB of available hard disk space. Internet Explorer 6.0 or greater. CD-ROM drive.	Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit). Minimum 640 x 480 at 256 colours. Minimum 400 MHz Pentium or equivalent. 96 MB RAM. 500 MB of available hard disk space. Internet Explorer 6.0 or greater. CD-ROM drive.	Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit). Minimum 640 x 480 at 256 colours. Minimum 400 MHz Pentium or equivalent. 96 MB RAM. 500 MB of available hard disk space. Internet Explorer 6.0 or greater. CD-ROM drive.	Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit). Minimum 640 x 480 at 256 colours. Minimum 400 MHz Pentium or equivalent. 96 MB RAM. 500 MB of available hard disk space. Internet Explorer 6.0 or greater. CD-ROM drive.	Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit). Minimum 640 x 480 at 256 colours. Minimum 400 MHz Pentium or equivalent. 96 MB RAM. 500 MB of available hard disk space. Internet Explorer 6.0 or greater. CD-ROM drive.



MARKWARE™ DESIGN SOFTWARE

SOFTWARE THAT ANTICIPATES YOUR NEEDS AS YOU DESIGN YOUR LABEL

MarkWare™ is the combination of power and versatility. Easy to use, your industrial signage can at last show its true potential for noticeable signs – created in-house, in colour, in minutes.

- Use your PC to quickly design professional looking signs and labels
- Print directly to a Brady labelling system or most Windows™ inkjet/laser printers
- Preformatted templates make sign and label creation quick and easy
- Customise label layouts to your own specs
- Import logos and photos or create bar codes using 15 different symbologies
- Link label contents to information stored in spreadsheet and databases

Primary Application:

- Facility, Safety & Maintenance ID
- Visual Workplace ID
- Pipe Marking
- Bar Code Labelling
- Hazardous Chemical Labelling
- Lockout Labels
- Arc Flash Labels
- Visual Equipment Controls
- Warehouse Bin and Shelf Labelling
- General Industrial Labels

Visit www.bradyID.com.au/markware for more information.



Part No.	Description
20700	MarkWare™ Software Kit - One user licence

System Requirements:

- * Supported Operating Systems: Microsoft® Windows® XP PRO (SP3), Vista Ultimate (SP2), or Windows 7 (32 or 64 bit)
- * Display: Minimum 640 x 480 at 256 colours. Recommended: 1024 x 768 High Colour, 32 Bit
- * Processor: Minimum 400 MHz Pentium or equivalent. Recommended: 1 GHz Pentium or equivalent.
- * Minimum: 96 MB RAM. Recommended: 256 MB RAM
- * Up to 500 MB of available hard disk space (for a complete installation) may be required
- * Internet Explorer 6.0 or greater
- * CD-ROM drive

Hundreds Of Built-In Symbols Designed For International And Australian Standards

Hazard Warning



Personal Protective Equipment



Prohibition



Sign Headers



MARKWARE™ Function Compatible with System

	BMP™71	Minimark™	BBP®31	GlobalMark®2	BBP®85
Multilingual	✓	✓	✓	✓	✓
Windows Environment	✓	✓	✓	✓	✓
Compliant With Safety Regulations	✓	✓	✓	✓	✓
Compliant Australian Symbols And Colours	✓	✓	✓	✓	✓
Pipe Markers Compliant With Most Local Norms	✓	✓	✓	✓	✓
Create Your Own Template Categories	✓	✓	✓	✓	✓
Scalable Templates & Labels	✓	✓	✓	✓	✓
Multi-Applications	✓	✓	✓	✓	✓
Database Connectivity	✓	✓	✓	✓	✓
Quick Text Function	✓	✓	✓	✓	✓
Monochrome Print	✓	✓	✓	✓	✓
Tiling		✓		✓	✓
Printing Logos	✓	✓	✓	✓	✓
Multicolour Print				✓	✓
Multicolour Templates				✓	✓
Cutting Letters				✓	
Print & Cut Around Symbols				✓	
Full Colour				✓	
Die Cut Materials		✓	✓		

Windows® XP PRO, Vista Ultimate and 7 are trademarks of Microsoft Inc – USA.



BMP™71 MOBILE PRINTER



View an online demo video and request a free label sample pack of the BMP™71 Printer at www.bradyID.com.au/bmp71

Features include:

- 100's Of Symbols
- Prints On 100's Of Label Options
- Reverse Print
- Subscripts
- Multiple Font Sizes
- Auto Font Sizes
- Barcodes
- QWERTY Keyboard
- Easy Design & Formatting
- Simple To Load, Smart Cell Labels & Ribbons
- Serialisation
- Time/Date Stamps
- Underline/Italics/Bold
- Frame Option
- Vertical Text
- Expand/Condense
- Full Colour Display
- Includes PC Design Software



THOUSANDS OF APPLICATIONS. HUNDREDS OF LABELS. ONE LABEL PRINTER.

With the BMP™71 you can create all of your safety and facility, wire and cable, and asset and component identification quickly, simply and professionally with one printer.

The best features and functionalities of Brady's portable label printers are now combined into one easy-to-use, top-of-the-line portable thermal transfer printer.

You can even use all of your existing HandiMark™ and TLS 2200™ label stocks with the BMP™71 printer.

BMP™71 Printer Specifications

Recommended Label Production Per Day	1,000
Print Speed	38.1mm per second
Max. Label Width	50.8mm
Continuous Labels	Yes
Die Cut Labels	Yes
Print Colour	Single colour print
Font Sizes	4 to 174 pt
Memory	100,000 characters / 200 MB
PC Connectivity	USB Able to be used with MarkWare™ software (see page 93)
Stand-Alone Design	Yes
Print Resolution	300dpi
Serialisation Number	Yes
Barcode Function	Yes – 39 and 128
Symbols	500+ built into printer for standalone use, thousands when used with PC software
Power Supply	Rechargeable battery and AC Power included

* For a comparison of specifications versus other printers, see page 92.

The BMP™71 Is Your Complete Printing Solution...

The BMP™71 not only offers a range of Do-It-Yourself Signmaking tapes and labels which are shown on pages 95 to 96, but this versatile printer also offers an extensive range of Do-It-Yourself Labelling materials suitable for Electrical, Voice/Data Communication, General ID and Laboratory applications.

Visit pages 138-153 to view the Do-It-Yourself Labelling solutions available with the BMP™71 Printer.



The One Way To Faster, Easier Label Printing



Electrical Labeling

Voice/Data Communications

General Identification

PermaSleeve® WireSleeve

Self-Laminating Labels

Safety Labels... and more!



BMP™71 PRINTER RIBBONS & TAPES



BMP™71 PRINTER & ACCESSORIES

Part No.	Description
872044	BMP™71 Printer* with MarkWare™ Software
115158	BMP™71 Printer* with LabelMark™ Software
114881	Hardcase
114882	Softcase
871843	AC Adapter
871844	Quick Charger
114885	Battery
114886	Cleaning Kit
114887	HandiMark™ / TLS 2200™ Media Adaptor
103788	USB Cable

*Label printer ships with Hardcase, Charger/AC Adaptor, 1 x Roll of M71-31-423 White Die Cut Labels, 1 x R6000 Ribbon Cartridge, Roll Adaptor, USB Cable, Quickstart Guide, a CD including the Printer Driver, User Guide and Tutorial.

The BMP™71 printer can also print on TLS2200® and HandiMark® consumables using the included Roll Adaptor



BMP™71 RIBBONS

Part No.	Reference	Colour	Length
114547	M71-R6000	Black	45.72m
114550	M71-R4400-WT	White	45.72m
114552	M71-R6900-BL	Bue	45.72m
114551	M71-R6900-RD	Red	45.72m
114553	M71-R6900-GR	Green	45.72m
114554	M71-R6900-MA	Magenta	45.72m
114555	M71-R6900-YL	Yellow	45.72m

Refer to BMP™71 ribbon chart on page 139 for a complete list of ribbon and material compatibility

LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID

■ B-595 Indoor/Outdoor Vinyl Tape



Dimensions	Material	Part No.															
		White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple	Tan	Light Blue	Pink	Ochre	Sky Blue
12.70mm x 15.24m	B-595	142375	142376	142370	142374	142366	142372	142365	142371	142367	142368	142373	142391	142379	142382	142385	142388
25.40mm x 15.24m	B-595	142351	142352	142346	142350	142342	142348	142341	142347	142343	142344	142349	142390	142378	142381	142384	142387
50.80mm x 15.24m	B-595	142363	142358	142358	142362	142354	142360	142353	142359	142355	142356	142361	142389	142377	142380	142383	142386
Recommended Ribbons		M71-R6000	M71-R6000	M71-4400-WT	M71-4400-WT	M71-4400-WT	M71-R6000	M71-4400-WT	M71-R6000	M71-R6000	M71-R6000	M71-R6000	M71-R6000	M71-R6000	M71-R6000	M71-R6000	M71-R6000

Refer to the material guide on page 361-369 for full material specifications and descriptions.

DO-IT-YOURSELF SIGNMAKING



BMP™71 PRINTER TAPES & LABELS

TEMPORARY / REMOVABLE

- B-581 Repositionable Vinyl Tape



Dimensions	Material	Part No.	
		White	Yellow
12.70mm x 15.24m	B-581	114847	114848
25.40mm x 15.24m	B-581	114724	114725
50.80mm x 15.24m	B-581	114771	114772
Recommended Ribbon	M71-R6000	M71-R6000	

TAMPER INDICATING

- B-530 Tamper Resistant Tape



Dimensions	Material	Part No.
12.70mm x 15.24m	B-530	114835
25.40mm x 15.24m	B-530	114711
50.80mm x 15.24m	B-530	114761
Recommended Ribbon	M71-R6000	

ECONOMY INDOOR/OUTDOOR TAPE

- B-529 Polypropylene Tape



Dimensions	Material	Part No.
25.40mm x 15.24m	B-529	114710
50.80mm x 15.24m	B-529	114760
Recommended Ribbon	M71-R6000	

REFLECTIVE / LOW LIGHT APPLICATIONS

- B-584 Reflective Tape



Dimensions	Material	Part No.		
		White	Yellow	Orange
25.40mm x 22.86m	B-584	115140	104303	104301
50.80mm x 22.86m	B-584	115141	104304	104302
Recommended Ribbon	M71-R6000	M71-R6000	M71-R6000	

GLOW IN THE DARK

- B-582 BradyGlo™ Phosphorescent Polyester Tape



Dimensions	Material	Part No.
25.40mm x 22.86m	B-582	104290
50.80mm x 22.86m	B-582	115130
Recommended Ribbon	M71-R6000	

OVERLAMINATE

- B-674 Transparent Polyester



Brady B-674 clear polyester film material is used as a clear overlaminate which provides improved label durability.

Dimensions	Material	Part No.
50mm x 50m	B-674	852229
85mm x 50m	B-674	852230
130mm x 50m	B-674	852231

Refer to BMP™71 ribbon chart on page 139 for a complete list of ribbon and material compatibility

The BMP™71 Is Your Complete Printing Solution...

The BMP™71 not only offers the above range of Do-It-Yourself Signmaking tapes and labels, but this versatile printer also offers an extensive range of Do-It-Yourself Labelling materials suitable for Electrical, Voice/Data Communication, General ID and Laboratory applications.

Visit pages 138-153 to view the Do-It-Yourself Labelling solutions available with the BMP™71 Printer.



Refer to the material guide on page 361-369 for full material specifications and descriptions.



HANDIMARK™ RIBBONS & TAPES



i The HandiMark™ printer has been replaced by the BMP™71 Printer (see page 94). Brady continues to offer a range of HandiMark™ accessories, ribbons and labels.

HANDIMARK™ RIBBONS



Part No.	Colour	Dimensions
42011	Black	50mm x 23m
42012	White	50mm x 23m
42013	Red	50mm x 23m
42014	Blue	50mm x 23m
42015	Green	50mm x 23m
42016	Magenta	50mm x 23m
42123	Yellow	50mm x 23m

LABELS FOR GENERAL INDUSTRIAL, FACILITY & SAFETY ID

- B-595 Indoor/Outdoor Vinyl Tape



Dimensions	Material	Part No.													
		White	Yellow	Green	Red	Blue	Orange	Black	Grey	Brown	Clear	Purple	Tan	Light Blue	
12.70mm x 15.24m	B-595	142269	142272	142275	142278	142281	142284	142287	142290	142293	142302	142299	-	-	
25.40mm x 15.24m	B-595	142270	142273	142276	142279	142282	142285	142288	142291	142294	142303	142300	142308	142306	
50.80mm x 15.24m	B-595	142271	142274	142277	142280	142283	142286	142289	142292	142295	142304	142301	142307	142305	
Ribbon		Choose from ribbons listed above													

TEMPORARY / REMOVABLE

- B-581 Repositionable Vinyl Tape



Dimensions	Material	Part No.	
		White	Yellow
12.70mm x 15.24m	B-581	42100	42103
25.40mm x 15.24m	B-581	42101	42104
50.80mm x 15.24m	B-581	42102	42105
Ribbon		Choose from ribbons listed above	

TAMPER INDICATING

- B-530 Tamper Resistant Tape



Dimensions	Material	Part No.
		White
12.70mm x 15.24m	B-530	42137
25.40mm x 15.24m	B-530	42138
50.80mm x 15.24m	B-530	42139
Ribbon		Choose from ribbons listed above

ECONOMY TAPE


- B-529 Polypropylene Tape



Dimensions	Material	Part No.
		White
12.70mm x 15.24m	B-529	42068
25.40mm x 15.24m	B-529	42069
50.80mm x 15.24m	B-529	42071
Ribbon		Choose from ribbons listed above

REFLECTIVE / LOW LIGHT APPLICATIONS

- B-584 Reflective Tape



Dimensions	Material	Part No.		
		White	Yellow	Orange
25mm x 10m	B-584	42062	42064	42066
50mm x 10m	B-584	42063	42065	42067
Ribbon		Choose from ribbons listed above		

OVERLAMINATE

- B-674 Transparent Polyester



Dimensions	Material	Part No.
50mm x 50m	B-674	852229
85mm x 50m	B-674	852230
130mm x 50m	B-674	852231

i Refer to the material guide on page 361-369 for full material specifications and descriptions.

DO-IT-YOURSELF SIGNMAKING



MINIMARK™ PRINTER



Features includes:

- VERSATILE – Uses continuous tapes for multiple applications
- EASY-LOAD-SUPPLIES – Drop-in ease of loading
- FAST – Prints up to three inches per second
- COMPACT – Doesn't take up a lot of space in work areas
- POWERFUL – Ships with Brady's MarkWare™ Software
- CUTTER - Built-in cutter minimises waste
- PC - Available with Serial and USB connectivity

Part No.	Description
710141	MiniMark™ Industrial Label Printer with Free Markware™ Software
856863	ValuePLUS Package for MiniMark™ Includes: 1 x 100mm (35m) Vinyl Tape, 1 x 57mm (35m) Vinyl Tape, 1 x Black Ribbon



INDUSTRIAL LABEL PRINTER

The MiniMark™ offers an affordable sign and label making solution that is compact, fast and incredibly versatile. It has a range of both continuous tapes and die-cut labels providing a solution for safety & facility, wire & cable and general identification.

The MiniMark™ comes complete with MarkWare™ software to allow you to quickly and efficiently create custom designs and templates.

MiniMark™ Printer Specifications

Print Speed	100mm per second
Max. Label Width	100mm
Continuous Labels	Yes
Die Cut Labels	Yes
Print Colour	Single colour print
Font Sizes	2mm – 99.06mm (with MarkWare™ Software)
Memory	2MB
PC Connectivity	USB & Serial
Stand-Alone Design	No
Print Resolution	203dpi
Serialisation Number	Yes – with MarkWare™ software (see page 93)
Barcode Function	Yes – with MarkWare™ software (see page 93)
Symbols	Thousands when used with MarkWare™ (see page 93)
Power Supply	AC power included

* For a comparison of specifications versus other printers, see page 92.



Visit www.bradyID.com.au/markware for more information.

MARKWARE™ SOFTWARE

Ships with every MiniMark™ Printer.

The Ultimate sign and pipe marker database.

Creating your sign and labels is fast and easy with MarkWare™ software, a powerful tool to compliment your use of the MiniMark™ printer. Use your PC to design professional looking signs and labels and print directly to the MiniMark™ printer.

The MarkWare™ Software contains thousands of pre-made labels ready to print as-is or customise with the click of a mouse. Fast. Accurate. Amazing.



Economical, Compact Printer



Signs, Pipe Markers, Equipment ID, General ID, Racks and Shelving, Panel ID, Procedures, Asset Management and more



MINIMARK™ TAPES & LABELS

MINIMARK™ RIBBONS

Reference	Dimensions	Colour	Part No.		
				2 Rolls/Pkg	1 Roll/Pkg
R-7968	110mm x 90m	Black	710022		710192
R-7968	110mm x 90m	White	710023		710193
R-7969	110mm x 90m	Red	710024		710194
R-7969	110mm x 90m	Blue	710025		710195
R-7969	110mm x 90m	Green	710026		710196
R-7950 – wax*	110mm x 90m	Black	710221		-

* Wax Ribbon for use with die-cut labels



MINIMARK™ LABELS

- B-7569 Indoor/Outdoor Vinyl Tape
- B-7591 Indoor Vinyl Tape

Dimensions	Material	Part No.	Colour						
			White	Yellow	Green	Red	Blue	Orange	Black
B-7569									
29mm x 35m	B-7569	710028	710029	710031	710030	710032	710033	710034	
57mm x 35m	B-7569	710040	710041	710043	710042	710044	710045	710046	
100mm x 35m	B-7569	710052	710053	710055	710054	710056	710057	710058	
B-7591									
25mm x 35m	B-7591	710063	-	-	-	-	-	-	
75mm x 35m	B-7591	710067	-	-	-	-	-	-	



- B-7604 Direct Thermal Paper



Part No.	Material	Dimensions	Labels per Roll
Colour: White			
710091	B-7604	15.15 x 19.05mm	1,575
710093	B-7604	57.15 x 31.75mm	1,000
710096	B-7604	57.15 x 76.2mm	450
710098	B-7604	101.6 x 38.1mm	750
710100	B-7604	101.6 x 63.5mm	525
710101	B-7604	101.6 x 76.2mm	440
710103	B-7604	101.6 x 101.6mm	335
710105	B-7604	101.6 x 127mm	270

* No Ribbon Required

- B-7606 Thermal Transfer Paper



Part No.	Material	Dimensions	Labels per Roll
Colour: White			
710092	B-7606	15.15 x 19.05mm	1,575
710094	B-7606	57.15 x 31.75mm	1,000
710095	B-7606	57.15 x 50.8mm	440
710099	B-7606	101.6 x 38.1mm	750
710102	B-7606	101.6 x 76.2mm	440
710104	B-7606	101.6 x 101.6mm	335
710106	B-7606	101.6 x 127mm	270
710107	B-7606	101.6 x 152.4mm	225

Use Black Wax Ribbon with these labels. Part No. 710221

- B-427 Self Laminating Die Cut Labels



Part No.	Material	Dimensions	Labels per Roll
Colour: White/Clear			
710112	B-427	12.7 x 31.75mm	2,800
710113	B-427	25.4 x 25.5mm	3,275
710114	B-427	25.4 x 31.5mm	2,780
710116	B-427	38.1 x 63.5mm	1,000

* Use Black Wax Ribbon with these labels. Part No. 710221

- B-7563 Metallised Polyester Labels



Part No.	Material	Dimensions	Labels per Roll
Colour: Silver			
710081	B-7563	25.4 x 12.7mm	2,865
710082	B-7563	38.1 x 19.05mm	3,150
710083	B-7563	69.85 x 31.75mm	1,000
710084	B-7563	50.8 x 25.4mm	1,240
710085	B-7563	76.2 x 50mm	650

- B-438 Tamper Evident Metallised Polyester Labels



Part No.	Material	Dimensions	Labels per Roll
Colour: Silver			
710108	B-438	50.8 x 25.4mm	1,240
710109	B-438	76.2 x 25.4mm	1,225
710110	B-438	76.2 x 50.8mm	650
710111	B-438	76.2 x 35mm	Continuous

* Use Black Wax Ribbon with die cut labels. Part No. 710221

- B-8423 Standard Polyester Labels



Part No.	Material	Dimensions	Labels per Roll
Colour: White			
710086	B-8423	25.4 x 12.7mm	2,865
710087	B-8423	38.1 x 19.05mm	3,185
710089	B-8423	12.7 x 11.1mm	7,455
710090	B-8423	50.8 x 25.4mm	1,240