



## BRADY SAFETY PLUS™ PADLOCKS

Designed specifically for use in lockout applications, Brady Safety Plus™ Padlocks help keep workers safe and equipment free from damage. Rugged, yet compact and lightweight, this innovative lock meets OH&S lockout requirements and is well suited for use in harsh industrial environments. Each padlock comes with 2 keys and padlock labels.



### Features and Benefits:

- Compact and ultra-lightweight design safeguards both employees and equipment
- Corrosion and chemical resistant – suitable for use in harsh environments
- Spark-resistant, non-conductive body enhances safety in electrical applications
- Specially designed inner mechanism for non-conductivity between shackle and cylinder
- 6-pin reserved-use cylinder delivers optimum security and tamper-proofing
- Made of rugged reinforced nylon with steel shackle
- Ribbed sides promote secure gripping – even when wearing gloves
- Key won't release until shackle is closed
- Comes with two keys, danger label and a property of label
- Custom keying, charting and engraving also available

Call for pricing.


LOCKOUT TAGOUT

**BODY DIMENSIONS:** 38 x 44 x 18mm (WxHxD)

**SHACKLE DIMENSIONS:** 38 x 6.35mm (LxDia)

**STANDARD PACKAGE:** 1

Part No.	Description	
850821	Brady Safety Padlock - Red	B
850816	Brady Safety Padlock - Blue	
850818	Brady Safety Padlock - Green	
850820	Brady Safety Padlock - Yellow	
850819	Brady Safety Padlock - Orange	
850817	Brady Safety Padlock - Black	
853203	Brady Safety Padlock - White	
853204	Brady Safety Padlock - Purple	
51379	Brady Safety Padlock - Labels - Pk 6	



For keyed alike or master keyed options please contact your local Brady Distributor for a quote.

## BRADY KEYED ALIKE PADLOCK PACK

No need to wait for a set of customised padlocks, Brady offers three keyed alike safety padlocks in one pack. Padlocks come with unique keying numbers and the option to add additional padlocks on the same keying system. These are ideal for tradespeople and maintenance workers who need to lockout multiple areas. Packs come with "Danger Locked Out" labels and one key per padlock.

**STANDARD PACKAGE:** 3

Part No.	Description	Colour	
853205	Pack of 3 - Keyed Alike	Red	B
853206	Pack of 3 - Keyed Alike	Yellow	
853207	Pack of 3 - Keyed Alike	Blue	
853208	Pack of 3 - Keyed Alike	Green	

**STANDARD PACKAGE:** 12 Packs

Part No.	Description	Colour	
853408	Box of 12 Packs (Mixed)	Red/Yellow	C
853409	Box of 12 Packs (Mixed)	Blue/Green	
853680	Box of 12 Packs (One Colour)	Red	
853681	Box of 12 Packs (One Colour)	Yellow	
853682	Box of 12 Packs (One Colour)	Blue	
853683	Box of 12 Packs (One Colour)	Green	





## BRADY COMPACT PADLOCKS

Designed specifically for use in electrical lockout applications, the new Brady Compact Lockout Padlocks help keep workers safe and equipment free from damage. Rugged yet compact and lightweight, these innovative locks meet OH&S lockout requirements and are well suited for harsh industrial environments.

The non-conductive, spark resistant body enhances safety in electrical applications while its small size and shackle diameter makes it perfect for use on ever shrinking lockout devices. The precision machined cylinder offers more unique key cuts and better tamper resistance, with custom keying options also available.

NEW



LOCKOUT TAGOUT

### Features and Benefits:

- Lightweight construction, padlock weighs only 20 grams
- Superior corrosion and chemical resistance – ideal for use in harsh environments
- Non-conductive, spark resistant lock body enhances safety in electrical applications
- The insulated key chamber protects workers from shock when the key is inserted
- 5-pin precision-machined cylinder offers more unique key cuts and better tamper resistance
- Ribbed body design allows easy gripping and handling
- Constructed of rugged reinforced nylon with aluminium shackle
- Custom keying, charting and engraving also available
- Supplied with two keys, DANGER and PROPERTY OF labels


Call for pricing.

**BODY DIMENSIONS:** 32 x 34 x 16mm (WxHxD)  
**SHACKLE DIMENSIONS:** 26 x 4.74mm (LxDia)

Part No.	Description
872880	Brady Compact Padlock - Red
872874	Brady Compact Padlock - Black
872875	Brady Compact Padlock - Blue
872881	Brady Compact Padlock - Yellow
872876	Brady Compact Padlock - Grey
872877	Brady Compact Padlock - Green
872878	Brady Compact Padlock - Orange
872879	Brady Compact Padlock - Purple
872882	Brady Compact Padlock - White



Brady Compact Padlock side by side with the Brady Safety Plus™ Padlock





## BRADY SAFETY PLUS™ PADLOCKS

Built on the same design strength of the Brady Safety Plus™ Padlock with the added feature of improved Non Conductivity and Corrosion Resistance Properties.

Ideal applications for the nylon shackle option include any environment containing electrical controls; therefore requiring non-conductive lockout solutions. Key industries include mining, marine, manufacturing, electrical contractors, construction and mass transit.

Ideal applications for the stainless steel shackle include outdoors, damp interior setting or a coastal environment requiring corrosion resistance e.g. wind farms and the maritime sector.

Each padlock is supplied with 2 keys and padlock labels. Available Keying Options: Keyed Differently (KD), Keyed Alike, Keyed Alike Master Key and Keyed Differently Master Key.

### Features and Benefits:

- Unique cylinder is insulated to protect workers from shocks when key is inserted. 6-pin precision machined for more unique key cuts and better tamper resistance.
- Reserved, paracentric keyway provides optimal security and the special design prohibits the key from being released until the padlock shackle is closed.
- Locks are compact, lightweight and resist impact, temperature, chemicals and corrosion.
- Non-conductive, non-sparking body features a ribbed design for easier gripping and handling.
- Brady guarantees quality products, a secure key register and quick delivery times.

Contact your local distributor for a prompt quotation.

LOCKOUT TAGOUT

## NYLON SAFETY PADLOCKS

Featuring a premium grade Nylon shackle, these padlocks are ideal for electrical Lockout applications.



### STANDARD PACKAGE: 1

Part No.	Description
872386	Brady Safety Padlock Nylon (KD) - Red
872387	Brady Safety Padlock Nylon (KD) - Blue
872388	Brady Safety Padlock Nylon (KD) - Green
872389	Brady Safety Padlock Nylon (KD) - Yellow
51379	Brady Safety Padlock - Labels - Pk 6

Note: Other colours available on request.

## STAINLESS STEEL SAFETY PADLOCKS

Featuring a heavy duty Stainless Steel shackle, these padlocks are ideal for Lockout applications where extreme moisture resistance is required.



### STANDARD PACKAGE: 1

Part No.	Description
872390	Brady Safety Padlock Steel (KD) - Red
872391	Brady Safety Padlock Steel (KD) - Blue
872392	Brady Safety Padlock Steel (KD) - Green
872393	Brady Safety Padlock Steel (KD) - Yellow
51379	Brady Safety Padlock - Labels - Pk 6

Note: Other colours available on request.



## CUSTOM KEYING OPTIONS

Custom keying, charting and engraving of padlocks is available from Brady. We have many keying options available including thousands of genuine 'key to differ' options and the ability to key alike, master key and grand master key. Brady guarantees quality products, a secure key register and quick turnaround time. Use Brady's custom order form available for download at [www.bradyID.com.au](http://www.bradyID.com.au) and send to your local Brady distributor for a prompt quote.

### BRADY PADLOCK KEYING OPTIONS


#### Keyed Differently

Each lock in a keyed differently system has its own unique key. Guaranteed no duplicates, must be specially requested. See below if a master key is needed.



#### Keyed Alike Systems


All locks in a keyed-alike system use identical keys. Any lock's key can open all the locks within the group.



### MASTER KEYED SYSTEMS


A master key opens all locks in the system, even though each lock has its own individual key. This system permits organising submaster, master and grandmaster systems along departmental or other functional lines. Master keys can also be made to fit multiple groups of Keyed Alike locks. For even greater convenience all custom keying requirements for Brady Lockout Padlocks are keyed locally for faster delivery time.

#### Individually Keyed




**Submaster Key "A"**  
(Open only locks in group "A")

#### Individually Keyed




**Submaster Key "B"**  
(Open only locks in group "B")

#### Individually Keyed



**Submaster Key "C"**  
(Open only locks in group "C")

#### Individually Keyed



**Submaster Key "D"**  
(Open only locks in group "D")



**GRANDMASTER KEY**  
(OPENS ALL LOCKS THROUGHOUT SYSTEM)

### MASTER KEYED SYSTEMS

- Supervisory master key opens all locks in system
- Each padlock also opens with an individual key
- Allows for organising of Grandmaster, Master and Submaster systems.

Extra keys also available for Brady Padlocks. Contact your local Brady Distributor.

## LOCK LUBRICANT SPRAY

Use this lock lubricant spray to keep your padlocks in top working condition and to ensure your padlocks are maintained for longer term use. Simply spray into the barrel of the lock to remove any dust and debris, and to free up moving parts. This unique dry film lubricant can improve the life of your padlocks. Especially useful in harsh environments such as mine sites.



Part No.	Description
850956	170g Dry Film Lubricant



## BRASS PADLOCKS

Available in two sizes these padlocks have a solid brass body and shackle, with a coloured vinyl casing for visibility and protection, and are spark and corrosion resistant. Genuine pin tumbler cylinder offers more unique key cuts and more effective tamper resistance. Locks come keyed differently, with two keys supplied. Labels are sold separately.

Small	Large	
Shackle size	30mm	40mm
Shackle dia	4.5mm	6.5mm
Locking pins	3	4
Dimensions (HxWxD)	45 x 31 x 10mm	60 x 43 x 10mm



### STANDARD PACKAGE: 1

Part No.	Description	Colour
856762	Keyed Differently - 30mm	Black
856763	Keyed Differently - 30mm	Blue
856764	Keyed Differently - 30mm	Green
856765	Keyed Differently - 30mm	Red
856766	Keyed Differently - 40mm	Black
856767	Keyed Differently - 40mm	Blue
856768	Keyed Differently - 40mm	Green
856769	Keyed Differently - 40mm	Red
856770	Keyed Differently - 40mm	Grey
856771	Keyed Differently - 40mm	Yellow



Labels - Sold Separately

For keyed alike options contact your local Brady distributor for a quote.

## BRADY STEEL PADLOCKS

These heavy-duty laminated steel padlocks offer the optimum in security and durability. Suited for use in general security applications such as locking toolboxes, equipment cribs and more, many customers also use steel padlocks for lockout applications in environments where lockout devices may be exposed to rough handling or potential tampering by unauthorised individuals. The individually zinc-coated steel plates deliver superior rust protection. In addition, the use of a 5-pin cylinder, paracentric keyway with drill protection and countersunk rivets work together to enhance the lock's ability to withstand physical abuse and tampering. Available in six high-visibility safety colours and supplied with two keys per padlock. Danger labels are also available (sold separately).



### STANDARD PACKAGE: 1

Part No.	Description	Colour
850827	Keyed Differently - 20mm	Red
850824	Keyed Differently - 20mm	Blue
850826	Keyed Differently - 20mm	Orange
850828	Keyed Differently - 20mm	Yellow
850823	Keyed Differently - 20mm	Black
850825	Keyed Differently - 20mm	Green
850829	Keyed Differently - 47mm	Black
850830	Keyed Differently - 47mm	Blue
850831	Keyed Differently - 47mm	Green
850832	Keyed Differently - 47mm	Orange
850833	Keyed Differently - 47mm	Yellow
851531	Keyed Differently - 47mm	Red
850955	Padlock Labels - Pk 6	



Custom keying options available, See previous page.



Labels - Sold Separately

\* Each padlock supplied with 2 keys  
For keyed alike or master keyed options contact your local Brady distributor for a quote.



## EURASIAN MINIATURE LOCKOUTS

Improve your company's Lockout Program with these DINN style circuit breaker lockout devices. They are easily installed and can be teamed with our range of Safety Lockout Padlocks and Hasps to ensure the safety of your workers whilst electrical maintenance or repairs are carried out. Available individually or in packs of six for your convenience.


Contact your Brady representative for a comprehensive Circuit Breaker Compatibility Guide.



Pin Out Wide



Pin In Standard



Pin Out Standard




Tie Bar Lockout

Part No.	Description	Pack Size
90853	Tie Bar Lockout (TBLO)	1
90854	Tie Bar Lockout (TBLO)	6
90850	Pin Out Wide Lockout (POW)	1
90851	Pin Out Wide Lockout (POW)	6
90847	Pin In Standard Lockout (PIS)	1
90848	Pin In Standard Lockout (PIS)	6
90844	Pin Out Standard Lockout (POS)	1
90845	Pin Out Standard Lockout (POS)	6


### CIRCUIT BREAKER COMPATIBILITY CHART:

Part No.	Breaker Brand	No. of Poles	Breaker Model No.	Lockout Type
90844 & 90845	Allen-Bradley	1, 2, 3	1492-CB1, 2, 3	POS
	ABB	1	S222	POS
	ABB	1	F374	POS
	ABB	1	S251, S261, S263	POS
	ABB	1	S272, S253	POS
	ABB	3	S253	POS
	Buschmat	1	S46	POS
	Clipsal	1	4CB116	POS
	Clipsal	3	4CB320	POS
	E-T-A	2	911220G	POS
	FAZ	4	C16	POS
	FAZ	1	C16	POS
	Hager	3	453717	POS
	Hager	2	MW216A	POS
	Hager	4	MW620A	POS
	Legrand	1	01908	POS
	Merlin Gerin	1	C60N	POS
	Merlin Gerin	1	C32N	POS
	Merlin Gerin	2	C60N	POS
	Merlin Gerin	4	C60N	POS
	Merlin Gerin	3	C32N	POS
	Merlin Gerin	3	C45AD	POS
	Proteus	1	C16	POS
	Proteus	1	C6	POS
	Proteus	3	C6	POS
Wylex	2	WRS40/2	POS	
AEG	2	E82S	PIS	
E-T-A	1	911225	PIS	
Kapp	1	LS68	PIS	
GE Vynckier C16, 16A	1	Series E	PIS	
GE Vynckier	1	Series G	PIS	
GE Vynckier 16A	2	Series E	PIS	
GE Vynckier	3	Series E	PIS	
GE Vynckier	3	Series G	PIS	
GE Vynckier	4	Series E	PIS	
Legrand	2	04302	PIS	
Legrand	3	06469	PIS	
Sursum	3	EA53	PIS	
Teraszaki	1	C20	PIS	
Siemens B32	1	5SX21	POW	
Siemens 17U	1	5SQ11	POW	
Siemens C10	1	5SX1	POW	
Merlin Gerin	3	C80A	POW	
Merlin Gerin	2	B100A	POW	
Legrand	2	01935	TBLO	
Legrand	3	01980	TBLO	
Legrand	4	01980	TBLO	
Merlin Gerin	3	C80A	TBLO	
Merlin Gerin	2	B100A	TBLO	
Siemens 17U	2	5SQ12	TBLO	
Siemens L20A	3	5SN2-2	TBLO	
Siemens C32	2	5SX1-2	TBLO	
Siemens 17U	3	5SQ13	TBLO	
Siemens C70	3	5SX13	TBLO	
Siemens 17U	4	5SQ16	TBLO	


### 4 DIFFERENT TYPES OF BREAKER LOCKOUT AVAILABLE:




POS – Pin Out Standard



PIS – Pin In Standard



POW – Pin Out Wide



TBLO – Tie Bar Lockout

LOCKOUT TAGOUT