

MEARTH

INTRODUCING THE MEARTH

MEARTH GTS

EVO SERIES

The Mearth GTS series offers a robust high-end line of foldable electric scooters priced at the best premium value. Made from quality materials and powerful technology, the Mearth GTS series provides riders endless capabilities on the road.





SPECS OVERVIEW FOR MEARTH GTS EVO & GTS MAX EVO

(2)1200 W

20.4AH 6 HOURS 6 HOURS*

70KPH











41 KGS

MAX LOAD 100-150 KGS

WHEEL DIAMETER 10 INCHES

DIMENSIONS 121cm x 59cm x 128cm











POWERFUL MOTOR & BATTERY

With a battery co-engineered by Mearth and LG, the Mearth GTS Series boasts a 100km range—one of the longest ranges among top-line brands. The GTS Series also has a max speed of 50 - 70kph and a max load of 150kg.

OFF-ROAD CAPABLE

Go ahead and ride the Mearth GTS Series on rough pavements, rocky paths, or muddy hills. The possibilities are endless thanks to its high-performing motor and robust built.





ROBUST & COMFORTABLE D E S I G N

Built to last and withstand Australia's urban roads and terrain, the GTS Series uses durable material while retaining its familiar comfort and feel.

Do you prefer sitting or standing while you ride?
With Mearth GTS Series, you can do both!
Get the best of both worlds! Stand or sit while you ride.



*DISCLAIMER: Max load with seat shall not exceed 100kg. Ride weight should be lower than 100kg for using seat.

MEARTH

GTS =EVO SERIES

SPECIFICATIONS

Made from quality materials and powerful technology, the Mearth GTS Series provides riders endless capabilities on the road.

	Item	Mearth GTS/GTS MAX 1210mm x 590mm x 1280mm	
Dimensions	Unfold:Length x Width x Height		
Weight		33 KGS	41 KGS
Rider	Payload	25-150KG	
	Recommended Age	18+years	
	Required Height	(120-200cm)	
Machine Parameters	Capped Max.Speed	15.5mph (25km /h)	
	Limit Max Speed	45 KPH	70 KPH
	Maximum Range [1]	50-70 KM	70-100 KM
	Max.Slope	30.0%	
	Operating Temperature	14-104°F(-10-40°C)	
	Storage Temperature	-4-122°F(-20-50°C)	
	IP Rating	IP54	
Battery	Nominal Voltage	48VDC	52VDC
	Charging Temperature	32-104°F (0-40°C)	
	Nominal Capacity	13 AH 20.4 AH	
	Battery Management System	Over-heating, short circuit, over-current and over-charge protection	
	Number Of Batteries [2]	1	
Charger	Output Power	107W-180W	
	Input Voltage	100-240VAC	
	Output Voltage	54.4VDC	58.8VDC
	Output Current	2A	
	Duration of Charging	6 HOURS	6H (two charger), 12H (one charger)
Features	Shock Absorber	front&rear	
	Brake Light	LED rear light	
	Riding Modes	Eco mode,Sport mode and Sport+ mode	

^{*}All images are Mearth GTS Max.

MEARTH

About the Mearth GTS VO SERIES

The Mearth GTS series offers a robust high-end line of foldable electric scooters priced at the best premium value. Made from quality materials and powerful technology, the Mearth GTS series provides riders endless capabilities on the road.

GTS EVO

The Mearth GTS is a premium, foldable electric scooter designed for the everyday commuter and off-road traveler. Featuring robust built and powerful batteries, the Mearth GTS is the perfect companion on the road wherever you go.

GTS-MAX EVO

The Mearth GTS Max is a high-end and high-performance foldable electric scooter that offers the maximum travel experience. From rough terrains to long-distance travels, the Mearth GTS Max offers limitless possibilities.

About the Mearth Technology

Based in Sydney, Australia, Mearth specializes in using innovation to reshape transportation. Mearth aims to help people travel around more efficiently, more sustainably and more conveniently. All products are proudly designed in Australia.

Unit B1/13 21 Mandible St., Alexandria 2015 New South Wales sales@mearth.com.au 0488854129

CONNECT WITH US





