



American Certification Body Inc.  
6731 Whittier Ave, C110, McLean, VA 22101

January 29, 2020

Our Ref: ATCB024876

**Contrinex AG**  
**Route du paqui 5**  
**Corminboeuf CW 1720**  
**Switzerland**

**Attention: David Bachmann**

Dear Sir/Madame:

ACB, Inc. has reviewed the related documents and is pleased to advise that this application meets the Innovation, Science and Economic Development (ISED) Canada's Certification and Engineering Bureau procedural and specification requirements for certification. Copies of the original submission documents should be maintained for 10 years. The radio equipment is certified as described on the attached certificate(s).

We have notified the Bureau so they may record this equipment in the Department's Radio Equipment List (REL). Please note that certified equipment shall not be distributed, leased, sold, or offered for sale in Canada before the details of the certification appear in the REL. Status of this listing in the ISED's REL list may be found at the following web address:

<https://sms-sgs.ic.gc.ca/equipmentSearch/searchRadioEquipments?execution=e2s1&lang=en>

Please note that IC labeling as of Issue 11 of RSP-100 involves use of the IC Certification Number, Product Marketing Name (PMN), Hardware Version Identification Number (HVIN), and in some instances the Firmware Version Identification Number (FVIN) as follows.

- a) The assigned IC certification number and HVIN number must be shown on the exterior of the product or displayed electronically according to IC's E-labelling requirements.
- b) The PMN must be displayed electronically (E-labelling) or indicated on the exterior of the product, product packaging, or product literature available with the product or online.
- c) The IC Certification Number, PMN, and HVIN are permitted to be etched, engraved, stamped, printed on the product, or permanently affixed to a permanently attached part of the product in a way that is legible, indelible, and tamper proof.
- d) When the FVIN is the only differentiation between product versions (PMN and HVIN remain identical) listed in the REL within a family certification, the FVIN shall be displayed electronically or stored electronically and be easily retrievable.
- e) Any Modular Approval or Limited Modular Approval shall meet the labeling requirements above unless the device is of such size that ISED's policy requires the host to be certified instead. In addition the Host Model Number (HMN) must be displayed by E-labeling or indicated at any location on the exterior of the host product and the host product shall be labeled to identify the modules within the host product according to RSS-Gen Section 4.3.

Sincerely,

Michael F. Violette  
Director



**TECHNICAL ACCEPTANCE  
CERTIFICATE**

**CERTIFICAT D'ACCEPTABILITÉ  
TECHNIQUE**

CERTIFICATION No. No. DE CERTIFICATION	► 23367-RFM30HF (Existing Family to Add new HVIN's Only)
ISSUED TO DÉLIVRÉ A	► <b>Contrinex AG</b> Route du paqui 5 Corminboeuf CW 1720 Switzerland
TYPE OF EQUIPMENT TYPE DE MATÉRIEL	► <b>Low Power Transmitter General Field Strength Limits (9 kHz - 30 MHz), RFID Device</b>
PRODUCT MARKETING NAME (PMN): NOM DU PRODUIT MARKETING	► <b>RLH-M30PA-NIS, RLH-M30PA-NSS</b>
HARDWARE VERSION IDENTIFICATION NUMBER (HVIN): MATÉRIEL NUMÉRO D'IDENTIFICATION DE VERSION	► <b>RLH-M30PA-NIS, RLH-M30PA-NSS</b>
FIRMWARE VERSION IDENTIFICATION NUMBER (FVIN): FIRMWARE NUMÉRO D'IDENTIFICATION DE VERSION	► <b>&lt;Not Specified&gt;</b>
FREQUENCY RANGE BANDE DE FRÉQUENCES	► <b>13.56 MHz</b> <b>** See Annex 1 for Complete Detail **</b>
EMISSION DESIGNATION, R.F. POWER RATING, AND ANTENNA DESIGNATION D'ÉMISSION, PUISSANCE NOMINALE H.F., ET L'ANTENNE	► <b>** See Annex 1 for Complete Detail **</b>
CERTIFIED TO : CERTIFIÉ SELON LE :	SPECIFICATION / ISSUE CAHIER DES CHARGES / ÉDITION ► <b>** See Annex 1 for Complete Detail **</b>
TEST LABORATORY LABORATOIRE D'ESSAI	► <b>** Test Report Not Required **</b> SITE NUMBER ► <b>N/A</b> NUMÉRO DE SITE

Certification of equipment means only that the equipment has met the requirements of the above noted specification. License applications, where applicable to use certified equipment, are acted on accordingly by the ISED issuing office and will depend on the existing radio environment, service and location of operation.

This certificate is issued on condition that the holder complies and will continue to comply with the requirements of the radio standards specifications and procedures issued by ISED. The equipment for which this certificate is issued shall not be manufactured, imported, distributed, leased, offered for sale, or sold unless the equipment complies with the applicable technical specifications and procedures issued by ISED.

I hereby attest that the subject equipment was tested and found in compliance with the above-noted specification.

ORIGINAL DATE OF ISSUE: January 29, 2020  
REVISED DATE OF ISSUE: N/A

La certification du matériel signifie seulement que le matériel a satisfait aux exigences de la norme indiquée ci-dessus. Les demandes de licences nécessaires pour l'utilisation du matériel certifié sont traitées en conséquence par le bureau de délivrance d'ISDE et dépendent des conditions radio ambiantes, du service et de l'emplacement d'exploitation.

Le présent certificat est délivré à condition que le titulaire satisfasse et continue de satisfaire aux exigences et aux procédures d'ISDE. Le matériel à l'égard duquel le présent certificat est délivré ne doit pas être fabriqué, importé, distribué, loué, mis en vente ou vendu à moins d'être conforme aux procédures et aux spécifications techniques applicables publiées par ISDE.

J'atteste par la présente que le matériel a fait l'objet d'essai et jugé conforme à la spécification ci-dessus.

**Michael F. Violette**  
Director



## TECHNICAL ACCEPTANCE CERTIFICATE (ANNEX 1)

### Technical Features and Characteristics

The device includes the following features and characteristics:

RSS Standard		Frequency Band (MHz)	Modulation Method	Maximum RF Field Strength	Emission Designator
RSS #	Issue #				
210	9	13.56	ASK	15.1 dB $\mu$ V/m @ 30 m	2K52A1D

ANTENNA INFORMATION	
ANTENNA DESCRIPTION	GAIN (dBi) or Integral
Circuit Trace Loop Antenna	Integral

ORIGINAL DATE OF ISSUE: January 29, 2020  
REVISED DATE OF ISSUE: N/A



American Certification Body Inc.  
6731 Whittier Ave, C110, McLean, VA 22101

May 16, 2018

Our Ref: ATCB022417

**Contrinex AG**  
**Route du paqui 5**  
**Corminboeuf CW 1720**  
**Switzerland**

**Attention: David Bachmann**

Dear Sir/Madame:

ACB, Inc. has reviewed the related documents and is pleased to advise that this application meets the Innovation, Science and Economic Development (ISED) Canada's Certification and Engineering Bureau procedural and specification requirements for certification. Copies of the original submission documents should be maintained for 10 years. The radio equipment is certified as described on the attached certificate(s).

We have notified the Bureau so they may record this equipment in the Department's Radio Equipment List (REL). Please note that certified equipment shall not be distributed, leased, sold, or offered for sale in Canada before the details of the certification appear in the REL. Status of this listing in the ISED's REL list may be found at the following web address:

<https://sms-sgs.ic.gc.ca/equipmentSearch/searchRadioEquipments?execution=e2s1&lang=en>

Please note that IC labeling as of Issue 11 of RSP-100 involves use of the IC Certification Number, Product Marketing Name (PMN), Hardware Version Identification Number (HVIN), and in some instances the Firmware Version Identification Number (FVIN) as follows.

- a) The assigned IC certification number and HVIN number must be shown on the exterior of the product or displayed electronically according to IC's E-labelling requirements.
- b) The PMN must be displayed electronically (E-labelling) or indicated on the exterior of the product, product packaging, or product literature available with the product or online.
- c) The IC Certification Number, PMN, and HVIN are permitted to be etched, engraved, stamped, printed on the product, or permanently affixed to a permanently attached part of the product in a way that is legible, indelible, and tamper proof.
- d) When the FVIN is the only differentiation between product versions (PMN and HVIN remain identical) listed in the REL within a family certification, the FVIN shall be displayed electronically or stored electronically and be easily retrievable.
- e) Any Modular Approval or Limited Modular Approval shall meet the labeling requirements above. In addition the Host Model Number (HMN) must be displayed by E-labeling or indicated at any location on the exterior of the host product and the host product shall be labeled to identify the modules within the host product according to RSP-100 Section 3.2.

Sincerely,

Michael F. Violette  
Director



**TECHNICAL ACCEPTANCE  
CERTIFICATE**

**CERTIFICAT D'ACCEPTABILITÉ  
TECHNIQUE**

CERTIFICATION No. ► **23367-RFM30HF (New Family Certification)**  
No. DE CERTIFICATION

ISSUED TO ► **Contrinex AG**  
DÉLIVRÉ A ► **Route du paqui 5**  
**Corminboeuf CW 1720**  
**Switzerland**

TYPE OF EQUIPMENT ► **RFID Device**  
TYPE DE MATÉRIEL

PRODUCT MARKETING NAME (PMN): ► **RLS-1301-320, RLS-1303-020,**  
NOM DU PRODUIT MARKETING ► **RLS-1301-220, RLS-1301-220-120**

HARDWARE VERSION IDENTIFICATION NUMBER (HVIN): ► **RLS-1301-320, RLS-1303-020,**  
MATÉRIEL NUMÉRO D'IDENTIFICATION DE VERSION ► **RLS-1301-220, RLS-1301-220-120**

FIRMWARE VERSION IDENTIFICATION NUMBER (FVIN): ► **<Not Specified>**  
FIRMWARE NUMÉRO D'IDENTIFICATION DE VERSION

FREQUENCY RANGE ► **13.56 MHz**  
BANDE DE FRÉQUENCES ► **\*\* See Annex 1 for Complete Detail \*\***

EMISSION DESIGNATION, R.F. POWER RATING, AND ANTENNA ► **\*\* See Annex 1 for Complete Detail \*\***  
DESIGNATION D'ÉMISSION, PUISSANCE NOMINALE H.F., ET L'ANTENNE

TEST LABORATORY ► **CSA Group Bayern GmbH**  
LABORATOIRE D'ESSAI ► **Ohmstrasse 1-4**  
**D-94342 Strasskirchen GERMANY**

SITE NUMBER ► **3009A-1**  
NUMÉRO DE SITE

Tel: 49-9424-9481, Fax: 49-9424-9481-440  
email: [Thomas.weise@csagroup.org](mailto:Thomas.weise@csagroup.org)

CERTIFIED TO ► SPECIFICATION **RSS-210** ISSUE **9**  
CERTIFIÉ SELON LE ► CAHIER DES CHARGES ÉDITION

Certification of equipment means only that the equipment has met the requirements of the above noted specification. License applications, where applicable to use certified equipment, are acted on accordingly by the ISED issuing office and will depend on the existing radio environment, service and location of operation.

This certificate is issued on condition that the holder complies and will continue to comply with the requirements of the radio standards specifications and procedures issued by ISED. The equipment for which this certificate is issued shall not be manufactured, imported, distributed, leased, offered for sale, or sold unless the equipment complies with the applicable technical specifications and procedures issued by ISED.

I hereby attest that the subject equipment was tested and found in compliance with the above-noted specification.

ORIGINAL DATE OF ISSUE: May 16, 2018  
REVISED DATE OF ISSUE: N/A

La certification du matériel signifie seulement que le matériel a satisfait aux exigences de la norme indiquée ci-dessus. Les demandes de licences nécessaires pour l'utilisation du matériel certifié sont traitées en conséquence par le bureau de délivrance d'ISDE et dépendent des conditions radio ambiantes, du service et de l'emplacement d'exploitation.

Le présent certificat est délivré à condition que le titulaire satisfasse et continue de satisfaire aux exigences et aux procédures d'ISDE. Le matériel à l'égard duquel le présent certificat est délivré ne doit pas être fabriqué, importé, distribué, loué, mis en vente ou vendu à moins d'être conforme aux procédures et aux spécifications techniques applicables publiées par ISDE.

J'atteste par la présente que le matériel a fait l'objet d'essai et jugé conforme à la spécification ci-dessus.

**Michael F. Violette**  
Director



## TECHNICAL ACCEPTANCE CERTIFICATE (ANNEX 1)

### Technical Features and Characteristics

The device includes the following features and characteristics:

Frequency Band (MHz)	Modulation Method	Maximum RF Field Strength	Emission Designator
13.56	ASK	15.1 dB $\mu$ V/m @ 30 m	2K52A1D--

ANTENNA INFORMATION	
ANTENNA DESCRIPTION	GAIN (dBi) or Integral
Circuit Trace Loop Antenna	Integral