

## Safety Data Sheet

### ADESILEX G 19 comp.A

Safety Data Sheet dated: 28/04/2022 - version 3

Date of first edition: 04/07/2017



## 1. Identification

### GHS Product identifier

Mixture identification:

Trade name: ADESILEX G 19 comp.A

Trade code: 90419990

### Recommended use of the chemical and restrictions on use

Recommended use: Epoxy-polyurethane adhesive

Uses advised against: Data not available

### Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

### Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

## 2. Hazard identification



### Classification of the Hazardous chemical

Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Skin Sens. 1A	May cause an allergic skin reaction.
Aquatic Acute 3	Harmful to aquatic life
Aquatic Chronic 3	Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### GHS label elements, including precautionary statements

#### Pictograms and Signal Words



Warning

#### Hazard statements:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements:

P261	Avoid breathing mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/clothing and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see supplementary instructions on this label)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.  
P501 Dispose of contents/container in accordance with applicable regulations.

#### Other hazards which do not result in a classification

Other Hazards: No other hazards

This preparation contains low molecular weight epoxy resins. Cross sensitisation to other epoxies is possible. Avoid also exposure to spray mist and vapour.

### 3. Composition/information on ingredients

#### Substances

no data available

#### Mixtures

Mixture identification: ADESILEX G 19 comp.A

#### Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	calcium carbonate	CAS:1317-65-3 EC:215-279-6		
≥5 - <10 %	Calcium carbonate	CAS:471-34-1 EC:207-439-9		Exempted
≥5 - <10 %	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	CAS:25068-38-6 EC:500-033-5 Index:603-074-00-8	Eye Irrit. 2A, H319; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411	01-2119456619-26-XXXX
≥2.5 - <5 %	o-xylene	CAS:1330-20-7 EC:215-535-7 Index:601-022-00-9	Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT RE 2, H373; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Aquatic Chronic 3, H412	01-2119488216-32-XXXX
≥0.49 - <1 %	4-nonylphenol, branched	CAS:84852-15-3 EC:284-325-5 Index:601-053-00-8	Repr. 2, H361fd; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	01-2119510715-45-XXXX
≥0.1 - <0.25 %	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	CAS:9003-36-5 EC:500-006-8	Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 2, H411	01-2119454392-40-XXXX
≥0.1 - <0.25 %	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	CAS:68609-97-2 EC:271-846-8 Index:603-103-00-4	Skin Irrit. 2, H315; Skin Sens. 1, H317	01-2119485289-22-XXXX

### 4. First-aid measures

#### Description of necessary first-aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

#### Symptoms caused by exposure

Eye irritation  
Eye damages  
Skin Irritation  
Erythema

#### Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

---

## 5. Fire-fighting measures

### Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO<sub>2</sub>).

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available

Oxidizing properties: no data available

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

### Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

---

## 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

---

## 8. Exposure controls/personal protection

### Control parameters – exposure standards, biological monitoring

#### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m <sup>3</sup>	Long Term ppm	Short Term mg/m <sup>3</sup>	Short Term ppm	Behaviour Note
calcium carbonate	OSHA			15				
	OSHA			5				
	National	GREECE		10				
	National	GREECE		5				
	National	BELGIUM		10				
	National	CZECH REPUBLIC		10.0				

	National HUNGARY	10				
	National ESTONIA	10				
	National ESTONIA	5				
	National SLOVAKIA	10				
	National UNITED KINGDOM	10		30		
	National UNITED KINGDOM	10		12		
	National UNITED KINGDOM	4		30		
	National BULGARIA	10				
	National ROMANIA	10				
	National CROATIA	4				
	National CROATIA	10				
	National FRANCE	10.000				
Calcium carbonate	AUS AUSTRALIA	10				
	National FRANCE	10				
	National PORTUGAL	10				
	National LATVIA	6				
reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight <= 700)	National BULGARIA	1.0				
o-xylene	National SWEDEN	221	50	442	100	SWEDEN, Short term value, 15 minutes average value
	National FINLAND	220	50	440	100	FINLAND, hud
	National NORWAY	108	25			NORWAY, H
	National NORWAY	109	25	218	50	
	ACGIH None		100		150	A4, BEI - URT and eye irr, CNS impair
	OSHA	435	100			
	ACGIH		100		150	A4 - Not Classifiable as a Human Carcinogen;CNS impairment;eye and upper respiratory tract irritation
	AUS AUSTRALIA	350	80	655	150	
	National SWEDEN	221	50			
	National FRANCE	221	50	442	100	
	National SPAIN	221	50	442	100	
	National GREECE	435	100	650	150	
	National DENMARK	109	25			
	National FINLAND	220	50	440	100	
	National GERMANY	440	100			
	National PORTUGAL	221	50	442	100	
	National NORWAY	108	25	135	37.5	
	National BELGIUM	221	50	442	100	
	National CZECH REPUBLIC	200				
	National HUNGARY	221		442		
	National ESTONIA	200	50	450	100	
	National LATVIA	221	50	442	100	
	National CZECH REPUBLIC	C		400		
	National SLOVAKIA	C		442		

National SLOVAKIA	221	50		
National SLOVENIA	221	50	442	100
National UNITED KINGDOM	220	50	441	100
National BULGARIA	221.0	50	442	100
National ROMANIA	221	50	442	100
National LITHUANIA	221	50	442	100
National CROATIA	221	50	442	100

### Biological Exposure Index

CAS-No.	Component	Value	UoM	Medium	Biological Indicator	Sampling Period
1330-20-7	o-xylene	1,5	GGCREAT	Urine	Methyl uric Acid	End of turn

### Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency Remark
Calcium carbonate	471-34-1	100 mg/l	Microorganisms in sewage treatments	
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700)	25068-38-6	0.006 mg/l	Fresh Water	
		0.0006 mg/l	Marine water	
		0.0627 mg/kg	Freshwater sediments	
		0.00627 mg/kg	Marine water sediments	
o-xylene	1330-20-7	0.327 mg/l	Fresh Water	
		0.327 mg/l	Marine water	
		12.46 mg/kg	Freshwater sediments	
		12.46 mg/kg	Marine water sediments	
		2.31 mg/kg	Soil	
		6.58 mg/l	Microorganisms in sewage treatments	
		0.32 mg/l	Intermittent release	
4-nonylphenol, branched	84852-15-3	0.000614 mg/l	Fresh Water	
		0.000527 mg/l	Marine water	
		4.62 mg/kg	Freshwater sediments	
		1.23 mg/kg	Marine water sediments	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	9003-36-5	10 mg/l	Microorganisms in sewage treatments	
		0.003 mg/l	Fresh Water	
		0.294 mg/kg	Freshwater sediments	
		0.0003 mg/l	Marine water	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	0.0294 mg/kg	Marine water sediments
		0.237 mg/kg	Soil
		0.00072 mg/l	Marine water
		0.0072 mg/l	Fresh Water
		66.77 mg/kg	Freshwater sediments
		6.677 mg/kg	Marine water sediments
		80.12 mg/kg	Soil
10 mg/l	Microorganisms in sewage treatments		

**Derived No Effect Level. (DNEL)**

Component	CAS-No.	Worker Industrial	Worker Professional	Consumer	Exposure Route	Exposure Frequency	Remark
Calcium carbonate	471-34-1	6.36 mg/m3		1.06 mg/m3	Human Inhalation	Long Term, local effects	
				6.1 mg/kg	Human Oral	Long Term, systemic effects	
				6.1 mg/kg	Human Oral	Short Term, systemic effects	
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700)	25068-38-6	8.3 mg/kg			Human Dermal	Short Term, systemic effects	
				12.25 mg/m3	Human Inhalation	Short Term, systemic effects	
				8.3 mg/kg	Human Dermal	Long Term, systemic effects	
				12.25 mg/m3	Human Inhalation	Long Term, systemic effects	
				3.571 mg/kg	Human Dermal	Short Term, systemic effects	
				0.75 mg/kg	Human Oral	Short Term, systemic effects	
				3.571 mg/kg	Human Dermal	Long Term, systemic effects	
o-xylene	1330-20-7	289 mg/m3		174 mg/m3	Human Inhalation	Short Term, local effects	
				289 mg/m3	Human Inhalation	Short Term, systemic effects	
				180 mg/kg	Human Dermal	Long Term, systemic effects	
				77 mg/m3	Human Inhalation	Long Term, systemic effects	
				1.6 mg/kg	Human Oral	Long Term, systemic effects	

4-nonylphenol, branched	84852-15-3	0.5 mg/m <sup>3</sup>	0.4 mg/m <sup>3</sup>	Human Inhalation	Long Term, systemic effects
		1 mg/m <sup>3</sup>	0.8 mg/m <sup>3</sup>	Human Inhalation	Short Term, systemic effects
		7.5 mg/kg	3.8 mg/kg	Human Dermal	Long Term, systemic effects
		15 mg/kg	7.6 mg/kg	Human Dermal	Short Term, systemic effects
			0.08 mg/kg	Human Oral	Long Term, systemic effects
		0.4 mg/kg	Human Oral	Short Term, systemic effects	

### Appropriate engineering controls

no data available

### Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

## 9. Physical and chemical properties

Physical state Liquid

Color various

Appearance: paste

Odour: Characteristic

Odour threshold: no data available

pH: no data available

Melting point / freezing point: no data available

Initial boiling point and boiling range: 127 °C (261 °F)

Flash point: no data available

Evaporation rate: no data available

Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Vapour pressure: no data available

Vapour density: no data available

Relative density: 1.38 g/cm<sup>3</sup>

Solubility in water: Insoluble

Solubility in oil: soluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available

Decomposition temperature: no data available

Viscosity: 125,000.00 cPs

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available

Particle size distribution: no data available

Shape and aspect ratio: no data available

Crystallinity: no data available

Dustiness: no data available

Specific surface area: no data available  
Degree of aggregation or agglomeration, and dispersibility: no data available  
Biodurability or biopersistence: no data available  
Surface coating or chemistry: no data available  
VOC % (Volatile Organic Compound) : 14,6 (A+B) (Rule 1168) g/l

---

## 10. Stability and reactivity

### Reactivity

Stable under normal conditions

### Chemical stability

no data available

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Toxicological information on main components of the mixture:

calcium carbonate	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
Calcium carbonate	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg LC50 Inhalation Rat > 3 mg/l LD50 Skin Rat > 2000 mg/kg 4h LD50 Oral Rat = 6450 mg/kg
	g) reproductive toxicity	NOAEL Rat = 1000 mg/kg
reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight <= 700)	a) acute toxicity	LD50 Oral Rat > 15000 mg/kg
		LD50 Skin Rabbit > 23000 mg/kg LD50 Oral Rat = 11400 mg/kg
	i) STOT-repeated exposure	NOAEL Oral Rat = 50 mg/kg  NOAEL Skin Rat = 100 mg/kg
o-xylene	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg LC50 Inhalation Vapour Rat = 11 mg/l 4h LD50 Skin Rabbit = 3200 mg/kg LD50 Skin Rabbit > 4350 mg/kg LC50 Inhalation Rat = 29.08 mg/l 4h LD50 Oral Rat = 3500 mg/kg
	e) germ cell mutagenicity	NOAEL Inhalation Rat > 2000 ppm
	f) carcinogenicity	NOAEL Oral Rat = 500 mg/kg NOAEL Oral Rat = 1000 mg/kg
	g) reproductive toxicity	NOAEL Inhalation Rat = 500 ppm
4-nonylphenol, branched	a) acute toxicity	LD50 Oral Rat = 1246.00000 mg/kg LD50 Skin Rabbit = 2031.00000 mg/kg
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative



d) respiratory or skin sensitisation Skin Sensitization Rat Negative

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol a) acute toxicity LD50 Oral Rat > 5000.00000 mg/kg

i) STOT-repeated exposure LD50 Skin Rat > 2000 mg/kg  
NOAEL Oral = 250 mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs. a) acute toxicity LD50 Oral Rat = 19200 mg/kg  
LD50 Skin Rabbit = 4000.00000 mg/kg

## 12. Ecological information

### Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic life

Harmful to aquatic life with long lasting effects.

### List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
calcium carbonate	CAS: 1317-65-3 - EINECS: 215-279-6	a) Aquatic acute toxicity : LC50 Fish > 10000 mg/L 96  a) Aquatic acute toxicity : EC50 Daphnia > 1000 mg/L 48 a) Aquatic acute toxicity : EC50 Algae > 200 mg/L 72
Calcium carbonate	CAS: 471-34-1 - EINECS: 207-439-9	c) Bacteria toxicity : NOEC Bacteria = 1000 mg/L 3  d) Terrestrial toxicity : LC50 > 1000 mg/kg d) Terrestrial toxicity : NOEC = 1000 mg/kg - 28 d e) Plant toxicity : NOEC = 1000 mg/kg - 21 d
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700)	CAS: 25068-38-6 - EINECS: 500-033-5 - INDEX: 603-074-00-8	a) Aquatic acute toxicity : LC50 Fish > 2 mg/L 96  a) Aquatic acute toxicity : EC50 Daphnia > 1.8 mg/L 48 a) Aquatic acute toxicity : LC50 Algae > 11 mg/L 72 a) Aquatic acute toxicity : LC50 Daphnia = 1.3 mg/L 96 b) Aquatic chronic toxicity : NOEC Daphnia = 0.3 mg/L
o-xylene	CAS: 1330-20-7 - EINECS: 215-535-7 - INDEX: 601-022-00-9	a) Aquatic acute toxicity : EC50 Daphnia = 165 mg/L 48  a) Aquatic acute toxicity : LC50 Fish > 2 mg/L 96 a) Aquatic acute toxicity : EC50 Algae = 2.2 mg/L 72 c) Bacteria toxicity : EC50 = 96 mg/L 24 b) Aquatic chronic toxicity : NOEC Fish > 1.3 mg/L b) Aquatic chronic toxicity : NOEC Daphnia = 1.57 mg/L a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 13.4 mg/L 96h EPA  a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 2.661 mg/L 96h EPA  a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 13.5 mg/L 96h IUCLID

		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 13.1 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 19 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 7.711 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 23.53 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio = 780 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio > 780 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata 30.26 mg/L 96h EPA
		a) Aquatic acute toxicity : EC50 Daphnia water flea = 3.82 mg/L 48h
		a) Aquatic acute toxicity : LC50 Daphnia Gammarus lacustris = 0.6 mg/L 48h
4-nonylphenol, branched	CAS: 84852-15-3 - EINECS: 284-325-5 - INDEX: 601-053-00-8	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 0.135 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 0.1351 mg/L 96h EPA
		a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 0.14 mg/L 48h IUCLID
		a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata 0.36 mg/L 96h EPA
		a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata 0.16 mg/L 72h EPA
		a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 1.3 mg/L 72h IUCLID
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	CAS: 9003-36-5 - EINECS: 500-006-8	a) Aquatic acute toxicity : LC50 Fish = 5.70000 mg/L 96h
		a) Aquatic acute toxicity : EC50 Daphnia = 2.55 mg/L 48h
		a) Aquatic acute toxicity : EC50 Algae = 1.80000 mg/L 72h
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	CAS: 68609-97-2 - EINECS: 271-846-8 - INDEX: 603-103-00-4	a) Aquatic acute toxicity : LC50 Fish > 100.00000 mg/L 96h
		a) Aquatic acute toxicity : EL50 Daphnia = 7.20000 mg/L 48h
		a) Aquatic acute toxicity : EC50 Algae = 843.00000 mg/L 72h
		b) Aquatic chronic toxicity : NOEC Algae = 500 mg/L 72h

### Persistence and degradability

<b>Component</b>	<b>Persistence/Degradability:</b>
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Readily biodegradable

### Bioaccumulative potential

Component	Bioaccumulation	Test	Duratio Value n
4-nonylphenol, branched	Not bioaccumulative	BCF - Bioconcentration factor	28 d 740
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Not bioaccumulative		

### Mobility in soil

no data available

### Other adverse effects

no data available

## 13. Disposal considerations

### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

## 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

**UN number**

no data available

**UN proper shipping name**

no data available

**Transport hazard class(es)**

no data available

**Packing group, if applicable**

no data available

**Environmental hazards**

no data available

**Special precautions for user**

no data available

**Additional Information**

no data available

**HazChem Code/Emergency Action code**

no data available

---

## 15. Regulatory information

**Safety, health and environmental regulations specific for the product in question**

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

---

## 16. Other information

Code	Description
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H402	Harmful to aquatic life

- H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- Safety Data Sheet
- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION