Safety Data Sheet ULTRABOND ECO S 955 1K Safety Data Sheet dated: 02/05/2022 - version 3

Date of first edition: 03/05/2017



1. Identification

GHS Product identifier

Mixture identification:

Trade name: ULTRABOND ECO S 955 1K Trade code: 900743

Recommended use of the chemical and restrictions on use

Recommended use: Sililated polyurethane adhesive

Uses advised against: no data available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

2. Hazard identification

Classification of the Hazardous chemical

Flam. Liq. 4 Combustible liquid

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

Pictograms and Signal Words

Warning

Hazard statements:

H227 Combustible liquid

Precautionary statements:

P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.				
P280	Wear protective gloves/clothing and eye/face protection.				
P370+P378	In case of fire, use a dry powder fire extinguisher for extinction.				
P403+P235	Store in a well-ventilated place. Keep cool.				
P501	Dispose of contents/container in accordance with applicable regulations.				

Other hazards which do not result in a classification

Other Hazards: No other hazards

Further hazards:

Methanol is released by hydrolysis during application.

3. Composition/information on ingredients

Substances

no data available

Mixtures

Mixture identification: ULTRABOND ECO S 955 1K

Hazardous con classification:	ponents within the meaning of the	e "Australian Work	(Health and Safety (WHS)" r	egulation and related
Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥10 - <20 %	calcium carbonate	CAS:1317-65-3 EC:215-279-6		

Print date

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

no data available

Medical attention and special treatment

Treatment: no data available

(see paragraph 4.1)

5. Fire-fighting measures

Suitable extinguishing media

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

8. Exposure controls/personal protection

Control parameters – exposure standards, biological monitoring

List of components w	ith OEL value						List of components with OEL value					
Component	OEL Cour Type	itry Ce	iling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note			
calcium carbonate	OSHA			15		_						
	OSHA			5								
	National GREE	CE		10								
	National GREE	CE		5								
	National BELG	IUM		10								
	National CZEC REPU			10.0								
	National HUN	GARY		10								
	National ESTC	NIA		10								
	National ESTC	NIA		5								
	National SLO	'AKIA		10								
	National UNIT KING	ED DOM		10		30						
	National UNIT KING			10		12						
	National UNIT KING			4		30						
	National BULG	ARIA		10								
	National ROM			10								
	National CRO			4								
	National CRO			10								
	National FRAN			10.000								
Calcium carbonate	AUS AUST	RALIA		10								
	National FRAM	CE		10								
	National PORT	UGAL		10								
	National LATV	IA		6								
Predicted No Effect C	oncentration (P	NEC) values										
Component	CAS-No.	PNEC Limit		posure Ro	oute	Exposure Fi	equency	Remark				
Calcium carbonate	471-34-1	100 mg/l		croorganisr wage treat								
Derived No Effect Lev	el. (DNEL)											
Component	CAS-No.	Industr F	Profes	er Consu ss mer	Exposι	ire Route	Exposure	e Frequency	Remark			
Calcium carbonate	471-34-1	y i 6.36 mg/m3	onal	1.06 mg/m3	Human	Inhalation	Long Terr effects	n, local				
				6.1 mg/kg	Human	Oral	Long Terr effects	n, systemic				
				6.1 mg/kg	Human	Oral	Short Ter effects	m, systemic				

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

9. Physical and chemical properties

Physical state Liquid Color Beige Appearance: paste Odour: Characteristic Odour threshold: no data available pH: no data available Melting point / freezing point: no data available Initial boiling point and boiling range: no data available Flash point: 62 °C (144 °F) Evaporation rate: no data available Flammability (Solid, Gas): no data available Upper/lower flammability or explosive limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: 1.70 g/cm3 Solubility in water: Insoluble Solubility in oil: partly soluble Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Decomposition temperature: no data available Viscosity: 350,000.00 cPs Specific heat value: no data available Saturated vapour concentration: no data available Release of invisible flammable vapours and gases: no data available Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Crystallinity: no data available Dustiness: no data available Specific surface area: no data available Degree of aggregation or agglomeration, and dispersibility: no data available Biodurability or biopersistence: no data available Surface coating or chemistry: no data available VOC % (Volatile Organic Compound) : 8.5 (Rule 1168) g/l

10. Stability and reactivity

Reactivity

Stable under normal conditions
Chemical stability
no data available
Possibility of hazardous reactions
None.
Conditions to avoid
Stable under normal conditions.
Incompatible materials
None in particular.
Hazardous decomposition products

SECTION 11: Toxicological information Information on toxicological effects

Toxicological information on main components of the mixture:

calcium carbonate	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
Calcium carbonate	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg
		LC50 Inhalation Rat > 3 mg/l
		LD50 Skin Rat > 2000 mg/kg 4h
		LD50 Oral Rat = 6450 mg/kg
	g) reproductive toxicity	NOAEL Rat = 1000 mg/kg

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of components with eco-toxicological properties Component Ident. Numb. **Ecotox Infos** CAS: 1317-65-3 calcium carbonate a) Aquatic acute toxicity : LC50 Fish > 10000 mg/L 96 EINECS: 215-279-6 a) Aquatic acute toxicity : EC50 Daphnia > 1000 mg/L 48 a) Aquatic acute toxicity : EC50 Algae > 200 mg/L 72 Calcium carbonate CAS: 471-34-1 c) Bacteria toxicity : NOEC Bacteria = 1000 mg/L 3 EINECS: 207-439-9 d) Terrestrial toxicity : LC50 > 1000 mg/kg d) Terrestrial toxicity : NOEC = 1000 mg/kg - 28 d e) Plant toxicity : NOEC = 1000 mg/kg - 21 d Persistence and degradability no data available **Bioaccumulative potential** no data available Mobility in soil

no data available

Other adverse effects

no data available

13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number no data available **UN proper shipping name** no data available Transport hazard class(es) no data available Packing group, if applicable no data available **Environmental hazards** no data available Special precautions for user no data available **Additional Information** no data available HazChem Code/Emergency Action code no data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

16. Other information

Code Description

H227 Combustible liquid

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class. Paragraphs modified from the previous revision: - Safety Data Sheet - 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING - 2. HAZARDS IDENTIFICATION - 3. COMPOSITION/INFORMATION ON INGREDIENTS

- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION