

## Crystal Transfer

Crystal Transfers are created by applying any combination of up to ten different sizes, colors and shapes of our premium quality machine-cut hotfix Chaton Roses MAXIMA and assortment of flatback stones to transfer foil according to the specified design or motif. Crystal Transfers are available in our regular assortment of colors and coatings suitable for hotfix application and in every stone size from ss3. A minimum spacing of 0,5mm between each stone is required for stone sizes up to ss6; from size ss8, a minimum spacing of 1mm is required. Crystal Transfers are suitable only for hotfix application, both by hand and machine.

## Colors/Colors AB

 <b>Crystal</b> 00030	 <b>Green Turmaline</b> 50020
 <b>Jet</b> 23980	 <b>Erinite</b> 50010
 <b>White Opal</b> 01000	 <b>Olivine</b> 50230
 <b>Black Diamond</b> 40010	 <b>Khaki</b> 50330
 <b>Smoked Sapphire</b> 30010	 <b>Gold Beryl</b> 10430
 <b>Aquamarine</b> 60000	 <b>Jonquil</b> 80100
 <b>Aqua Bohemica</b> 60010	 <b>Citrine</b> 80310
 <b>Light Sapphire</b> 30020	 <b>Light Topaz</b> 10020
 <b>Light Sapphire Opal</b> 31110	 <b>Topaz</b> 10070
 <b>Sapphire</b> 30050	 <b>Light Colorado Topaz</b> 10330
 <b>Dark Indigo</b> 30280	 <b>Light Smoked Topaz</b> 10210
 <b>Montana</b> 30340	 <b>Smoked Topaz</b> 10220
 <b>Deep Sea</b> 33400	 <b>Light Gold Quartz</b> 00520
 <b>Capri Blue</b> 60310	 <b>Gold Quartz</b> 00530
 <b>Indicolite</b> 60100	 <b>Light Peach</b> 90300
 <b>Blue Zircon</b> 60230	 <b>Vintage Rose</b> 70530
 <b>Chrysolite</b> 50000	 <b>Rose Opal</b> 71350
 <b>Chrysolite Opal</b> 51000	 <b>Light Rose</b> 70020
 <b>Peridot</b> 50520	 <b>Rose</b> 70010
 <b>Emerald</b> 50730	 <b>Indian Pink</b> 70040

 <b>Fuchsia</b> 70350
 <b>Ruby</b> 90110
 <b>Sun</b> 90310
 <b>Hyacinth</b> 90040
 <b>Padparadscha</b> 90350
 <b>Light Siam</b> 90070
 <b>Red Velvet</b> 90075
 <b>Siam</b> 90090
 <b>Burgundy</b> 90100
 <b>Light Burgundy</b> 90095
 <b>Amethyst</b> 20050
 <b>Amethyst Opal</b> 21110
 <b>Light Amethyst</b> 20020
 <b>Tanzanite</b> 20410
 <b>Purple Velvet</b> 20490


## Coatings

 <b>Crystal AB</b> 200 AB	 <b>Crystal Peacock Green</b> 259 PeG
 <b>Crystal Argent Flare</b> 242 AgF	 <b>Crystal Lagoon</b> 237 Lag
 <b>Crystal Velvet</b> 279 Vel	 <b>Crystal Bermuda Blue</b> 296 BBI
 <b>Crystal Honey</b> 235 Hon	 <b>Crystal Blue Flare</b> 231 BIF
 <b>Crystal Golden Honey</b> 244 GdH	 <b>Crystal Nightfall</b> 260 Ntf
 <b>Crystal Blond Flare</b> 239 BdF	 <b>Crystal Labrador</b> 270 Lab
 <b>Crystal Sunrise</b> 219 Snr	 <b>Jet Silver Flare</b> 232 SiF
 <b>Crystal Aurum</b> 262 Aur	 <b>Jet Hematite</b> 272 Hem
 <b>Crystal Starlight Gold</b> 261 StG	 <b>Jet Brown Flare</b> 230 BrF
 <b>Crystal Monte Carlo</b> 277 MtC	
 <b>Crystal Capri Gold</b> 271 CaG	
 <b>Crystal Lava</b> 213 Lav	
 <b>Crystal Red Flame</b> 251 RdF	
 <b>Crystal Venus</b> 234 Ven	


NOTE: Slight deviation in color shade is unavoidable.

## Sizes

MC Chaton Rose MAXIMA   
ART. 438 11 612




ss 3 ss 4

MC Chaton Rose MAXIMA   
ART. 438 11 615



ss 5 ss 6 ss 8 ss 10 ss 12 ss 16 ss 20

MC Chaton Rose MAXIMA   
ART. 438 11 618




ss 30 ss 34 ss 40 ss 48

## Product Specifications




### 1 STONE COLORS AND SIZES

Crystal Transfers are created with any combination of up to ten different sizes, colors and shapes of Chaton Roses MAXIMA and flatback stones suitable for hotfix application.



### 2 DIMENSIONS

Transfers have a maximum width of 140 cm and an unlimited length. For the application and transport, transfers are cut into parts (the maximum size of one piece is 78x62 cm).



### 3 SPACING

Up to the size ss 6, the standard distance between stones is 0.5 mm; from ss8, the standard distance between stones is 1 mm. When combining more stone sizes, the standard distance between stones is also 1 mm. Shorter distance between stones is available upon special request but may incur an additional cost.



### 4 APPLICATION

Transfers can be applied only by hotfix using a machine press or a dry iron. For precise application, please consult our Hotfix Application Manual at [www.preciosacomponents.com/applications](http://www.preciosacomponents.com/applications).

