

## SPECIFICATION SHEET

JOB NAME:

LOCATION:

QUOTE/REF#:



### SPECIFICATIONS

<b>Brightness:</b>	274 Lumens/ft (5000K)
	898 Lumens/meter (5000K)
	220 Lumens/ft (3000K)
	722 Lumens/meter (3000K)
<b>Power (Watts):</b>	4.4 watt/ft
	14.43 watt/meter
<b>Input Voltage:</b>	120V AC
<b>LED CCT:</b>	6000K Cool White
	3000K Warm White
	Red, Green, Blue
<b>CRI:</b>	90+
<b>IP Rating:</b>	IP65
<b>Environment:</b>	Outdoor Use - Wet Location
<b>Beam Angle:</b>	120°
<b>LED Chip Size:</b>	SMD 5050
<b>Width:</b>	0.5 in / 12.7 mm wide
<b>Height:</b>	0.25 in / 6.35 mm thick
<b>Manufacturer:</b>	Elumalight
<b>Rating</b>	UL, ETL, RoHS
<b>Avg. Lifetime</b>	± 30,000 - 50,000 hours

### DESCRIPTION


The 120V AC LED Waterproof Flexible Tape Light uses copper wiring rather than aluminum, UV rays, and infrared wavelengths are non-existent and are cuttable every 19.5 in. Best of all, no transformer is needed: A simple plug and play LED waterproof Tape Light for easy installation.

### KEY FEATURES

- Maintenance-free
- Solid-State Construction
- High shock and Vibration Resistance
- SMD 5050 LEDs Chipsets are high intensity, ultra-bright, and energy-efficient
- No RF interference
- Up to 50,000 hours Lifespan

### APPLICATIONS

- Decorative Lighting for Tradeshows, Exhibition, Retail Displays
- Architectural lighting for corridors, canopies, archways, or windows
- Downlighting or Uplighting Applications
- Backlighting or edge-lighting for sign letters
- Under-cabinet, Under-Counter, or cove lighting
- Custom DIY projects



### SPECIFICATION SHEET

#### ACCESSORIES - SOLD SEPARATELY



**120V LED TAPE JUMPER**  
EL-FLE-J-6 (6 INCHES)



**POWER CORD SET**  
EL-FLE-PC Power Cord  
EL-FLE-EC End Caps  
EL-FLE-PIN Male Pins



**MOUNTING CLIPS**  
EL-FLE-MC (2 PCS)