

Handle Replacement

Airport Security | Airport International | Airport AirStream | Logistics Manager


Step 1: Remove the Dividers

We recommend that you take a reference photo to help you reorganize the dividers during the reassembly process.



Step 2: Remove the Liner

a) Lift the gray flap at the bottom of the bag. You will now have access to the zipper that holds the liner in place.



b) Fully unzip the liner.



c) Pull the liner out from the shell of the bag. Please note that parts of the liner are secured with Velcro.



Removing the Liner from the Shell

Step 3: Remove the Handle

a) There are four bolts securing the handle. Two of the bolt heads are exposed midway down the backside of the back. Use the supplied 3 mm hex key wrench and an 8 mm socket wrench on the nut that's located on the opposite side of the bolt, inside the bag. Turn each bolt counter-clockwise to unfasten the nut. Set aside the bolts and nuts for reassembly.



b) The other two bolts are located inside the back compartment that's situated near the top of the bag. The bolts are located in the Cable Lock compartment, under the square, gray nylon flap. **Note that one of the bolts also has the end of the security cable attached.**



c) Place the bag on its back so that you have access to the inside compartment. Near the top of the handle, unfasten the Velcro flap that is holding the handle in place. Remove the handle.



Step 4: Install the New Handle

a) Slide the new handle in place and secure the Velcro flap underneath the top of the handle.



b) Reattach the inner end of the security cable on the corresponding bolt.



c) Bolt the handle back in place. Make sure the security cable is properly routed into its compartment. Tighten bolts and nuts until snug. Do not over-tighten.

Step 5: Replace the Liner

a) Block the Velcro on the upper corners of the bag with sheets of paper before you put the liner back in place.



b) Push the liner down until it is fully seated in the shell. Remove the paper and check that the liner is seated evenly around each corner and all sides of the bag. Once the liner is properly situated, zip the liner to the shell. Fold close the gray flap at the bottom of the bag to fully secure the liner. Replace the dividers in your preferred configuration.

Please call or email customer service if you have any questions about this process.

866-558-4465 ext 1

customerservice@thinktankphoto.com