

NORTH WATER SPRAY DECK ORDER FORM

You are about to order a custom made Spray Deck that will be one of the most important pieces of gear you will use with your canoe. With a little care it will serve you for a lifetime of adventure and exploration. North Water Spray Decks have been used worldwide for just about every major canoe expedition over the last fifteen years. We are known to go out of our way to make sure your Spray Deck fits not only your boat but your specific needs.

The following form will provide us with the information we need to build your Spray Deck quickly and accurately. After completing this form in its entirety, please review the information for accuracy; you can then scan or photograph the pages and email them to northwater@northwater.com.

If you have any questions or need help completing this form, call us at 604-264-0827 or email us. For more information visit our website at www.northwater.com. There you can view photos, accessories, installation instructions and download additional forms.

CONTACT INFORMATION (please print clearly)				Date:	
Dealer Name:				Contact Name:	
Phone:		Text:		Shipping Address:	
Email:				Province / State:	
City:				Postal / Zip Code:	
CUSTOMER NAME:				Postal Shipping Address	
Phone Work:				Street Address:	
Phone Home:		Text:		City:	
Email:				Province / State:	
				Postal / Zip Code:	
				Country:	
DESCRIPTION OF CANOE					
Measurements taken by:			Measurements verified by:		
Name:			Phone Home:		Text:
Phone Work:			Email:		
Best time to call:			Date:		
MANUFACTURER OF CANOE:			HULL MATERIAL (check appropriate box)		
Model:			ABS / Royalex / TFormex		
Length of Canoe:			Fiberglass		
Solo or Tandem:			Kevlar		
Style of Seats:		Fixed	Sliding:	Rotomolded (polyethylene)	
GUNWALE MATERIAL			Aluminum		
Wood			Wood (skin on frame)		
Plastic			Wood (solid)		
Aluminium			TwinTex		
Vinyl			Hypalon		
Other			Other		

FEATURES AND OPTIONS		
Standard Features include: Tandem Spray Deck: 2 Cockpits, 1 Cargo Hatch (approx. 20" x 24"), 1 Paddle Pocket, 2 Painter Holders, Roll Away Cockpit Tabs. NW Loop and Lash attachment system and complete Installation Kit. Solo Spray Deck: 1 Cockpit, 1 Cargo Hatch (approx. 17" x 13"), 1 Paddle Pocket, 2 Painter Holders, Roll Away Cockpit Tabs. NW Loop and Lash attachment system and complete Installation Kit.		
CHOOSE YOUR SPRAY DECK (check appropriate box)		
Tandem One Piece	40SP-01	
Tandem Two Piece	40SP-01a	
Tandem Three Piece	40SP-01b	
Solo One Piece	40SP-02	
Solo Two Piece	40SP-02a	
Solo Three Piece	40SP-02b	
Colour Choice (circle one)	Red	Blue
ADDITIONAL OPTIONS (check appropriate box or specify quantity)		
Portage Cargo Hatch – we recommend this for almost every tandem deck	40SP-13	
* Side Loader Cargo Hatch – generally for solo boats	40sp-13a	
* Additional Cargo Hatch – consider the Portage Cargo Hatch	40SP-05	
* Additional Paddle Pocket	40SP-06	
* Additional Cockpit	40SP-04	
* Waterproof Map Case (includes Anchor Points 40SP-11) (10" x 14 ½")	40SP-07	
* Map Case Anchor Points Only (included with water proof map case)	40SP-11	
* Deck Top Anchoring Strip 2" x 15" Daisy Chain	40SP-15	
* Big Water Rescue System	40SP-17	
* Additional Deck Top Anchor – typically 1" acetyl D'ring like Map Case Anchors	40SP-12	
* Reversible Bow Cockpit (Stern Zippered Cockpit Cover recommended)	40SP-24	
* Cockpit Cover - Zippered	40SP-14	
*Custom Access Port (specify length & width)	40SP-26	
Shoulder Strap (each)	40SP-16	
Webbing and Ladder-lock Spray Deck Attachment System	40SP-21	
Extra Vinyl Loop Patch (each)	40SP-08	
Light Weight Fabric 420 High Tenacity Pack Cloth (Red or Black only)	40SP-01p	
Extra Long Spray Deck Surcharge - applied to boats over 18'-6"	40SP-25	
Custom Features Billed at Shop Rate (\$195.00 / hr)	40SP-22	
Rush Order (provide date) \$200.00	40SP-Rush	
GLUE DOWN D-RINGS & ANCHOR STRIPS - Typically for <i>outfitting the hull</i> not the spray deck		
Cargo Tie Down 2" D-Rings	40CO-25b	
Cargo Tie Down 1" D-Rings	40CO-25a	
Cargo anchoring Strips 28" (set of 2)	40CO-75f	
Cargo anchoring Strips 18" (set of 2)	30SK-75	
Cargo anchoring Strips 12" (set of 2)	40CO-20c	

*On diagram 3 please provide us with the location and orientation of options you choose - Paddle Pockets, Map Case Deck Top Anchoring Strips for both tandem and solo paddling positions. Please indicate above if you require a Cockpit Cover for the bow seat cockpit when paddling solo.

MEASURING YOUR CANOE

IMPORTANT NOTES:

To ensure the fit of your deck this form must be completed in its entirety, it is how we guarantee the fit.

Take all measurements in inches only, round to nearest ¼ inch.

Take all length measurements from front tip of bow to center of thwart(s) and back of seat(s).

Take all width measurements from outside of gunwale to outside of gunwale.

We recommend you work with *two tape measures*.

Take the first tape measure and lay it down the center line of your boat, start at the bow and finish at the stern. **Allow the tape measure to drape and lie along the centre line resting on top of the thwarts.** This will allow the tape to follow the curve of your canoe. Do not pull the tape tight as this will not give an accurate measurement. Use sticky tape to secure ends of tape measure to bow and stern caps.

Use your second tape measure to take width measurements for the points listed below. Then provide widths every two feet along the length of canoe.

TANDEM CANOE (measure from tip of bow)

Measure in inches		Measure in inches	
*1 - Distance to back of bow seat:		Width of Canoe at that point:	
2 - Distance to centre of bow thwart:		Width of Canoe at that point:	
3 - Distance to centre of centre thwart:		Width of Canoe at that point:	
4 - Distance to centre of rear thwart:		Width of Canoe at that point:	
*5 - Distance to back of stern seat:		Width of Canoe at that point:	
6 - Overall length of canoe:			


SOLO CANOE (measure from tip of bow)

Distance to centre of bow thwart:		Width of Canoe at that point:	
Distance to centre of centre thwart:		Width of Canoe at that point:	
*Distance to back of seat:		Width of Canoe at that point:	
Distance to centre of rear thwart:		Width of Canoe at that point:	
Overall length of canoe:			

Diagram 1


*Important Note:

Canoes with adjustable seats, **ONE** position must be chosen.



WIDTH OF CANOE EVERY 2 FEET (measure from tip of bow)							
Foot	Width	Foot	Width	Foot	Width	Foot	Width
2		8		14		20	
4		10		16		22	
6		12		18		24	


Diagram 2



WIDTH OF END CAPS (every 2 inches from end)			
Inch	Width	Inch	Width
2		8	
4		10	
6		12	
Total Length:			

LENGTH OF SPARE PADDLES	
Stern Paddle length:	
Bow Paddle length:	
Indicate paddle position on diagram 3	

Diagram 3



Additional Information

Use Diagram 3 to indicate the orientation and placement of accessories you would like included on your Spray Deck. Please keep in mind that not all accessories you choose may fit on your Spray Deck, this will vary depending on the size of your canoe and combination of accessories you chose. We will contact you to work out details if layout becomes a factor.

Please provide additional information and photos if your Spray Deck requires custom features or further explanation. Feel free to send photos or

IMPORTANT NOTICE:

BEFORE SUBMITTING THIS FORM VERIFY THE INFORMATION:

The information you provide on this form will be used to build your deck and provide you with our "Perfect Fit" guarantee. Please review its accuracy and make certain it is **filled out in its entirety**. We recommend you have a friend confirm your information. Information that is not provided or is inaccurate may result in delays and additional costs.

Delivery typically takes 3 weeks. If you require a **Rush Order**, we can prioritize it for an overtime / admin fee of \$200.00.

Email this form (scan or full-page photographs) to: northwater@northwater.com