SAFETY DATA SHEET by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

05 Room Spray Page 1 / 9

Version: 2

1		f the substance/mixture and of the company/undertaking		
-	Product identifier			
	Name:	05 Room Spray		
	UFI:	8600-T0W5-X000-4JSN		
	CAS number:	not applicable		
	Registration number:	not applicable		
1.2 Relevant identified uses of the substance or mixture and uses advised against				
	Identified uses:	Air Freshener		
	Uses advised against:	Use the product only according to the identified uses.		
3	Details of the supplier of the	ne safety data sheet		
	Supplier:	Humdakin		
	Adress:	Estrupvej 1, 8380 Trige, Denmark		
	Telehone:	+45 6014 1588		
	Email:	info@humdakin.com		
1	Emergency telephone nur	nber		
	Call your national emergen	acy center		
	Universal emergency teleph			
:C	CTION 2: Hazards identif			
	Classification of the subst			
L				
	Classification 1272/2008 C	\mathcal{G}		
		Eye Irrit. 2, H319		
	D 1 141 CC	Aquatic Chronic 3, H412		
	Dangerous health effects:	Causes serious eye irritation.		
	Dangerous effects on the end Dangerous physical-chemic			
2	Label elements	zai effects: Not classified.		
•		T		
	Contains:	Isopropyl alcohol; Alcohols C12-14, ethoxylated (>2-5EO); Cetrimonium chloride		
	III.			
	Hazard pictogram:			
	Signal word:	Warning		
	Signal word: Hazard statement:	H319 Causes serious eye irritation.		
		H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.		
		H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children.		
		H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling.		
	Hazard statement:	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.		
		H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	Hazard statement:	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.		
	Hazard statement:	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment.		
	Hazard statement:	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.		
3	Hazard statement:	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment. P501 Dispose of contents/container to in accordance with the Waste Act and local		
3	Hazard statement: Precautionary statements: Other hazards The mixture is not assessed	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment. P501 Dispose of contents/container to in accordance with the Waste Act and local regulations. I as PBT or vPvB.		
3	Hazard statement: Precautionary statements: Other hazards The mixture is not assessed The mixture contains the form	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment. P501 Dispose of contents/container to in accordance with the Waste Act and local regulations. It as PBT or vPvB. Collowing substances, which are under assessment as endocrine disrupting:		
}	Hazard statement: Precautionary statements: Other hazards The mixture is not assessed The mixture contains the for 2-bromo-2-nitropropane-1,	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment. P501 Dispose of contents/container to in accordance with the Waste Act and local regulations. It as PBT or vPvB. Collowing substances, which are under assessment as endocrine disrupting:		
	Hazard statement: Precautionary statements: Other hazards The mixture is not assessed The mixture contains the formula of the contains the cont	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment. P501 Dispose of contents/container to in accordance with the Waste Act and local regulations. It as PBT or vPvB. Collowing substances, which are under assessment as endocrine disrupting: 3-diol (0.03%)		
	Hazard statement: Precautionary statements: Other hazards The mixture is not assessed The mixture contains the for 2-bromo-2-nitropropane-1,	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P102 Keep out of reach of children. P264 Wash hand thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P273 Avoid release to the environment. P501 Dispose of contents/container to in accordance with the Waste Act and local regulations. It as PBT or vPvB. Collowing substances, which are under assessment as endocrine disrupting: 3-diol (0.03%)		

3.2 Mixtures

SAFETY DATA SHEET by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

05 Room Spray Page 2 / 9

Version: 2

Substance identifier	CAS number EC number Index number	Content (%)	Classification 1272/2008
	Registration number		
Water	7732-18-5 231-791-2	91,87	Látka není klasifikována jako nebezpečná
Isopropyl alcohol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	4,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Alcohols C12-14, ethoxylated (>2-5EO)	68439-50-9 931-014-3 -	≤ 0,92	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318 C > 10% Eye Irrit. 2, H319 3 \le C < 10%
Sorbitan monooleate, ethoxylated	9005-65-6 500-019-9	0,8	Aquatic Chronic 3, H412
Cetrimonium chloride	112-02-7 203-928-6 - 01-2119970558-23- 0000	< 0,27	Acute Tox, 4, H302 Eye Dam. 1, H318 Skin Corr. 1C, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
α-hexylcinnamaldehyde	101-86-0 202-983-3 -	< 0,08	Skin Sens. 1, H317
(E)-2-benzylideneoctanal	165184-98-5 639-566-4 - 01-2119533092-50	< 0,08	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 ATE oral 3100 mg/kg
4-tert-butylcyclohexyl acetate	32210-23-4 250-954-9 - 01-2119976286-24	< 0,04	Skin Sens. 1, H317 ATE oral 5000 mg/kg ATE dermal >5000 mg/kg
Benzyl acetate	140-11-4 205-399-7 - 01-2119638272-42	< 0,04	Aquatic Chronic 3, H412 ATE oral 2490 mg/kg
2-phenylethanol	60-12-8 200-456-2 - 01-2119963921-31	< 0,04	Eye Irrit. 2, H319 Acute Tox. 4, H302 ATE oral 1790 mg/kg
Linalool	78-70-6 201-134-4 603-235-00-2 01- 2119474016-42	< 0,04	Skin Sens. 1B, H317 Eye Irrit. 2, H319 Skin Irrit. 2, H315 ATE oral 2790 mg/kg
Citronellol	106-22-9 203-375-0 - 01-2119453995-23	< 0,04	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317 ATE oral 3450 mg/kg ATE dermal 2650 mg/kg

by regulation (EC) No 1907/2006 REACH

05 Room Spray Page 3 / 9

Version: 2

Date of issue: 19.04.2023 Revision date: 16.01.2024

Terpineol	8000-41-7 232-268-1 - 01-2119553062-49	< 0,04	Eye Irrit. 2, H319 Skin Irrit. 2, H315 ATE oral 4000 mg/kg
Linalyl acetate	115-95-7 204-116-4 - 01-2119454789-19	< 0,04	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317 ATE oral 13934mg/kg ATE dermal >5000 mg/kg
2-brom-2-nitropropan-1,3-diol	52-51-7 200-143-0 603-085-00-8	0,03	Acute Tox, 4, H302+H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)
Hexyl salicylate	6259-76-3 228-408-6 - 01-2119638275-36	< 0,02	Skin Sens. 1B, H317 Aquatic Acute 1 H400 (M=1) Aquatic Chronic 1 H410 (M=1) ATE oral >5000 mg/kg ATE dermal >5000 mg/kg
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	54464-57-2 915-730-3 - 01-2119489989-04	< 0,02	Skin Sens. 1B, H317 Aquatic Chronic 1 H410 (M=1) ATE oral >5000 mg/kg ATE dermal >5000 mg/kg
geraniol	106-24-1 203-377-1 603-241-00-5 01-2119552430-49	< 0,02	Eye Dam. 1, H318 Skin Irrit. 2, H315 Skin Sens. 1, H317

The full text for all H statements is given in Chapter 16

SECTION 4: First aid measures

Description of first aid measures

If you do not feel well after exposure or if the problem persists, seek medical attention. If unconscious, place in recovery position and get medical attention.

Inhalation: Take victim to fresh air, keep calm and warm. Seek medical attention if problems occur. Skin contact: Wash affected skin with soap and water. Consult a doctor for persistent problems. Eve contact: Immediately flush open eyes with plenty of water, occasionally lifting the upper and lower lids. If the victim wears contact lenses, remove them immediately. If problems persist, seek medical attention. Ingestion: Do not induce vomiting. Rinse your mouth with water. In case of problems, consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed Information is not available

Indication of any immediate medical attention and special treatment needed 4.3 Special funds are not intended. Treatment is symptomatic.

SECTION 5: Firefighting measures

5 I	Hytin	annchina	madia
5.1		guishing	meuia
		8	

CO2, extinguishing powder, alcohol-resistant extinguishing foam, water mist Suitable extinguishing media: Unsuitable extinguishing media: Full stream of water

Special hazards arising from the substance or mixture

In case of fire, carbon dioxide, carbon monoxide and other toxic gases may be produced.

5.3 Advice for firefighters

Complete protective equipment for firefighters. Cool endangered containers with water, from a safe distance, Collect contaminated fire extinguishing water separately. Water must not be allowed to enter drains.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

If there is no danger, stop the leak. Ensure adequate room ventilation. Avoid contact with skin, eyes and personal clothing. Use personal protective equipment (point 8). Observe the rules and regulations of work safety when working with chemical preparations.

by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

Page 4/9 05 Room Spray

Version: 2

6.2 Environmental precautions

In case of accidental spillage of the substance or mixture, prevent entry into sewers, surface and ground water. Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up

Collect the leaked material using a suitable sorbent (sand, diatomaceous earth, universal binder). Store the collected material in a suitable container and have it disposed of by a specialized company in accordance with the Waste Act.

6.4 Reference to other sections

Section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use personal protective equipment (see section 8). Avoid contact with eyes and skin. Do not drink, eat or smoke while using the product. Wash your hands after use. Keep away from sources of ignition and open flames.

7.2 Conditions for safe storage, including any incompatibilities

Store in the original closed packaging in cool, dry and well-ventilated areas. Keep away from heat sources and direct sunlight. Do not eat, drink or smoke in places where the product is stored and used. Do not store together with food, drinks and feed.

7.3 Specific end use(s)

Information is not available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No available data

DNEL Isopropyl-alcohol:

Worker	dermal	888 mg/kg/d	Chronic	Systemic effect
Worker	inhal	500 mg/m3	Chronic	Systemic effect
Consumer	dermal	319 mg/kg/d	Chronic	Systemic effect
Consumer	inhal	89 mg/m3	Chronic	Systemic effect
Consumer	oral	26 mg/kg/d	Chronic	Systemic effect

DNEL Alcohols C12-14, ethoxylated (>2-5EO):

Worker	dermal	2080 mg/kg/d	Chronic	Systemic effect
Worker	inhal	294 mg/m3	Chronic	Systemic effect
Consumer	dermal	1250 mg/kg/d	Chronic	Systemic effect
Consumer	inhal	87 mg/m3	Chronic	Systemic effect
Consumer	oral	25 mg/kg/d	Chronic	Systemic effect

PNEC Isopropyl-alcohol:

Fresh water	141 mg/l
Secondary poisoning	160 mg/kg
Freshwater sediment	552 mg/kg
Soil	28 mg/kg
Wastewater treatment plant	2251 mg/l
Marine water	141 mg/l
Marine sediment	552 mg/kg

PNEC Cetrimonium chloride:

Fresh water	0,42 mg/l
Occasional leakage	0,12 mg/kg
Freshwater sediment	68 mg/kg
Soil	1,66 mg/kg
Wastewater treatment plant	0,4 mg/l
Marine water	0,042 mg/l
Marine sediment	6,8 mg/kg
_	

by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

Version: 2

Page 5 / 9 05 Room Spray

8.2 Exposure controls

Ensure adequate ventilation. Use personal protective equipment. Contaminated work clothing can be reused after thorough cleaning. After finishing work, wash your hands thoroughly with soap and water. Do not eat, drink or smoke while working. The monitoring procedure for the content of substances in workplace air and the specification of protective equipment is determined by the worker responsible for occupational safety and health protection of workers.

	Individual protection measures, such as personal protective equipment					
Respiratory protection: It is not necessary for normal use. If limit values are exceeded in the workplace, u						
		respiratory protection				
	Eye protection:	Wear safety goggles				
Hand protection: Safety gloves. Follow the recommendations of the specific glove manufacture of the specific glove of th						

choosing the appropriate thickness, material and permeability.

Skin protection: Protective work clothing

Environmental exposure controls

Prevent release to the soil and water.

SECTION 9: Physical and chemical properties

SEC	DEC 1101(7). I hysical and chemical properties				
9.1	Information on basic physical and chemical prope	erties			
	Appearance:	Liquid			
	Color:	transparent			
	Odour:	Parfum			
	pH:	5-7			
	Melting / freezing point (°C):	Information is not available			
	Boilling point (°C):	Information is not available			
	Flash point (°C):	Information is not available			
	Flammability:	Information is not available			
	Limits of explosiveness or flammability: upper:	Information is not available			
	lower:	Information is not available			
	Vapour pressure	Information is not available			
	Vapour density	Information is not available			
	Density	Information is not available			
	Solubility in water	Information is not available			
	N-octanol/water division ratio:	Information is not available			
	Autoignition point:	Information is not available			
	Breakdown point:	Information is not available			
	Viscosity	Information is not available			
	Particle characteristics:	Information is not available			
0.2	Other information	·			

9.2 Other information

Information is not available

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is not reactive under normal conditions.

10.2 Chemical stability

The product is stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions are occur under recommended storage and handling conditions.

10.4 Conditions to avoid

Protect from direct sunlight and high temperatures. Keep away from sources of ignition and open flames.

10.5 Incompatible materials

Information is not available

10.6 Hazardous decomposition products

In case of fire, carbon oxides, nitrogen oxides and other hazardous gases may be formed.

by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

Version: 2

05 Room Spray

Page 6 / 9

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity a)

Based on available data, the classification criteria are not met.

Isopropyl-alcohol: LD50 oral, potkan = 4800 mg/kg

Sorbitan monooleate, ethoxylated:

oral, LD50, 34500 ul/kg, rat

intraperitoneally, LD50, 6804 mg/kg, rat

intravenously, LD50, 1790 mg/kg, rat

oral, LD50, 25000 mg/kg, mouse

intraperitoneally, LD50, 7600 mg/kg, mouse

intravenously, LD50, 4500 mg/kg, mouse

Alcohols C12-14, ethoxylated (>2-5EO):

oral		LD50	1100-2000 mg/kg	rat	

Cetrimonium chloride:

OECD 401, key study	ca. 2 410 mg/kg bw, LD50	oral: gavage, rat	
	ca. 2 970 mg/kg bw, LD50		
	ca. 1 550 mg/kg bw, LD50		

Skin corrosion/irritation b)

Based on available data, the classification criteria are not met.

Cetrimonium chloride: OECD 404, Key Study - Corrosive 1C, Rabbit

Serious eye damage/irritation

Causes serious eye irritation.

Cetrimonium chloride: OECD 405, evidence study - irritant, rabbit

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

e) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Cetrimonium chloride:

OECD 471, key study	negative	In vitro	S. typhimurium TA 1535, TA 1537, TA 98,
			TA 100 and E. coli WP2

f) Carcinogenicity

Based on available data, the classification criteria are not met.

Sorbitan monooleate, ethoxylated: TLD0, oral, 2163 g/kg/2Y-C, rat, Suspected tumor formation - RTECS criteria, cortical tumor TLD0, intraperitoneal, 10 g/kg/27W-I, rat, Application site tumor.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Sorbitan monooleate, ethoxylated: TLD0, oral, 12570 g/kg 84 days before mating - 21 days after birth. Effect on newborns, developmental ability index. TLD0, intraperitoneally, 80 ul/kg, 4 days after birth. Uterus, vagina, effects on the vagina, change in the menstrual cycle. Effect on newborns.

STOT-single exposure h)

Based on available data, the classification criteria are not met.

j) **Aspiration hazard**

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Information is not available

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Isopropyl-alkohol:

fish: 96 h LC 50 (Minnow) = 10400 mg/l

daphnia: 48 h EC50 (Dapnia magna) = 5000 - 10000 mg/l

by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

05 Doom Cover

Page 7 / 9

05 Room Spray

Version: 2

Alcohols C12-14, ethoxylated (>2-5EO):

EC50 0,5 mg/l/72h, algae

EC50 0,5 mg/l/48h, crustaceans

EC50 2,6 mg/l/96h, fish

Cetrimonium chloride:

Acute toxicity to fish	Danio rerio (previous	ca. 0.5 mg/L, LC0 / 96 h ca.	OECD 203
	name: Brachydanio rerio)	0.71 - ca. 1 mg/L, LC50 / 96 h	
		ca. 1 mg/L, LC100 / 96 h	
Acute toxicity to invertebrates	Daphnia magna	550 μg/L, EC50 / 24 h 280	OECD 202
		μ g/L, EC50 / 48 h < 236 μ g/L,	
		NOEC / 48 h	
Acute toxicity to algae	Pseudokirchneriella	ca. 0.094 mg/L, EC10 / 72 h ca.	OECD 201
	subcapitata (previous	0.155 mg/L, EC50 / 72 h ca.	
	names: Raphidocelis	0.115 mg/L, EC50 / 72 h ca.	
	subcapitata, Selenastrum	0.08 mg/L, NOEC / 72 h ca.	
	capricornutum)	0.205 mg/L, LOEC / 72 h	

Sorbitan monooleate, ethoxylated:

Acute toxicity to fish:	ryby	LC50: > 750 mg/l/96 h
Acute toxicity to algae:	bakterie	EC50: < 100 mg/l/72 h

12.2 Persistence and degradability

Information for the mixture is not available.

Cetrimonium chloride: 75% (28 days), 95% readily degradable, DOC 170 mg/g, COD 650 mg/g

Alcohols C12-14, ethoxylated (>2-5EO): >60% in 28 days

12.3 Bioaccumulative potential

Information for the mixture is not available.

Cetrimonium chloride: log Pow < 4

12.4 Mobility in soil

Information is not available.

12.5 Results of PBT and vPvB assessment

The mixture is not assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

The mixture contains the following substances, which are under assessment as endocrine disrupting:

2-bromo-2-nitropropane-1,3-diol (0.03%)

Geraniol (<0.02%)

12.7 Other adverse effects

Information is not available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- a) Suitable methods for removing the mixture and contaminated packaging: Disponse of the waste according to local/official regulations.
-) Specify the physical/chemical properties that may affect waste treatment options information is not available
- c) Discourage sewage disposal
 - information is not available

d) Iidentify, where appropriate, any special precautions for any recommended waste treatment option information is not available

SECTION 14: Transport information

The mixture is not a dangerous good for transport.

14.1 UN number or ID number: -

14.2 UN proper shipping name

Ground transportation ADR	
Railway transportation RID	not applicable
Naval transport IMDG:	

by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

05 Room Spray

Version: 2

	Air transport ICAO/IATA:					
14.3	Transport hazard class(es)					
	ADR	RID	IMDG:	ICAO/IATA:		
	-	-	-	-		
14.4	Packing group					
	ADR	RID	IMDG:	ICAO/IATA:		
	-	-	-	-		
14.5	Environmental hazards					
	Mixture is not hazardous to the environment during transport.					
14.6	Special precautions for user					
	Information is not available.					
14.7	Maritime transport in bulk according to IMO instruments					
	Not applicable.					

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 CLP

Regulation (EC) No 1907/2006 REACH

Regulation (EU) 878/2020

National regulations on the waste and chemical mixtures

15.2 **Chemical safety assessment**

Not available.

Page 8 / 9

SECTION 16: Other information

19.04.2023: issuing a safety data sheet according to Regulation (EC) 1907/2006 REACH and according to Regulation (EC) No. 1272/2008 CLP

Revision No. 1: 16.1.2024 - change in product name. Version 2 replaces version 1

b) List of abbreviations

List of abbreviations	ist of abbreviations		
DNEL	Derived No Effect Level		
PNEC	Predicted No Effect Concentration		
CLP	Regulation (EC) No 1272/2008		
REACH	Regulation (EC) No 1907/2006		
IMDG	International Code of Dangerous Goods		
IATA	International Air Transport Association		
ICAO	International Civil Aviation Organization		
ADR	European Agreement concerning the International carriage of dangerous goods by road		
RID	Regulation on the international transport of dangerous goods by rail		
Einecs	European Inventory of Existing Commercial Chemical Substances		
CAS	Chemical Abstracts Service		
PBT	persistent, bioaccumulative and toxic substance		
vPvB	very persistent a very bioaccumulation substance		
SDS	Safety data sheet		
Acute Tox. 4	Acute toxicity, category 4		
Flam. Liq. 2	Flammable liquid, category 2		
STOT SE 3	Specific target organ toxicity — single exposure, category 3		
STOT SE 3	Specific target organ toxicity — single exposure, category 3		
Skin Corr. 1	Skin corrosion/irritation, Hazard Category 1		
Skin Irrit. 2	Skin irritation, category 2		
Skin Sens. 1	Skin sensitization, category 1		
Eye Dam. 1	Serious eye damage/eye irritation, category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, category 2		
Aquatic Acute 1	Hazardous to the aquatic environment - acute, category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – chronic, cat. 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – chronic, cat. 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – chronic, cat. 3		

SAFETY DATA SHEET by regulation (EC) No 1907/2006 REACH

Date of issue: 19.04.2023 Revision date: 16.01.2024

Version: 2

05 Room Spray Page 9 / 9

1
1

	c)	Sources of information			
		State legislation, documentation from the manufacturer			
	d)	List of hazard statements			
		H302 Harmful if swallowed.			
H312 Harmful in contact with skin.		H312 Harmful in contact with skin.			
		H335 May cause respiratory irritation.			
	H336 May cause drowsiness or dizziness.				
	H225 Highly flammable liquid and vapour.				
		H314 Causes severe skin burns and eye damage.			
		H315 Causes skin irritation.			
		H317 May cause an allergic skin reaction.			
		H318 Causes serious eye damage.			
		H319 Causes serious eye irritation.			
		H400 Very toxic to aquatic life.			
		H410 Very toxic to aquatic life with long lasting effects.			
		H411 Toxic to aquatic life with long lasting effects.			
	1	H412 Harmful to aquatic life with long lasting effects.			
	e)	Instructions for training			
		Training of work safety for handling with chemicals.			
		Other information			
	f)	The classification was carried out by the calculation method in accordance with Regulation (EC) No.			
		1272/2008 CLP.			
		The information in this safety data sheet correspond to the best knowledge of the product at the time of			
		publication. This information is used for safer handling, storage, transportation and disposal of the product.			
		This information does not guarantee the quality of the product. This information applies only to this material			
	and is not valid if the product is used in combination with other materials or in a way which is not list				
		this SDS.			